
SOUTH AUSTRALIA.

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL OF BIRTHS, DEATHS, AND MARRIAGES.

1901.



Ordered by the House of Assembly to be printed, September 9th, 1902.

[Estimated cost of printing (630), £35 16s. 0d.]

ADELAIDE:
BY AUTHORITY: C. E. BRISTOW, GOVERNMENT PRINTER, NORTH TERRACE.

1902.

LIBRARY
10 APR 1962
COMMONWEALTH BUREAU OF CENSUS & STATS.

REGISTRAR-GENERAL OF BIRTHS, ETC.—ANNUAL REPORT, 1901.

Office of Registrar-General of Births, &c., August 19th, 1902.

Sir—I have the honor to submit to you the following report on the births, deaths, and marriages registered in South Australia in the year 1901 :—

Near the end of the report will be found, under their proper heading, some observations and statistics respecting the Northern Territory; but, with these exceptions, and except also where the Territory is specially mentioned, everything written with regard to the State, in either the report itself or the tables accompanying it, must be understood as referring to the southern part only—that is, to South Australia proper.

POPULATION.

Since the publication of the finally revised Summary Tables of the recent census, the estimates of population and the various calculations based on them have been revised back to the end of the year 1891. This revision, like the temporary one made back to the end of 1894 for the report for 1900, has taken up a great deal of time, and has considerably retarded the preparation of this report and its appendices; but it was absolutely necessary, for although during the intercensal period reductions for unrecorded departures, amounting altogether to over 13,000, were allowed in computing month after month the population of South Australia proper, yet the estimated population for the last day of March, 1901, exceeded by 12,802 the enumerated population for the same day as shown in the census returns.

On December 31st, 1901, the estimated population of South Australia, exclusive of the inhabitants of the Northern Territory and of aborigines, was 360,212, viz., 181,291 males and 178,921 females. This showed an advance of 3,113 on the estimated population at the beginning of the year. All these figures are based on the revised estimates of population both for the beginning and for the end of 1901.

The following table, compiled from the quarterly returns of the Collector of Customs, shows the distribution as to route of the recorded immigration and emigration in 1901 :—

Route.	Inwards.				Outwards.			
	Males over 12 years.	Females over 12 years.	Males under 12 years.	Females under 12 years.	Males over 12 years.	Females over 12 years.	Males under 12 years.	Females under 12 years.
By sea	20,019	10,020	2,291	2,286	20,727	10,504	2,545	2,436
Viâ Morgan	323	120	33	27	347	142	35	36
Viâ Cockburn	10,384	6,543	1,258	1,137	8,866	5,631	1,375	1,273
Viâ Serviceton	16,241	10,241	1,488	1,369	16,538	10,222	1,115	1,088
	46,967	26,924	5,070	4,819	46,478	26,499	5,070	4,833

Taken as they stand (that is, without considering an allowance which has been made for unrecorded departures—1,998 males and 894 females) the figures in the table would show that, with respect to persons over 12 years of age, the population gained 489 males and 425 females, and that in regard to children under that age it lost 14 females, the result being an increase of 489 males and of 411 females. The figures in the table show also that there was a gain of 2,177 persons *viâ* Cockburn and 376 *viâ* Serviceton, while there was a loss of 57 *viâ* Morgan and of 1,596 by sea.

The estimated mean population for the year was 357,556 (180,003 males and 177,553 females), being greater by 3,288 than the mean population of 1900.

Throughout this report, and the statistical tables accompanying it, the annual rates of births, deaths, and marriages to population are invariably calculated on the mean populations of the years referred to.

BIRTHS.

The births registered in 1901 numbered 9,079, being fewer by 64 than those recorded in 1900, and, with one exception, being the lowest number registered in any year since 1877. The birth rate per 1,000 of the mean population was 25·39, against 25·81 in 1900, and was below the rate of any other of the last fifty years. As explained and clearly shown in the annual report for 1898, the continued falling off in the number of births and the birth rate in recent years has been chiefly owing to the fact that instead of celebrations of marriages becoming more numerous each year with the advance of population, they have been actually fewer than they were several years ago. The falling off in the marriage rate commenced with a sudden drop in 1886. In the twelve years (1874-85) the mean annual marriage rate per 1,000 of the population was 8·54, while in the sixteen years (1886-1901) it was only 6·48. Another cause which has aided—at least recently—in lowering the birth rate is that during the last few years marriages have been gradually becoming proportionately less fruitful than they formerly were. That this has been the case seems to be clear from the figures in the table which is given later on in this report, showing through a series of years the proportion of the number of legitimate births to the number of marriages.

The natural addition to the population from the excess of births over deaths was 5,105 against 5,369 in 1900. Of the total births registered, 4,665 were male births and 4,414 female, the proportion of the former to 100 of the latter being 105·69. In England, according to recent returns, the proportion for the five years ended with 1900 was 103·54, while the latest "Victorian Year Book" gives, omitting fractions, 105 as the ratio

ratio for the Australian States and New Zealand taken together, the calculation being based on the returns for the five years 1893-97.

In the first quarter of 1901 the births registered in South Australia numbered 2,228, in the second 2,327, in the third 2,370, and in the fourth 2,154, the births of the second and third quarters being, according to the general rule, more numerous than those of the first and last.

By means of a tabular statement, which will be found later on, and the information in which—like all similar information given in this report—has been taken from the latest and most authentic sources, the birth rate of South Australia can be compared with the birth rates of the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Illegitimate Births.—The births entered in 1901 as illegitimate numbered 361 (181 males and 180 females), against 388 in the previous year. The percentage of illegitimate births to the total births registered during the year was 3·98.

The following table shows the percentages in the six Australian States, New Zealand, and the different parts of the United Kingdom in the years specified:—

	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	Mean.
South Australia	2·93	2·84	3·05	3·13	3·46	3·53	3·62	3·95	4·24	3·98	3·47
New South Wales ..	5·72	6·22	6·26	6·51	6·70	6·58	6·93	7·16	7·01	7·16	6·63
Victoria	5·59	5·46	5·51	5·33	5·63	5·41	5·33	5·49	5·91	5·58	5·52
Queensland	5·05	4·91	4·52	4·93	5·22	6·02	6·03	5·97	6·40	5·93	5·50
Western Australia ..	5·89	4·16	4·66	4·47	5·61	5·27	4·99	4·91	4·82	3·88	4·87
Tasmania.....	4·75	4·40	5·09	4·97	5·91	5·74	5·09	6·07	5·43	5·94	5·34
New Zealand	3·32	3·70	3·80	4·50	4·48	4·48	4·23	4·40	4·64	4·57	4·21
England and Wales..	4·2	4·2	4·3	4·2	4·2	4·2	4·2	4·0	4·0	—	4·17
Ireland.....	2·5	2·6	2·7	2·7	2·6	2·6	2·7	2·6	2·7	—	2·63
Scotland	7·40	7·45	7·28	7·23	7·19	6·97	6·81	6·50	—	—	7·10

For the convenience of reference and of comparison the South Australian rates of illegitimacy for twenty-one years are here appended:—

1881	2·25	1893	2·84
1882	2·25	1894	3·05
1883	1·75	1895	3·13
1884	2·10	1896	3·46
1885	2·42	1897	3·53
1886	2·38	1898	3·62
1887	2·49	1899	3·95
1888	2·67	1900	4·24
1889	2·47	1901	3·98
1890	2·50		
1891	2·93	Mean of twenty-one years	2·90
1892	2·93		

DEATHS.

The deaths registered in 1901 numbered 3,974, being more by 200 than those of the previous year. The deaths of males were 2,206, and of females 1,768, the proportion of the former to 100 of the latter being 124·77, which was greater by 19·08 than the proportion of male to female births. Of the total number of deaths recorded in the year 1,028 were registered in the first quarter, 912 in the second, 1,037 in the third, and 997 in the fourth, the mortality of the second half of the year being, contrary to what commonly happens, greater than that of the first. The death rate per 1,000 of the mean population was 11·11. It was greater by 0·46 than the rate of 1900, but, with that exception, was the lowest death rate on record. It may be stated here that in every one of the seventeen years, 1885-1901, the death rate was low.

By means of the tabular statement which has already been referred to, and which will be found later on, the death rate of South Australia can be compared with the death rates of the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Causes of Death.—Arranged in their respective classes and numbers, the causes of death in 1901 and the previous year were as follows:—

	1900.	1901.
I. Specific febrile or zymotic diseases	423	446
II. Parasitic diseases.....	14	8
III. Dietetic diseases	18	33
IV. Constitutional diseases	662	686
V. Developmental diseases	413	403
VI. Local diseases	1,796	1,949
VII. Violence	240	240
VIII. Ill-defined and not specified causes	208	209

It will be seen from this that, comparing the causes of death in the two years by classes, there were in 1901 increases in the first, third, fourth, sixth, and eighth classes, and decreases in the second and fifth, while in the seventh class the number in each year was the same. There was nothing remarkable or calling for special comment in any of the increases or decreases.

As very full particulars are given in the tables accompanying this report respecting the different causes of death specified in them, it is considered necessary to refer specially here to only some of those in the zymotic class and a few of the other causes.

Scarlet Fever, Measles.—There was 1 death from scarlet fever, against 5 in 1900, and there were 5 deaths from measles, against 2 in 1900.

Whooping

Whooping Cough.—There were 51 deaths from whooping cough, against 29 in 1900.

Cerebro-spinal Fever.—To this malady, known also as epidemic cerebro-spinal meningitis, and previously very uncommon in this State, 21 deaths (12 males and 9 females) were attributed in 1901. In order to facilitate correct classification, medical practitioners should be careful to distinguish in their death certificates between cases of *epidemic* and those of *non-epidemic* cerebro-spinal meningitis.

Enteric Fever.—The deaths from enteric or typhoid fever numbered 72 (42 males and 30 females), being more by 15 than those registered in 1900, but, with that exception, being the lowest number recorded in any year since 1895.

The following table shows the death rate from this disease per 1,000 of the mean population for the last twenty years:—

1882	0·51	1893	0·19
1883	0·46	1894	0·24
1884	0·44	1895	0·21
1885	0·43	1896	0·28
1886	0·31	1897	0·31
1887	0·47	1898	0·42
1888	0·35	1899	0·32
1889	0·42	1900	0·16
1890	0·30	1901	0·20
1891	0·23		
1892	0·26	Mean of twenty years	0·33

For comparison it may be stated that in England, according to the most recent returns of the Registrar-General, the rate in 1900 was only 0·17, and the mean annual rate for the quinquennium ended with that year 0·17, while recent returns give the rates in the Australian States and New Zealand as follows:—

Western Australia	1900	0·72	Tasmania	1900	0·17
New South Wales	1900	0·29	South Australia	1900	0·16
Queensland	1900	0·28	New Zealand	1900	0·09
Victoria	1900	0·20			

It would seem, therefore, that in reference to enteric fever the Australian States, taken as a whole, compare unfavorably with England and New Zealand. Only 2 of the deaths in this State from enteric fever in 1901 were of children under 5 years of age, and only 7 of persons over 45.

In the annual report for 1889 it was stated that "As many of the deaths from this disease occurred in public hospitals, and were of persons who had come from a distance—in some cases even from beyond the limits of the colony—and as many others were of persons who had returned ill to their homes from various directions, it would serve no useful purpose to give a minute detail of the local distribution of the deaths." For similar reasons minute details of such distribution are not given in this present report; but it may be stated that 33 of the deaths occurred in the four districts forming "Adelaide and suburbs" (that is, Adelaide, Norwood, Hindmarsh, and Port Adelaide), only 1 in the districts south of Adelaide district, and the remaining 38 in the other parts of the State.

It is noteworthy how very few deaths from this disease occur in all that portion of the State which lies south of the district of Adelaide. From 1887 to 1901 they numbered in each year respectively only 4, 8, 8, 9, 1, 1, 2, 4, 5, 1, 2, 3, 3, 4, and 1.

The deaths from enteric fever in 1901 were distributed over the whole year, though the mortality from it during the first six months was very much greater than that during the remainder of the year.

Diphtheria, Croup.—The deaths from diphtheria numbered 19 (13 males and 6 females), being fewer by 13 than those registered in 1900, and being the lowest number recorded in any year since this malady first made its appearance in South Australia, or, at all events, since it was first recognised here as a distinct disease. This was in 1859, when, following on an epidemic of diphtheria (known also at that time as Boulogne sore throat) in England in 1857-58, there was an outbreak of the disease here which created a considerable scare owing to the number of deaths of young children resulting from it, and also because the precise nature of the affection and the proper means of dealing with attacks from it seemed to be but little understood in those days. The proportion of deaths from diphtheria per 1,000 of the mean population was 0·05 in 1901, against 0·09 in the previous year. Only 4 of the deaths were of persons over 10 years of age. Judging from the returns of several years, it would seem that though no age protects a person from liability to an attack from this malady, the mortality from it is chiefly confined to children under 10 years old. Of the total deaths from this disease 12 were registered in the four districts forming "Adelaide and suburbs," 1 in the districts south of Adelaide district, and the remaining 6 in the other parts of the State.

Both in Australasia and in England there seem to be, in many cases, considerable difficulty and uncertainty in distinguishing between diphtheria and croup. Occasionally, therefore, statistical writers count together the deaths from these two diseases. The deaths from croup in 1901 numbered 3 (all males), against 6 in the previous year.

Influenza, or la Grippe.—The deaths from influenza in 1901 numbered 36 (19 males and 17 females), against 46 in the previous year. Ever since 1890, inclusive, this disease has been very destructive, though for many years before that time it troubled the State but very little.

Phthisis.—The deaths from phthisis were 302 (155 males and 147 females), being more by 3 than the number registered in 1900. Of the total deaths from all causes 7·60 per cent. were attributed to phthisis, against 7·92 in the previous year, while the proportion of deaths from this disease per 1,000 of the mean population was 0·84, the same as in 1900.

The following table shows the proportions for the last seventeen years:—

1885	0·99	1895	0·98
1886	1·12	1896	0·89
1887	1·16	1897	0·89
1888	1·19	1898	0·91
1889	0·94	1899	0 89
1890	0·94	1900	0·84
1891	1·04	1901	0·84
1892	0·95		
1893	1·02	Mean of seventeen years	0·98
1894	1·05		

In England the proportion in 1900 was 1·33, being a little over the mean annual rate (1·32) for the quinquennium ended with that year, and being the fourth lowest rate ever recorded there.

If

If the English and the South Australian rates for either 1900 or the quinquennium ended with that year be carefully studied, it will be found that such a portion of population as would in this State yield about 6 deaths from phthisis would in England yield about 9 deaths. Such is the fact, although in the latter country females, who are less liable than persons of the other sex to become victims to consumption, considerably outnumber the males, whereas in South Australia the male population is the more numerous. Furthermore, phthisis is so frequently complicated with bronchitis or pneumonia, or both, that in many a case of death it must be very difficult—perhaps impossible—to decide with certainty as to which of these three lung diseases should be set down as the *principal* cause of the fatal result; and, of course, this uncertainty affects more of less the classification in the mortality tables, as the undue inflation of the death record from any one of the three may have the effect of unduly lessening the recorded mortality from the others. This being so, it is not possible to have a clear view of the real significance of the recorded death rate from one of these diseases unless the corresponding death rates from the other two are also taken into account. Now, in 1900 the death rates from bronchitis and pneumonia, per 1,000 of the population, were in England 1·69 and 1·37 respectively; whilst in South Australia they were only 0·44 and 0·54 respectively. The combined death rate in that year from phthisis, bronchitis, and pneumonia was 4·39 in England, and only 1·82 in this State—that is to say, very much less than half. From these facts it will be evident that, in reference to mortality from phthisis and the two other most destructive diseases of the lungs, South Australia compares very favorably indeed with the mother country.

For comparison, the death rates from phthisis of the six Australian States and New Zealand, as shown in recent returns, are here appended :—

Victoria	1900	1·16	Western Australia	1900	0·77
Queensland	1900	0·87	New Zealand	1900	0·76
South Australia	1900	0·84	Tasmania	1900	0·62
New South Wales	1900	0·80			

Cancer.—The deaths from cancer (including all malignant new growths) numbered 216 (105 males and 111 females), being more by 6 than those registered in 1900, and being the greatest number ever recorded in one year. The proportion of deaths from this disease per 1,000 of the mean population was 0·60, against 0·59 in the previous year.

For the last seventeen years the rates were as follows :—

1885	0·32	1895	0·48
1886	0·34	1896	0·54
1887	0·36	1897	0·54
1888	0·38	1898	0·53
1889	0·43	1899	0·58
1890	0·41	1900	0·59
1891	0·49	1901	0·60
1892	0·46		
1893	0·51	Mean of seventeen years	0·47
1894	0·48		

In England the proportion in 1900 was 0·83, which was above the mean annual rate (0·80) for the quinquennium ended with that year, and was, in fact, the highest rate ever recorded there. For comparison the rates of the six Australian States and New Zealand, as shown in recent returns, are here appended :—

Victoria	1900	0·68	Tasmania	1900	0·53
South Australia	1900	0·59	Queensland	1900	0·47
New South Wales	1900	0·57	Western Australia	1900	0·29
New Zealand	1900	0·56			

All the deaths in South Australia in 1901 from cancer, except 13, were of persons over 30 years of age.

In England the mortality from cancer has always been very much less amongst the male than amongst the female portion of the population. For instance, in the quinquennium ended with 1900 the average annual death rates there from this disease, per 1,000 of the mean population of each sex, were 0·65 and 0·94 respectively. In this State, however, though the difference is but little, the average rate of male mortality is the higher of the two, as the following table will show :—

Year.	Male Rate.	Female Rate.	Year.	Male Rate.	Female Rate.
1892	0·52	0·39	1898	0·55	0·51
1893	0·51	0·51	1899	0·59	0·57
1894	0·48	0·48	1900	0·58	0·61
1895	0·49	0·47	1901	0·53	0·63
1896	0·56	0·51			
1897	0·62	0·45	Mean	0·54	0·51

Diseases and Accidents of Pregnancy and Childbirth.—The deaths ascribed in 1901 to these causes, including puerperal fever, were 43, against 45 in the previous year. The proportion which deaths from these causes bore to 1,000 registered births was 4·74, against 4·92 in 1900. The following table shows the proportions in South Australia, Victoria, and England in the years specified :—

	South Australian Rate.	Victorian Rate.	English Rate.
1882	6·46	6·58	5·09
1883	4·39	5·74	5·06
1884	4·14	7·04	4·79
1885	4·40	5·61	4·98
1886	3·22	6·23	4·29
1887	4·99	5·27	4·69
1888	4·09	5·42	4·73
1889	2·81	4·48	4·05
1890	3·67	5·30	4·89
1891	5·68	4·99	5·24
1892	4·36	4·63	5·78
1893	5·24	4·90	6·51
1894	4·01	5·31	5·36
1895	4·56	5·67	4·57
1896	7·79	5·87	4·98
1897	4·09	6·45	4·61
1898	6·71	5·63	4·41
1899	4·26	6·19	4·66
1900	4·92	5·30	4·81
1901	4·74	6·48	—
Mean	4·74	5·65	4·92

Suicides.—The average yearly number of suicides occurring in South Australia is not sufficiently large to call for special comment in every annual report, particularly as in the numbered tables accompanying each report all deaths by suicide are specified in detail. It may, however, occasionally be useful to say a few words about such deaths. The number of cases of suicide in the ten years ended with 1901 was 355 (290 males and 65 females), being an average of 35·5 deaths for each year, and being in the annual ratio of 10·32 to 100,000 persons living. In England the annual proportion for the decennium 1891-1900 was 8·89. Tables which appear in the latest "Victorian Year Book," but which are compiled from the returns of some years ago, give the following as the proportions—that is, the mean annual death rates from suicide per 100,000 persons living—in the Australasian dependencies and the different parts of the United Kingdom:—Western Australia, 14·9; Queensland, 14·8; Victoria, 11·4; New South Wales, 10·5; New Zealand, 9·2; South Australia, 9·1; Tasmania, 6·5; England, 7·9; Scotland, 4·0; Ireland, 2·5. Everywhere, in proportion respectively to the number of persons of each sex living, far more males destroy themselves than females. In this State, in the ten years 1892-1901, the mean annual proportion of males who committed suicide was 16·64 to 100,000 males living, and of females only 3·83 to a like number of females living; that is to say, self-destruction was in those years more than four times as prevalent among the male population as it was among the female.

The following tabular statement of all cases of suicide in the decennium ended with 1901 shows, arranged in order of frequency, the five chief means, and collectively, the other means of death chosen by persons in South Australia when bent upon putting an end to their own lives:—

Males.		Females.		Persons.	
Hanging	77	Drowning	21	Hanging	88
Gunshot	77	Poison	17	Gunshot	81
Cut, Stab	56	Hanging	11	Cut, Stab	63
Poison	46	Cut, Stab	7	Poison	63
Drowning	25	Other means	5	Drowning	46
Other means	9	Gunshot	4	Other means	14

Infantile Mortality.—The deaths of infants under 1 year of age numbered 909 (522 males and 387 females), against 911 in 1900, and were in the proportion of 10·01 to 100 births registered. From 1885 to 1901 the proportions were as follows:—

1885	11·34	1894	9·39
1886	12·61	1895	9·49
1887	11·12	1896	10·14
1888	9·59	1897	10·91
1889	9·42	1898	13·99
1890	9·65	1899	11·16
1891	9·09	1900	9·96
1892	9 69	1901	10·01
1893	11·65		

The most recent returns give the proportions in the other Australian States and New Zealand as follows:—

Western Australia	1901	12·89	Queensland	1901	10·19
New South Wales	1901	10·37	Tasmania	1901	8·70
Victoria	1901	10·29	New Zealand	1901	7·14

On the whole, the Australian States and New Zealand stand well in regard to infantile mortality, since, according to the returns of the Registrar-General of England, the two lowest proportions known in that country since the introduction of registration were 13·00 in 1881 and 13·50 in 1879, while the proportion has in several years been over 15·00, and in some even over 16·00. For the quinquennium ended with 1900 the mean annual proportion in England was 15·62.

MARRIAGES.

The marriages registered in 1901 numbered 2,304, being fewer by 1 than those of the previous year, but with that exception being the highest number recorded in any year since 1891. The marriage rate (that is, the rate of marriages, not of persons married) per 1,000 of the mean population was 6·44 against 6·51 in 1900. The marriages celebrated in the first quarter numbered 562, in the second 657, in the third 540, and in the fourth 545.

By means of the tabular statement which has been already referred to, and which will be found later on, the marriage rate of South Australia can be compared with the marriage rates of the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Table 13, accompanying this report, gives detailed information as to the ages of the persons married, and shows how many of them were bachelors or widowers, spinsters or widows, and how many were unable to write their names. The number of marriages celebrated during the year according to the ceremonies of each religious denomination and the number of civil marriages are shown in the following statement:—

Church of England	505	Officiating Registrars	44
Wesleyan	347	Christian Brethren	19
Roman Catholic	256	Salvation Army	16
Bible Christian	181	City Mission	11
Primitive Methodist	163	New Jerusalem Church	9
Lutheran	152	Moravian	4
Baptist	146	Seventh Day Adventist	2
Congregationalist	142	Unitarian	1
Presbyterian	133	Jewish	1
Church of Christ	88		
Registrar-General, Deputy Registrar, and District Registrars	84		

LIBRARY 10 APR 1962 COMMONWEALTH BUREAU OF CENSUS & STATS.

A rise or fall in marriage rates, or in the value of exports or imports, is generally regarded as being in some degree indicative of a corresponding change in the prosperity of a country. The following table shows the variation year after year from 1881 to 1901 in such rates and values in South Australia :—

Year.	Marriage Rate per 1,000 of Mean Population.	Value per Head of Mean Population.		
		Imports Retained for Home Consumption.	Exports of South Australian Produce.	Imports and Exports United.
		£ s. d.	£ s. d.	£ s. d.
1881	8·31	16 1 3	13 2 5	29 3 8
1882	8·87	19 8 4	14 13 9	34 2 1
1883	8·64	16 14 5	11 17 4	28 11 9
1884	8·42	14 11 2	17 8 10	32 0 0
1885	7·93	13 15 11	14 4 2	28 0 1
1886	6·51	10 9 11	9 5 11	19 15 10
1887	6·48	10 4 0	10 19 5	21 3 5
1888	6·82	10 3 0	15 5 9	25 8 9
1889	6·69	10 10 4	11 19 10	22 10 2
1890	7·17	12 6 11	14 3 2	26 10 1
1891	7·31	13 0 11	14 16 0	27 16 11
1892	6·55	8 13 6	9 19 8	18 13 2
1893	6·32	8 5 8	9 17 5	18 3 1
1894	6·16	6 13 8	9 17 0	16 10 8
1895	5·96	5 13 4	10 6 1	15 19 5
1896	6·33	8 4 6	9 9 8	17 14 2
1897	5·66	7 15 10	7 4 4	15 0 2
1898	6·38	5 8 2	7 3 5	12 11 7
1899	6·44	6 18 10	11 4 4	18 3 2
1900	6·51	10 4 2	10 3 9	20 7 11
1901	6·44	9 14 3	11 15 10	21 10 1

It is the opinion of statisticians that if through a series of years the number of marriages in each year be compared with the number of legitimate births in the following year a very fair estimate can be obtained of the average number of children born to each married couple. Although the figures of a long series of years are required to demonstrate the correctness of this opinion, it is generally only necessary to examine those of a few years to obtain estimates that may be relied on. The following figures show the proportion of births to each marriage in South Australia for sixteen years, in each instance the births compared being for the year given and the marriages for the year before :—

1886	4·46	1895	4·87
1887	5·34	1896	4·72
1888	5·17	1897	4·72
1889	4·83	1898	4·42
1890	4·90	1899	4·08
1891	4·66	1900	3·87
1892	4·42	1901	3·78
1893	4·90		
1894	4·81	Mean	4·62

It would seem from these figures that 4·62 is the average number of children born in South Australia to each marriage. This is above the average in England and Scotland and below that in Ireland. It will be seen, however, that during the last few years the proportion in South Australia has been showing a downward tendency.

According to the "Victorian Year Book," 1895-8, which is the latest issue of that work published, the average proportions in the other Australian States and New Zealand, were as follows :—

Tasmania	4·96	New South Wales	4·76
New Zealand	4·93	Western Australia	4·49
Queensland	4·81	Victoria	4·23

GENERAL RESULTS OF THE YEAR FOR THE STATE.

Viewed as a whole, 1901 was, in its principal results very like 1900. It was an unfavorable year with respect to births and increase of population; it was an indifferent one in regard to marriages; but in reference to its mortality record, it was a very excellent year, though not quite so good as 1900.

ADELAIDE AND SUBURBS.

As explained in the annual report for 1888, by "Adelaide and Suburbs" is meant an area consisting of the four registration districts of Adelaide, Norwood, Hindmarsh, and Port Adelaide. Within this area (which is 262 square miles in extent) there are, in addition to the city of Adelaide, eight corporate towns and many other towns and villages. The estimated population of Adelaide and suburbs on December 31st, 1901, was 163,430 (78,278 males and 85,152 females), being more by 2,469 than the estimated population at the beginning of the year. The estimated mean population for the year was 162,195 (77,755 males and 84,440 females). The births registered in 1901 numbered 3,930 (1,997 males and 1,933 females; the deaths 2,130 (1,155 males and 975 females); and the marriages 1,229. The births were fewer by 163, the deaths more by 97, and the marriages more by 34 than those recorded in the previous year. The birth rate per 1,000 of the mean population was 24·23, the death rate 13·13, and the marriage rate 7·58. The birth rate was lower by 1·16, the death rate higher by 2·02, and the marriage rate higher by 1·14 than the corresponding rates for the whole State. As the returns of the late census showed that the estimates of the population of Adelaide and suburbs made during the intercensal period understated the true numbers, especially in reference to the more recent

recent years of the decennium, all such estimates and the calculations based on them have been revised back to the end of 1891. The revised birth, death, and marriage rates for the ten years are here appended.

	Births.	Deaths.	Marriages.
1892	32·21	13·81	8·24
1893	32·49	17·34	7·91
1894	30·24	13·66	7·50
1895	30·41	14·56	7·51
1896	29·04	14·20	7·98
1897	27·40	14·23	7·28
1898	25·40	16·44	7·84
1899	26·54	14·40	8·00
1900	25·65	12·74	7·49
1901	24·23	13·13	7·58

The following table shows the rates of infantile mortality in Adelaide and suburbs in the years specified —that is, the proportion of deaths of children under 1 year of age to 100 births registered :—

1886	15·75	1894	10·60
1887	13·68	1895	12·16
1888	11·58	1896	12·19
1889	11·58	1897	13·35
1890	11·95	1898	16·81
1891	11·88	1899	11·79
1892	11·79	1900	11·85
1893	12·59	1901	11·73

It will be seen that in every one of these years the rate was higher than the corresponding rate for the whole State shown in a previous table.

For comparison, the birth and death rates (inclusive, at least as far as the first seven towns are concerned, of all births and deaths in public institutions) per 1,000 of the mean population of the Australasian capital cities and suburbs and of several of the largest towns in Great Britain are here given. The figures for the British towns have been taken from the returns of the Registrar-General of England, while those for the Australasian capitals have for the most part been extracted from special returns, which, on application, were supplied to this office by the statistical authorities of the different Australian States and New Zealand :—

	Births, 1901.	Deaths, 1901.		Births, 1900.	Deaths, 1900.
Adelaide	24·23	13·13	Greater London	28·3	17·3
Melbourne	24·85	15·09	Manchester	32·3	24·1
Sydney	25·65	12·62	Liverpool	36·0	25·7
Brisbane	28·95	12·74	Birmingham	32·7	21·5
Perth	35·10	16·74	Leeds	30·4	20·0
Hobart	26·25	14·46	Edinburgh	26·9	19·4
Wellington	26·87	10·29	Glasgow	32·7	22·0

CITY OF ADELAIDE.

The estimated population of the city on December 31st, 1901, was 39,345 (18,410 males and 20,935 females), being an increase of 152 for the whole year. The births registered in 1901 numbered 938, being fewer by 84 than those of the previous year ; and the deaths 881, being more by 86 than those of the previous year. In several of the numbered tables accompanying this report (particularly tables 21, 22, and 23) will be found statistics referring specially to the city.

The statistical authorities of the different Australian States and New Zealand do not agree as to how far births and deaths occurring in public institutions, such as hospitals, asylums, gaols, &c., should be included, or whether any of them at all should be included, in the calculation of the birth and death rates of cities or other large towns. Nor, in reference to this matter, are they agreed as to what institutions should be comprehended under the description "public," some giving a much wider meaning to the term "public institutions" than others do. The only comparison, therefore, that can be conveniently made between the birth and death rates of the city of Adelaide and those of other large Australasian towns is one between the rates inclusive of all births and deaths in public institutions. The following figures show the rates per 1,000 of mean population in the towns named, exclusive of suburbs. They are in all cases the rates inclusive of all births and deaths in public institutions :—

	Births, 1901.	Deaths, 1901.		Births, 1901.	Deaths, 1901.
Adelaide	23·88	22·43	Hobart	27·78	13·47
Melbourne	33·24	32·93	Launceston	29·74	14·12
Bendigo	30·24	19·44	Wellington	26·35	10·66
Ballarat	28·61	18·02	Dunedin	22·04	12·64
Geelong	27·05	16·52	Auckland	30·00	13·10
Sydney	23·66	15·12	Perth	38·87	19·96
Brisbane	30·39	16·32			

The marriages celebrated in the city of Adelaide in 1901 numbered 585. The marriage rate (that is, the rate of marriages, not of persons married) per 1,000 of the mean population, was 14·89. It is probable, however, that not half of the persons married in the city had their usual residence therein.

From many points of view it is no doubt an advantage to the city of Adelaide that it is the only great medical centre in South Australia—the only place, in fact, where sick people and invalids of every class can easily obtain all the special medical aid and nursing attendance and other conveniences which they need or think they need. Its attraction, however, in this respect has necessarily one very undesirable effect—it leads to its mortality record being very much higher than it otherwise would be. In 1901, for instance, the *gross* death rate of Adelaide reached 22·43 per 1,000 of the mean population. If, however, as shown in table 23 accompanying this report, the deaths in the Adelaide Hospital and two other public institutions of persons not usually resident in the city be excluded, the rate falls considerably—it comes down to 16·65. Further, if, *as far as they can be ascertained* from the registration entries, the deaths in private hospitals and the Children's Hospital of persons whose usual homes were not in Adelaide be also eliminated, the rate comes down to 15·35. As persons registering deaths are not obliged to name the buildings in which they have occurred, it is of course not possible to find out by an inspection of the entries all the deaths in the city that have happened in private hospitals, lying-in homes, and similar places. But even if this were possible it would further be necessary, before a correct view of the city mortality could be obtained, to know how many deaths occurred in private residences and ordinary lodging-houses of persons who came or were brought into Adelaide for the very reason that they were seriously ill or ailing in some way. That its attraction as a medical centre is the chief reason—if it is not, indeed, the only one—why the city of Adelaide, compared with the

the remainder of South Australia, has so high a death record will, perhaps, be more apparent and more readily admitted if it be remembered that it is not possible to name with certainty or even suggest any other sufficient cause or causes that would not be equally operative in the eight suburban municipalities taken collectively; and yet in 1901 the combined gross death rate of these towns was only 10·75.

CORPORATE TOWNS.

In table No. 25 accompanying this report will be found the usual statistics with respect to the populations, births, and deaths of twenty-three corporate towns, including the city of Adelaide. The birth and death rates per 1,000 of mean population in the towns referred to in the table, taken in groups, were as follows :—

	Births, 1901.	Deaths, 1901.
Municipality of Adelaide	23·88	22·43
Eight suburban corporate towns	24·94	10·75
Fourteen outside corporate towns	34·65	16·91
The twenty-three towns collectively	26·65	15·09

NORTHERN TERRITORY.

The following table shows the estimated population of the Northern Territory (exclusive of aborigines) in the year 1901 :—

	Males.	Females.	Persons.
Estimated population, January 1st, 1901	4,158	500	4,658
Births during the year	22	10	32
Immigration during the year	267	71	338
	4,447	581	5,028
Deaths during the year	83	8	91
	4,364	573	4,937
Emigration during the year	283	71	354
Estimated population, December 31st, 1901	4,081	502	4,583
Estimated mean population of the year	4,122	502	4,624

The following table shows the estimated population (exclusive of aborigines) divided into persons of European race and those of other races :—

	Males.	Females.	Total.
Europeans—January 1st, 1901	933	296	1,229
" December 31st, 1901	895	280	1,175
Asiatics (chiefly Chinese) and others—Jan. 1st, 1901	3,225	204	3,429
" " " Dec. 31st, 1901	3,186	222	3,408

The births registered in 1901 numbered 32 (22 males and 10 females), and the deaths 91 (83 males and 8 females). Of these the European births were 17 (10 males and 7 females), and the European deaths 28 (23 males and 5 females). There were 5 marriages.

The general birth rate per 1,000 of the mean population was 6·92; the death rate, 19·68; and the marriage rate, 1·08. The European birth rate per 1,000 of the mean European population was 14·03; and the death rate, 23·10. No inference, however, of statistical value can be drawn from these rates, owing to the smallness of the numbers dealt with, and the abnormal state of the population in regard to the distribution of sex and age. The death rates, it will be noted, both the general and the European, were unusually high.

The following table shows the causes of deaths in the Territory, arranged as nearly as possible in the usual nosological order of sequence, and the number and ages of the deceased :—

Causes of Death.	All Ages.			Under 1 Year.	1—5.	5—10.	10—20.	20—40.	40—60.	60—80.	80 and Upwards.	Not Stated.
	Total.	M.	F.									
	91	83	8	2	7	2	4	27	35	14	—	—
Diarrhœa, dysentery	22	17	5	1	3	1	2	3	11	1	—	—
Fevers, malarial diseases	8	8	—	—	—	—	—	4	2	2	—	—
Venereal disease	1	1	—	—	—	—	—	—	1	—	—	—
Stricture of urethra	1	1	—	—	—	—	—	—	—	1	—	—
Puerperal fever	1	—	1	—	—	—	—	1	—	—	—	—
Thirst	2	2	—	—	—	—	—	—	2	—	—	—
Phthisis and other tuberculosis	5	4	1	—	—	—	—	3	1	1	—	—
Old age	5	5	—	—	—	—	—	—	—	5	—	—
Brain fever, meningitis	2	2	—	—	1	—	—	1	—	—	—	—
Convulsions	2	2	—	—	2	—	—	—	—	—	—	—
Heart diseases	2	2	—	—	—	—	—	—	2	—	—	—
Pneumonia	2	2	—	—	—	—	—	2	—	—	—	—
Lung disease	2	2	—	—	—	—	1	1	—	—	—	—
Peritonitis	1	—	1	—	1	—	—	—	—	—	—	—
Nephritis	1	1	—	—	—	1	—	—	—	—	—	—
Bright's disease	3	3	—	—	—	—	—	1	2	—	—	—
Accidental fracture and contusion	4	4	—	—	—	—	—	1	3	—	—	—
Accidental drowning	3	3	—	—	—	—	—	1	2	—	—	—
Accidental gunshot wounds	1	1	—	—	—	—	—	—	—	1	—	—
Opium smoking, poisoning	2	2	—	—	—	—	—	1	1	—	—	—
Lost in bush	1	1	—	—	—	—	—	1	—	—	—	—
Murder, manslaughter	2	2	—	—	—	—	—	1	1	—	—	—
Suicidal gunshot wounds	2	2	—	—	—	—	—	—	1	1	—	—
Debility	1	1	—	—	—	—	—	—	1	—	—	—
Undefined or ill-defined	15	15	—	1	—	—	1	6	5	2	—	—

AREA OF SOUTH AUSTRALIA.

	Acres.	Square Miles.
South Australia proper	243,244,800	380,070
Northern Territory	335,116,800	523,620
Total	578,361,600	903,690

COMPARATIVE STATISTICS.

The following tabular statement shows the rates of births, deaths, and marriages per 1,000 of mean population in the Australian States, New Zealand, the different parts of the United Kingdom, and several other countries. The figures in the first seven lines have been taken from the returns of the statistical authorities of the different places named—for the most part from returns which, on application, were specially supplied to this office. The remainder of the figures have either been extracted unaltered or been deduced by calculation from the returns of the Registrar-General of England, who obtains his information respecting other countries from the several official authorities of those countries :

		Births.	Deaths.	Marriages.
South Australia	1901	25·39	11·11	6·44
Victoria	1901	25·78	13·22	6·99
New South Wales	1901	27·60	11·68	7·68
Queensland	1901	28·28	11·88	6·61
Western Australia	1901	30·32	13·36	9·66
Tasmania	1901	28·40	10·45	7·71
New Zealand	1901	26·34	9·81	7·83
United Kingdom (as a whole)	1900	28·2	18·4	7·55
England and Wales	1900	28·7	18·2	8·00
Ireland	1900	22·7	19·6	4·80
Scotland	1900	29·6	18·5	7·30
France	1900	21·4	21·9	7·75
The German Empire	1900	35 6	22·1	8·50
Prussia separately	1900	36·1	21·8	8·55
Austria	1899	37·1	25·4	8·25
Italy	1900	33·0	23·8	7·19
Switzerland	1900	28·6	19·3	7·75
Belgium	1900	28·8	19·2	8·59
The Netherlands	1900	31·5	17·8	7·60
Norway	1900	30·1	15·8	6·95
Hungary	1900	39·3	26·9	8·85
Sweden	1900	26·9	16·8	6·15

The rates of other European countries (Denmark, Spain, &c.) have not been given in this table, because in the returns accessible they are not calculated on mean populations, and no data are given by means of which this defect could be remedied. The deaths of French persons abroad, civil and military, are registered in France, and this may have the effect of causing the death rate there to be somewhat overstated. It will be seen that in the comparative statement as it stands South Australia shows the third lowest birth rate, the third lowest marriage rate, and the third lowest death rate. If, however, the Australian States and New Zealand alone are considered, South Australia shows the lowest birth rate, the lowest marriage rate, and the third lowest death rate.

The following table shows the estimated population in each of the six Australian States and New Zealand on December 31st, 1901. The numbers given are *exclusive of the aborigines* :—

	Males.	Females.	Total.
New South Wales	720,305	655,108	1,375,413
Victoria	606,915	601,137	1,208,052
Queensland	280,485	223,360	503,845
South Australia proper	181,291	178,921	360,212
" Northern Territory	4,081	502	4,583
Western Australia	118,762	76,127	194,889
Tasmania	90,267	83,966	174,233
	2,002,106	1,819,121	3,821,227
New Zealand	414,223	373,434	787,657
	2,416,329	2,192,555	4,608,884

CENSUS.

For convenience of reference the following particulars, taken from the returns of the late census as finally revised, are given here respecting the enumerated population of this State on March 31st, 1901 :—

Population (exclusive of Aborigines).

	Males.	Females.	Persons.
South Australia proper	176,799	177,202	354,001
Shipping	3,494	485	3,979
Total	180,293	177,687	357,980
Northern Territory	3,609	487	4,096
Shipping	520	8	528
Total	4,129	495	4,624

Aboriginal Population.

	Males.	Females.	Persons.
South Australia proper	2,007	1,881	3,888
Northern Territory	12,418	10,817	23,235

CONCLUSION.

Wherever in this report, or the tables accompanying it, the numbers differ from the corresponding numbers formerly given, it is to be understood that those now presented are correct, for the recent census having rendered a good deal of revision inevitable the occasion has been taken to examine the returns for many years back and to rectify any errors in them that could be discovered. The delay in preparing and completing the annual report in the present instance, though chiefly due to the necessity of revising so much of the work of previous years, has also to some extent been owing to the amount of time and pains that this department had to devote to the compilation of elaborate and complicated statistical tables respecting population and the mortality from cancer, which were required for the use of the Cancer Conference held in Hobart in the early part of the present year. The delay, however, has been serviceable in one way. It has made it possible to present in this report, wherever for the purpose of comparison it has been thought desirable to do so, the latest revised information in reference to 1900 and 1901 respecting the vital statistics of the other Australasian dependencies. I have, &c.,

The Hon. the Chief Secretary. G. H. AYLIFFE, Registrar-General of Births, &c.

THE WEATHER AND THE MORTALITY IN THE CITY OF ADELAIDE.

Table showing Readings of the Meteorological Instruments at the Adelaide Observatory and the Registered Mortality within the Municipal Boundaries of the City of Adelaide, in each Month of the Year 1901.

Month.	Thermometer—Fahr. (in shade).			Barometer.			Rain.		Deaths from all Causes.										
									Ages.						Including Deaths from				
	Maximum.	Minimum.	Mean.	Maximum.	Minimum.	Mean.	Total Fall.	No. of Days Rain Fell.	All Ages.	Under 1 Year.	1—5.	5—60.	60—80.	80 and Upwards.	Diphtheria.	Enteric Fever.	Diarrhœa and Dysentery.	All Tubercular Diseases.	Diseases of Respiratory System.
	°	°	°	in.	in.	in.	in.												
January ...	108·0	47·1	72·1	30·045	29·431	29·806	1·065	9	67	19	—	26	19	3	—	2	2	5	6
February..	110·0	51·1	79·2	30·138	29·337	29·847	0·034	2	74	11	4	27	24	8	1	1	2	7	6
March	98·7	47·4	68·4	30·126	29·555	29·911	0·704	6	98	20	7	54	16	1	—	2	8	15	5
April.....	89·2	42·4	62·8	30·288	29·544	30·006	1·939	8	72	7	4	34	24	3	1	—	2	7	11
May	82·2	42·7	60·3	30·333	29·693	30·088	1·177	8	63	6	2	36	14	5	—	5	3	9	3
June.....	66·1	35·9	51·7	30·377	29·275	29·956	4·910	19	47	4	2	25	15	1	3	2	—	7	4
July	61·0	36·6	50·6	30·534	29·749	30·103	2·069	19	80	15	4	43	15	3	—	3	—	13	7
August ...	72·2	35·2	52·4	30·459	29·562	29·981	1·186	13	76	8	4	34	24	6	—	—	—	10	7
September.	83·5	41·0	58·8	30·319	29·357	29·876	1·484	15	75	8	4	37	21	5	1	1	1	11	7
October	84·8	41·0	60·5	30·322	29·315	29·890	1·588	13	62	3	1	35	19	4	—	—	—	9	3
November .	104·9	48·8	71·2	30·204	29·618	29·919	0·874	8	78	10	7	42	17	2	2	2	3	9	3
December..	...	...	...	.	...	...	0·980	4	89	26	4	34	21	4	1	3	3	10	3
Totals ...	...	...	...	...	...	...	18·010	124	881	137	43	427	229	45	9	21	24	112	65

NOTE.—This table is intended to afford the means of comparing the weather and its changes with the general mortality, the mortality among young children and old people, and the mortality from certain diseases, the malignancy of which depends, it is believed, very much on the state of the weather.

G. H. AYLIFFE, Registrar-General of Births, &c.

APPENDICES.

BIRTHS, MARRIAGES, AND DEATHS.

No. 1.—Return showing the Number of Births, Marriages, and Deaths which were registered in South Australia (exclusive of the Northern Territory) in the Year 1901, and the Proportion of Births, Marriages, and Deaths to every thousand persons living.

Districts.	Total Number of—			Proportion to every Thousand of the Mean Population of—		
	Births.	Marriages.	Deaths.	Births.	Marriages.	Deaths.
Metropolitan { City of Adelaide	938	585	881	23·88	14·89	22·43
Metropolitan { Suburbs "	2,992	644	1,249	24·34	5·24	10·16
Total Metropolitan	3,930	1,229	2,130	24·23	7·58	13·13
Extra-Metropolitan	5,149	1,075	1,844	26·36	5·50	9·44
Total South Australia	9,079	2,304	3,974	25·39	6·44	11·11

No. 2.—Decennial Return showing the proportion of Births, Marriages and Deaths in South Australia (exclusive of the Northern Territory) to the estimated Mean Population.

Year.	Proportion to every Thousand of the Population of—		
	Births.	Marriages.	Deaths.
1892	32·57	6·55	11·46
1893	32·00	6·32	13·54
1894	30·82	6·16	11·77
1895	30·69	5·96	11·42
1896	29·04	6·33	11·71
1897	27·69	5·66	11·54
1898	25·79	6·38	13·48
1899	26·72	6·44	12·53
1900	25·81	6·51	10·65
1901	25·39	6·44	11·11

BIRTHS AND DEATHS.

No. 3.—RETURN showing the Number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Quarter of the Year 1901, and the Excess of Births over Deaths.

	Registered during Year.			Quarter.											
				March.			June.			September.			December.		
	Total.	Males.	Females	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Births	9,079	4,665	4,414	2,228	1,155	1,073	2,327	1,175	1,152	2,370	1,244	1,126	2,154	1,091	1,063
Deaths.....	3,974	2,206	1,768	1,028	557	471	912	509	403	1,037	586	451	997	554	443
Excess of Births over Deaths..	5,105	2,459	2,646	1,200	598	602	1,415	666	749	1,333	658	675	1,157	537	620

No. 4.—RETURN showing the Number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Month of the Year 1901.

Month.	Births.			Deaths.		
	Total.	Males.	Females.	Total.	Males.	Females.
January	714	366	348	337	178	159
February	698	354	344	315	167	148
March	816	435	381	376	212	164
April	724	363	361	317	186	131
May	803	412	391	294	157	137
June	800	400	400	301	166	135
July	813	422	391	341	193	148
August	797	415	382	371	210	161
September	760	407	353	325	183	142
October	782	385	397	273	153	120
November	708	372	336	317	170	147
December	664	334	330	407	231	176
Total	9,079	4,665	4,414	3,974	2,206	1,768

No. 5.—COMPARATIVE RETURN showing the number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Month of the Years 1900 and 1901.

Months.	Births.						Class.	Causes of Death.	Deaths.					
	1900.			1901.					1900.			1901.		
	Males.	Females.	Total.	Males.	Females.	Total.			Males.	Females.	Total.	Males.	Females.	Total.
January ...	370	369	739	366	348	714		All causes	215	187	402	178	159	337
							I.	Zymotic diseases	29	32	61	16	23	39
							II.	Parasitic diseases	2	—	2	—	—	—
							III.	Dietic diseases	—	—	—	4	—	4
							IV.	Constitutional diseases	39	32	71	26	26	52
							V.	Developmental diseases	18	16	34	19	19	38
							VI.	Local diseases	78	73	151	75	78	153
							VII.	Violence	33	19	52	19	5	24
							VIII.	Ill-defined or not specified causes	16	15	31	19	8	27
February...	355	349	704	354	344	698		All causes	148	133	281	167	148	315
							I.	Zymotic diseases	18	25	43	19	16	35
							II.	Parasitic diseases	—	—	—	—	—	—
							III.	Dietic diseases	—	—	—	5	—	5
							IV.	Constitutional diseases	27	25	52	25	26	51
							V.	Developmental diseases	11	12	23	17	13	30
							VI.	Local diseases	66	52	118	79	81	160
							VII.	Violence	17	9	26	12	5	17
							VIII.	Ill-defined or not specified causes	9	10	19	10	7	17
March	407	437	844	435	381	816		All causes	168	157	325	212	164	376
							I.	Zymotic diseases	22	23	45	33	20	53
							II.	Parasitic diseases	—	1	1	—	—	—
							III.	Dietic diseases	1	—	1	4	1	5
							IV.	Constitutional diseases	28	28	56	36	24	60
							V.	Developmental diseases	17	18	35	21	13	34
							VI.	Local diseases	74	74	148	84	83	167
							VII.	Violence	13	5	18	17	10	27
							VIII.	Ill-defined or not specified causes	13	8	21	17	13	30
April.....	381	377	758	363	361	724		All causes	167	122	289	186	131	317
							I.	Zymotic diseases	21	13	34	18	15	33
							II.	Parasitic diseases	—	1	1	—	—	—
							III.	Dietic diseases	2	—	2	2	1	3
							IV.	Constitutional diseases	26	24	50	23	33	56
							V.	Developmental diseases	23	16	39	24	10	34
							VI.	Local diseases	76	55	131	91	65	156
							VII.	Violence	11	6	17	16	2	18
							VIII.	Ill-defined or not specified causes	8	7	15	12	5	17
May	420	423	843	412	391	803		All causes	153	157	310	157	137	294
							I.	Zymotic diseases	21	18	39	15	12	27
							II.	Parasitic diseases	—	—	—	2	—	2
							III.	Dietic diseases	1	1	2	2	1	3
							IV.	Constitutional diseases	28	28	56	28	35	63
							V.	Developmental diseases	16	14	30	9	17	26
							VI.	Local diseases	65	73	138	78	53	131
							VII.	Violence	12	4	16	15	6	21
							VIII.	Ill-defined or not specified causes	10	19	29	8	13	21
June	438	424	862	400	400	800		All causes	144	127	271	166	135	301
							I.	Zymotic diseases	9	9	18	21	12	33
							II.	Parasitic diseases	1	1	2	1	—	1
							III.	Dietic diseases	—	—	—	—	—	—
							IV.	Constitutional diseases	20	34	54	30	30	60
							V.	Developmental diseases	17	17	34	8	20	28
							VI.	Local diseases	81	63	144	85	71	156
							VII.	Violence	8	1	9	10	1	11
							VIII.	Ill-defined or not specified causes	8	2	10	11	1	12
July	378	375	753	422	391	813		All causes	158	133	291	193	148	341
							I.	Zymotic diseases	5	9	14	11	13	24
							II.	Parasitic diseases	1	—	1	—	1	1
							III.	Dietic diseases	3	2	5	3	3	6
							IV.	Constitutional diseases	29	24	53	24	32	56
							V.	Developmental diseases	15	19	34	22	25	47
							VI.	Local diseases	86	72	158	110	60	170
							VII.	Violence	12	2	14	14	4	18
							VIII.	Ill-defined or not specified causes	7	5	12	9	10	19
August.....	365	358	723	415	382	797		All causes	168	163	331	210	161	371
							I.	Zymotic diseases	8	10	18	9	11	20
							II.	Parasitic diseases	—	1	1	—	—	—
							III.	Dietic diseases	1	1	2	2	—	2
							IV.	Constitutional diseases	27	31	58	34	33	67
							V.	Developmental diseases	21	23	44	26	18	44
							VI.	Local diseases	88	87	175	110	93	203
							VII.	Violence	12	4	16	23	4	27
							VIII.	Ill-defined or not specified causes	11	6	17	6	2	8
September	376	357	733	407	353	760		All causes	158	141	299	183	142	325
							I.	Zymotic diseases	15	6	21	18	17	35
							II.	Parasitic diseases	—	—	—	1	1	2
							III.	Dietic diseases	—	—	—	—	—	—
							IV.	Constitutional diseases	24	29	53	34	29	63
							V.	Developmental diseases	14	17	31	20	18	38
							VI.	Local diseases	83	79	162	95	74	169
							VII.	Violence	18	5	23	10	—	10
							VIII.	Ill-defined or not specified causes	4	5	9	5	3	8
October ...	375	350	725	385	397	782		All causes	159	145	304	153	120	273
							I.	Zymotic diseases	12	12	24	13	8	21
							II.	Parasitic diseases	1	1	2	—	—	—
							III.	Dietic diseases	1	—	1	1	—	1
							IV.	Constitutional diseases	28	30	58	22	26	48
							V.	Developmental diseases	19	17	36	15	15	30
							VI.	Local diseases	84	78	162	82	56	138
							VII.	Violence	7	1	8	14	6	20
							VIII.	Ill-defined or not specified causes	7	6	13	6	9	15
November.	404	347	751	372	336	708		All causes	185	142	327	170	147	317
							I.	Zymotic diseases	20	24	44	21	19	40
							II.	Parasitic diseases	—	2	2	1	1	2
							III.	Dietic diseases	1	1	2	1	1	2
							IV.	Constitutional diseases	38	15	53	24	27	51
							V.	Developmental diseases	19	12	31	7	13	20
							VI.	Local diseases	82	74	156	90	75	165
							VII.	Violence	18	6	24	19	6	25
							VIII.	Ill-defined or not specified causes	7	8	15	7	5	12
December .	372	336	708	334	330	664		All causes	171	173	344	231	176	407
							I.	Zymotic diseases	30	32	62	44	42	86
							II.	Parasitic diseases	1	1	2	—	—	—
							III.	Dietic diseases	2	1	3	2	—	2
							IV.	Constitutional diseases	20	28	48	30	29	59
							V.	Developmental diseases	22	20	42	20	14	34
							VI.	Local diseases	75	78	153	102	79	181
							VII.	Violence	16	1	17	20	2	22
							VIII.	Ill-defined or not specified causes	5	12	17	13	10	23

No. 6.—Comparative Return showing the number of Births and Deaths (including all those in Public Institutions) Registered in the City of Adelaide in each Month of the Years 1900 and 1901.

Month.	Births.						Class.	Cause of Death.	Deaths.					
	1900.			1901.					1900.			1901.		
	Males.	Females.	Total.	Males.	Females.	Total.			Males.	Females.	Total.	Males.	Females.	Total.
January ...	52	39	91	34	44	78		All causes	46	46	92	42	25	67
							I.	Zymotic diseases	1	8	9	3	1	4
							II.	Parasitic diseases	—	—	—	—	—	—
							III.	Dietic diseases	—	—	—	1	—	1
							IV.	Constitutional diseases	9	8	17	4	3	7
							V.	Developmental diseases	4	4	8	2	4	6
							VI.	Local diseases	18	17	35	23	15	38
							VII.	Violence	12	5	17	5	—	5
							VIII.	Ill-defined or not specified causes	2	4	6	4	2	6
February...	39	36	75	34	31	65		All causes	37	29	66	38	36	74
							I.	Zymotic diseases	3	6	9	3	3	6
							II.	Parasitic diseases	—	—	—	—	—	—
							III.	Dietic diseases	—	—	—	—	—	—
							IV.	Constitutional diseases	11	8	19	8	6	14
							V.	Developmental diseases	3	—	3	6	5	11
							VI.	Local diseases	14	8	22	15	21	36
							VII.	Violence	5	4	9	4	—	4
							VIII.	Ill-defined or not specified causes	1	3	4	2	1	3
March	42	56	98	42	50	92		All causes	47	30	77	61	37	98
							I.	Zymotic diseases	5	4	9	6	4	10
							II.	Parasitic diseases	—	1	1	—	—	—
							III.	Dietic diseases	—	—	—	1	—	1
							IV.	Constitutional diseases	8	6	14	19	5	24
							V.	Developmental diseases	6	2	8	1	3	4
							VI.	Local diseases	23	15	38	25	17	42
							VII.	Violence	1	1	2	6	2	8
							VIII.	Ill-defined or not specified causes	4	1	5	3	6	9
April	48	57	105	34	53	87		All causes	30	22	52	44	28	72
							I.	Zymotic diseases	3	1	4	4	2	6
							II.	Parasitic diseases	—	—	—	—	—	—
							III.	Dietic diseases	—	—	—	—	1	1
							IV.	Constitutional diseases	7	3	10	5	7	12
							V.	Developmental diseases	3	1	4	7	2	9
							VI.	Local diseases	12	14	26	23	14	37
							VII.	Violence	3	1	4	4	1	5
							VIII.	Ill-defined or not specified causes	2	2	4	1	1	2
May	38	46	84	44	43	87		All causes	34	25	59	31	32	63
							I.	Zymotic diseases	5	—	5	1	7	8
							II.	Parasitic diseases	—	—	—	2	—	2
							III.	Dietic diseases	—	1	1	—	1	1
							IV.	Constitutional diseases	9	4	13	11	6	17
							V.	Developmental diseases	2	2	4	2	3	5
							VI.	Local diseases	14	15	29	15	12	27
							VII.	Violence	2	—	2	—	—	—
							VIII.	Ill-defined or not specified causes	2	3	5	—	3	3
June.....	42	43	85	37	37	74		All causes	35	21	56	31	16	47
							I.	Zymotic diseases	3	—	3	4	2	6
							II.	Parasitic diseases	1	1	2	—	—	—
							III.	Dietic diseases	—	—	—	—	—	—
							IV.	Constitutional diseases	6	5	11	6	3	9
							V.	Developmental diseases	4	2	6	1	1	2
							VI.	Local diseases	18	11	29	16	10	26
							VII.	Violence	2	—	2	1	—	1
							VIII.	Ill-defined or not specified causes	1	2	3	3	—	3
July	38	37	75	43	42	85		All causes	42	17	59	43	37	80
							I.	Zymotic diseases	—	—	—	5	5	10
							II.	Parasitic diseases	—	—	—	—	—	—
							III.	Dietic diseases	—	1	1	1	2	3
							IV.	Constitutional diseases	14	3	17	8	12	20
							V.	Developmental diseases	4	6	10	5	5	10
							VI.	Local diseases	21	6	27	18	11	29
							VII.	Violence	1	—	1	5	—	5
							VIII.	Ill-defined or not specified causes	2	1	3	1	2	3
August.....	35	52	87	37	33	70		All causes	34	29	63	41	35	76
							I.	Zymotic diseases	5	4	9	2	1	3
							II.	Parasitic diseases	—	—	—	—	—	—
							III.	Dietic diseases	—	—	—	1	—	1
							IV.	Constitutional diseases	5	4	9	9	8	17
							V.	Developmental diseases	2	3	5	3	5	8
							VI.	Local diseases	19	15	34	24	20	44
							VII.	Violence	3	2	5	2	1	3
							VIII.	Ill-defined or not specified causes	—	1	1	—	—	—
September.	33	45	78	46	40	86		All causes	38	32	70	45	30	75
							I.	Zymotic diseases	4	1	5	4	5	9
							II.	Parasitic diseases	—	—	—	—	1	1
							III.	Dietic diseases	—	—	—	—	—	—
							IV.	Constitutional diseases	9	8	17	8	7	15
							V.	Developmental diseases	—	3	3	2	3	5
							VI.	Local diseases	21	18	39	26	14	40
							VII.	Violence	4	2	6	2	—	2
							VIII.	Ill-defined or not specified causes	—	—	—	3	—	3
October ...	57	40	97	31	40	71		All causes	39	32	71	37	25	62
							I.	Zymotic diseases	2	4	6	1	1	2
							II.	Parasitic diseases	—	1	1	—	—	—
							III.	Dietic diseases	—	—	—	—	—	—
							IV.	Constitutional diseases	8	10	18	7	8	15
							V.	Developmental diseases	5	2	7	4	3	7
							VI.	Local diseases	22	13	35	22	13	35
							VII.	Violence	1	1	2	3	—	3
							VIII.	Ill-defined or not specified causes	1	1	2	—	—	—
November.	46	41	87	35	35	70		All causes	37	26	63	39	39	78
							I.	Zymotic diseases	1	3	4	8	4	12
							II.	Parasitic diseases	—	1	1	1	1	2
							III.	Dietic diseases	1	—	1	—	—	—
							IV.	Constitutional diseases	7	4	11	8	10	18
							V.	Developmental diseases	3	2	5	2	1	3
							VI.	Local diseases	20	13	33	17	19	36
							VII.	Violence	4	—	4	2	3	5
							VIII.	Ill-defined or not specified causes	1	3	4	1	1	2
December...	34	26	60	34	39	73		All causes	37	30	67	58	31	89
							1.	Zymotic diseases	4	7	11	8	2	10
							II.	Parasitic diseases	1	1	2	—	—	—
							III.	Dietic diseases	1	—	1	1	—	1
							IV.	Constitutional diseases	5	6	11	10	5	15
							V.	Developmental diseases	7	2	9	9	2	11
							VI.	Local diseases	17	9	26	23	20	43
							VII.	Violence	2	—	2	6	—	6
							VIII.	Ill-defined or not specified causes	—	5	5	1	2	3

No. 7.—RETURN showing the number of Births and Deaths Registered in each Registration District (except the District of Palmerston, Northern Territory) in the Years 1897 to 1901, inclusive.

District.	Births.															Deaths.													
	1897.			1898.			1899.			1900.			1901.			1897.			1898.			1899.			1900.			1901.		
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.
Adelaide	1,126	1,064	2,190	996	991	1,987	1,115	1,023	2,138	1,023	1,053	2,076	971	1,026	1,997	735	578	1,313	843	694	1,537	732	645	1,377	657	532	1,189	707	552	1,259
Willunga	22	21	43	29	21	50	25	19	44	18	28	46	18	20	38	9	9	18	17	7	24	22	10	32	7	7	14	11	8	19
Yankalilla	34	28	62	33	29	62	32	30	62	29	26	55	35	17	52	8	12	20	10	6	16	45	14	59	6	6	12	15	17	32
Encounter Bay	43	37	80	40	48	88	37	37	74	37	40	77	33	34	67	18	13	31	24	18	42	13	23	36	11	22	33	13	9	22
Strathalbyn	69	59	128	52	44	96	51	50	101	57	50	107	45	31	76	16	25	41	18	15	33	26	20	46	20	24	44	21	31	52
Robe	31	35	66	36	32	68	36	47	83	43	21	64	36	37	73	14	11	25	28	9	37	24	13	37	11	9	20	21	5	26
Grey	167	160	327	153	161	314	163	152	315	175	171	346	186	158	344	51	49	100	75	73	148	83	61	144	50	70	120	63	49	112
Wellington	80	73	153	75	77	152	91	75	166	61	69	130	77	64	141	14	11	25	24	22	46	22	16	38	23	19	42	20	14	34
Morphett Vale	46	42	88	42	42	84	43	40	83	33	36	69	53	37	90	17	8	25	9	8	17	16	16	32	11	10	21	13	11	24
Mount Barker	44	48	92	49	50	99	48	44	92	38	43	81	48	46	94	20	23	43	24	15	39	20	24	44	20	24	44	18	17	35
Nairne	88	91	179	93	99	192	87	75	162	112	103	215	77	94	171	36	31	67	44	47	91	27	35	62	27	27	54	32	22	54
Talunga	101	106	207	86	91	177	115	92	207	102	96	198	92	95	187	38	26	64	26	28	54	38	32	70	39	26	65	32	20	52
Highercombe	18	25	43	30	21	51	25	28	53	33	29	62	32	21	53	8	6	14	6	13	19	10	10	20	5	5	10	11	6	17
Port Gawler	70	58	128	63	45	108	74	54	128	60	52	112	59	62	121	28	20	48	24	23	47	21	21	42	14	15	29	24	26	50
Crawford	44	41	85	33	28	61	33	38	71	31	33	64	37	26	63	7	7	14	14	11	25	10	5	15	9	9	18	9	10	19
Barossa	114	105	219	87	109	196	102	122	224	102	94	196	129	111	240	47	45	92	47	36	83	54	47	101	36	36	72	40	31	71
Angaston	74	105	179	75	83	158	73	84	157	66	79	145	83	80	163	38	27	65	32	30	62	40	33	73	27	27	54	29	24	53
Kapunda	148	139	287	157	121	278	150	124	274	158	151	309	160	140	300	47	40	87	78	42	120	77	50	127	41	45	86	58	48	106
Gilbert	142	129	271	108	116	224	123	104	227	129	108	237	116	119	235	41	34	75	47	45	92	48	38	86	32	28	60	39	31	70
Burra	150	134	284	127	109	236	140	137	277	116	129	245	121	129	250	65	35	100	67	25	92	59	39	98	47	34	81	69	34	103
Clare	331	339	670	341	280	621	356	357	713	360	321	681	386	339	725	154	117	271	182	133	315	172	134	306	164	112	276	178	146	324
Flinders	90	73	163	72	71	143	101	78	179	74	80	154	94	108	202	18	16	34	23	11	34	19	15	34	27	17	44	35	18	53
Frome	416	371	787	397	371	768	376	370	746	324	319	643	337	319	656	167	107	274	203	127	330	142	108	250	123	101	224	130	93	223
Daly	405	358	763	361	379	740	392	357	749	389	378	767	389	372	761	142	112	254	183	163	346	201	165	366	163	143	306	157	112	269
Upper Wakefield	29	30	59	29	23	52	22	23	45	20	27	47	25	22	47	10	10	20	11	10	21	11	17	28	5	7	12	13	11	24
Port Adelaide	308	345	653	351	320	671	367	330	697	377	340	717	337	323	660	165	120	285	190	162	352	147	153	300	150	154	304	143	124	267
Hindmarsh	240	223	463	228	212	440	248	237	485	256	226	482	244	210	454	80	96	176	95	95	190	93	99	192	91	78	169	96	94	190
Norwood	451	415	866	425	404	829	416	429	845	418	400	818	445	374	819	199	193	392	240	223	463	190	201	391	178	193	371	209	205	414
Total	4,881	4,654	9,535	4,568	4,377	8,945	4,841	4,556	9,397	4,641	4,502	9,143	4,665	4,414	9,079	2,192	1,781	3,973	2,584	2,091	4,675	2,362	2,044	4,406	1,994	1,780	3,774	2,206	1,768	3,974

No. 8.—RETURN showing the Number of Births Registered in each Quarter of the Year 1901 in South Australia (exclusive of the Northern Territory), and the Excess of Births over Deaths.

Districts.	Births.							Number of Deaths.	Excess of Births over Deaths.
	Total.	Registered in the Quarter ended the last day of—				Males.	Females.		
		March.	June.	Sept.	Dec.				
Metropolitan { City of Adelaide	938	235	248	241	214	451	487	881	57
Metropolitan { Suburbs of Adelaide	2,992	743	739	796	714	1,546	1,446	1,249	1,743
Extra-Metropolitan	5,149	1,250	1,340	1,333	1,226	2,668	2,481	1,844	3,305
Total	9,079	2,228	2,327	2,370	2,154	4,665	4,414	3,974	5,105

No. 9.—DECENNIAL RETURN showing the Number of Births Registered in South Australia (exclusive of the Northern Territory) in each Year; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—											Number of Deaths.	Excess of Births over Deaths.
				March.			June.			September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males	Females.	Total.	Males.	Females.	Total.	Males.	Females.		
1892	10,544	5,227	5,317	2,661	1,328	1,333	2,699	1,364	1,335	2,666	1,286	1,380	2,518	1,249	1,269	3,711	6,833
1893	10,683	5,444	5,239	2,500	1,270	1,230	2,813	1,458	1,355	2,929	1,489	1,440	2,441	1,227	1,214	4,520	6,163
1894	10,476	5,407	5,069	2,569	1,331	1,238	2,764	1,426	1,338	2,650	1,356	1,294	2,493	1,294	1,199	4,001	6,475
1895	10,537	5,404	5,133	2,590	1,320	1,270	2,771	1,439	1,332	2,772	1,410	1,362	2,404	1,235	1,169	3,921	6,616
1896	10,012	5,085	4,927	2,387	1,192	1,195	2,718	1,377	1,341	2,500	1,276	1,224	2,407	1,240	1,167	4,038	5,974
1897	9,535	4,881	4,654	2,339	1,201	1,138	2,361	1,198	1,163	2,556	1,338	1,218	2,279	1,144	1,135	3,973	5,562
1898	8,945	4,568	4,377	2,289	1,165	1,124	2,325	1,171	1,154	2,366	1,231	1,135	1,965	1,001	964	4,675	4,270
1899	9,397	4,841	4,556	2,226	1,129	1,097	2,542	1,316	1,226	2,492	1,281	1,211	2,137	1,115	1,022	4,406	4,991
1900	9,143	4,641	4,502	2,287	1,132	1,155	2,463	1,239	1,224	2,209	1,119	1,090	2,184	1,151	1,033	3,774	5,369
1901	9,079	4,665	4,414	2,228	1,155	1,073	2,327	1,175	1,152	2,370	1,244	1,126	2,154	1,091	1,063	3,974	5,105

No. 10.—DECENNIAL RETURN showing the Number of Births Registered in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.
Quarter ended March 31	2,661	2,500	2,569	2,590	2,387	2,339	2,289	2,226	2,287	2,228
June 30	2,699	2,813	2,764	2,771	2,718	2,361	2,325	2,542	2,463	2,327
September 30	2,666	2,929	2,650	2,772	2,500	2,556	2,366	2,492	2,209	2,370
December 31	2,518	2,441	2,493	2,404	2,407	2,279	1,965	2,137	2,184	2,154
Total	10,544	10,683	10,476	10,537	10,012	9,535	8,945	9,397	9,143	9,079

No.

No. 11.—Decennial Return showing the Number of Marriages celebrated in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.
Quarter ended March 31	561	532	596	512	537	515	571	545	563	562
June 30	563	556	493	570	584	508	588	587	655	657
September 30	469	491	485	443	504	501	514	569	512	540
December 31	526	531	520	523	558	425	541	564	575	545
Total	2,119	2,110	2,094	2,048	2,183	1,949	2,214	2,265	2,305	2,304

No. 12.—Decennial Return showing the Number of Marriages celebrated in South Australia (exclusive of the Northern Territory).

Year.	Total.	Registered in the Quarter ended last day of—				Celebrated according to rites of—																						Contracted between—			
		March.	June.	September.	December.	Church of England.	Presbyterian.	Roman Catholic.	Lutheran.	Congregationalist.	Wesleyan.	Christian Brethren.	Church of Christ.	Free Presbyterian.	Baptist.	Bible Christian.	Primitive Methodist.	Seventh Day Adventist.	Methodist New Connexion.	City Mission Church.	Friends.	Moravians.	Jews.	Unitarians.	Registrars.	Officiating Registrars.	New Jerusalem Church.	Salvation Army and C. Crusaders	Welsh Free Church.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
1892	2,110	561	563	469	526	399	191	259	142	130	368	16	60	—	101	143	127	—	15	—	—	1	3	9	79	9	166	7	2	1,846	62	125	86
1893	2,110	532	556	491	531	464	12	240	143	120	341	14	51	2	121	195	156	—	5	—	—	1	5	4	112	7	5	16	3	1,823	71	148	68
1894	2,094	596	493	485	520	443	199	258	147	100	342	9	56	1	121	165	176	—	—	—	—	1	3	2	134	11	—	17	9	1,824	83	120	67
1895	2,048	512	570	443	523	417	84	272	140	121	313	10	67	—	106	161	202	—	—	—	—	3	3	8	104	6	—	24	7	1,781	78	136	53
1896	2,183	537	584	504	558	465	110	249	138	118	349	12	62	3	137	188	196	2	—	—	—	1	7	1	104	5	9	25	2	1,914	76	132	61
1897	1,949	515	508	501	425	404	87	200	132	117	286	11	77	2	138	147	162	—	—	—	—	1	—	—	97	6	61	21	—	1,709	69	107	64
1898	2,214	571	588	514	541	443	74	276	145	106	348	14	72	3	117	146	103	2	—	—	—	4	4	1	84	40	117	25	—	1,901	92	148	73
1899	2,265	545	587	569	564	464	106	267	140	109	334	27	68	5	123	178	183	3	—	4	—	1	3	1	70	160	—	19	1	1,978	90	141	56
1900	2,305	563	655	512	575	531	123	221	154	135	350	35	91	—	140	185	177	2	—	12	—	2	3	—	84	35	—	25	—	2,018	60	144	83
1901	2,304	562	657	540	545	505	133	256	152	142	347	19	88	—	146	181	163	2	—	11	—	4	1	1	84	44	9	16	—	1,996	58	174	76

No. 13.—Return showing the Number of Persons Married, at different Ages, in South Australia (exclusive of the Northern Territory) in the Year 1901.

Ages	Under 20		20—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70 and upwards.		Not stated.				Total.		
																									Full.		Under.				
Celebrated in Quarter ended—	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total
March 31	6	74	166	252	186	138	93	49	60	28	23	7	10	3	8	7	5	3	2	1	2	—	1	—	—	—	—	—	562	562	1,124
June 30	7	70	191	306	230	156	103	73	53	29	35	11	14	4	12	2	8	4	3	2	—	—	1	—	—	—	—	—	657	657	1,314
Sept. 30	8	59	140	231	200	158	95	52	49	14	18	10	13	5	7	7	4	3	5	1	1	—	—	—	—	—	—	—	540	540	1,080
Dec. 31	5	55	155	254	194	131	89	63	47	19	29	12	9	4	7	2	3	3	2	—	3	2	2	—	—	—	—	—	545	545	1,090
Total	26	258	652	1,043	810	583	380	237	209	90	105	40	46	16	34	18	20	13	12	4	6	2	4	—	—	—	—	—	2,304	2,304	4,608
Widowers and Spinsters	—	2	3	42	14	45	26	39	39	25	41	9	23	5	16	5	5	2	6	—	1	—	—	—	—	—	—	—	174	174	348
Widowers and Widows	—	—	—	1	—	5	7	11	9	11	10	14	15	7	10	12	11	10	5	3	5	2	4	—	—	—	—	—	76	76	152
Bachelors and Widows	—	—	5	1	14	12	16	17	8	12	12	11	1	2	—	1	2	1	—	1	—	—	—	—	—	—	—	—	58	58	116
Signatures by mark	—	—	6	2	8	—	6	2	3	2	2	1	2	—	—	3	3	1	—	—	1	1	—	—	—	—	—	—	31	12	43

No. 14.—RETURN showing the Number of Deaths registered in each Quarter of the Year 1901 in South Australia (exclusive of the Northern Territory), and the Excess of Births over Deaths.

Districts.	Total.	Males.	Females.	Registered in the Quarter ended last day of—				Number of Births.	Excess of Births over Deaths.
				March.	June.	September.	December.		
Metropolitan { City of Adelaide	881	510	371	239	182	231	229	938	57
Metropolitan { Suburbs "	1,249	645	604	321	305	294	329	2,992	1,743
Extra-Metropolitan	1,844	1,051	793	468	425	512	439	5,149	3,305
Total	3,974	2,206	1,768	1,028	912	1,037	997	9,079	5,105

No. 15.—DECENNIAL RETURN showing the Number of Deaths registered in South Australia (exclusive of the Northern Territory) in each Year; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—											Number of Births.	Excess of Births over Deaths.
				March.			June.			September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.		
1892	3,711	2,039	1,672	1,129	612	517	953	531	422	810	434	376	819	462	357	10,544	6,833
1893	4,520	2,467	2,053	1,041	574	467	1,049	556	493	1,144	628	516	1,286	709	577	10,683	6,163
1894	4,001	2,184	1,817	1,048	584	464	1,019	556	463	972	532	440	962	512	450	10,476	6,475
1895	3,921	2,165	1,756	990	579	411	905	503	402	839	462	377	1,187	621	566	10,537	6,616
1896	4,038	2,121	1,917	1,123	568	555	1,009	540	469	958	498	460	948	515	433	10,012	5,974
1897	3,973	2,192	1,781	1,009	550	459	978	530	448	875	510	365	1,111	602	509	9,535	5,562
1898	4,675	2,584	2,091	1,314	730	584	1,156	644	512	904	500	404	1,301	710	591	8,945	4,270
1899	4,406	2,362	2,044	1,115	610	505	1,137	636	501	898	458	440	1,256	658	598	9,397	4,991
1900	3,774	1,994	1,780	1,008	531	477	870	464	406	921	484	437	975	515	460	9,143	5,369
1901	3,974	2,206	1,768	1,028	557	471	912	509	403	1,037	586	451	997	554	443	9,079	5,105

No. 16.—DECENNIAL RETURN showing the Number of Deaths registered in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.
Quarter ended March 31	1,129	1,041	1,048	990	1,123	1,009	1,314	1,115	1,008	1,028
June 30	953	1,049	1,019	905	1,009	978	1,156	1,137	870	912
September 30	810	1,144	972	839	958	875	904	898	921	1,037
December 31	819	1,286	962	1,187	948	1,111	1,301	1,256	975	997
Total	3,711	4,520	4,001	3,921	4,038	3,973	4,675	4,406	3,774	3,974

No. 17.—Decennial Return showing the Number of Deaths in South Australia (exclusive of the Northern Territory in each Month.

Month.	1892.	1893.	1894.	1895.	1896	1897.	1898.	1899.	1900.	1901.
January	400	330	435	326	442	290	506	437	402	337
February	352	309	310	365	329	346	400	351	281	315
March	377	402	303	299	352	373	408	327	325	376
April	348	328	340	305	291	318	438	369	289	317
May	310	358	348	356	341	294	357	392	310	294
June	295	363	331	244	377	366	361	376	271	301
July	251	332	303	301	339	297	268	290	291	341
August	302	389	333	274	333	306	317	308	331	371
September	257	432	336	264	286	272	319	300	299	325
October	228	381	292	351	275	247	340	469	304	273
November	295	452	328	411	292	367	486	432	327	317
December	296	453	342	425	381	497	475	355	344	407
Total	3,711	4,520	4,001	3,921	4,038	3,973	4,675	4,406	3,774	3,974

No. 18.—Decennial Return showing the Number of Deaths in South Australia (exclusive of the Northern Territory) at Different Periods of Age.

Years.	Age.																							
	Under 1 year.			1 and under 20.			20 and under 40.			40 and under 60.			60 and under 80.			80 and above.			Age unknown.			Totals.		
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.
1892	561	461	1,022	332	320	652	307	282	589	302	229	531	422	271	693	111	108	219	4	1	5	2,039	1,672	3,711
1893	708	537	1,245	546	515	1,061	313	311	624	352	230	582	434	355	789	106	105	211	8	—	8	2,467	2,053	4,520
1894	556	428	984	418	360	778	317	305	622	327	229	556	461	389	850	102	106	208	3	—	3	2,184	1,817	4,001
1895	578	442	1,000	317	300	617	310	325	635	351	231	582	476	364	840	129	114	243	4	—	4	2,165	1,756	3,921
1896	557	458	1,015	279	320	599	323	361	684	379	258	637	459	373	832	123	147	270	1	—	1	2,121	1,917	4,038
1897	586	454	1,040	295	280	575	294	310	604	371	249	620	513	384	897	131	104	235	2	—	2	2,192	1,781	3,973
1898	726	525	1,251	407	391	798	345	338	683	404	267	671	555	422	977	145	148	293	2	—	2	2,584	2,091	4,675
1899	596	453	1,049	353	363	716	324	353	677	375	294	669	574	421	995	138	160	298	2	—	2	2,362	2,044	4,409
1900	471	440	911	273	277	550	266	297	563	369	257	626	475	368	843	139	140	279	1	1	2	1,994	1,780	3,774
1901	522	387	909	296	252	548	312	289	601	410	256	666	520	444	964	143	140	283	3	—	3	2,206	1,768	3,974

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1901.

Class.	Cause of Death.	MALES. Ages at Death. All Ages.	Under 1 Year.	1—2	2—3	3—4	4—5	5—10	10—15	15—20	20—25	25—30	30—35	35—40	40—45	45—50	50—55	55—60	60—65	65—70	70—75	75—80	80—85	85—90	90—95	95 and Over.	Not Stated
	ALL CAUSES	2,206	522	76	27	16	14	50	43	70	84	65	72	91	102	97	97	114	118	146	147	109	91	35	12	5	3
I.	SPECIFIC FEBRILE OR ZYMOTIC DISEASES	238	93	24	10	6	4	8	6	14	9	12	4	4	6	10	5	6	2	1	8	4	2	—	—	—	—
II.	PARASITIC DISEASES	5	1	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
III.	DIETIC DISEASES	26	5	—	—	—	—	—	—	—	2	—	—	2	2	4	4	4	2	—	—	—	—	—	—	—	1
IV.	CONSTITUTIONAL DISEASES	336	8	4	2	2	4	7	7	12	31	23	29	30	25	22	26	20	21	30	21	8	2	2	—	—	—
V.	DEVELOPMENTAL DISEASES	208	57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	10	26	33	42	21	10	5	—
VI.	LOCAL DISEASES	1,081	242	40	12	6	5	24	23	30	26	18	20	37	53	48	55	69	73	96	87	62	42	11	2	—	—
VII.	VIOLENCE	189	11	4	3	2	1	9	7	14	16	11	18	16	15	13	6	11	14	7	4	2	3	1	—	—	1
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	123	105	4	—	—	—	2	—	—	—	—	—	1	1	—	1	4	1	2	1	—	—	—	—	—	1
I.	1. MIASMATIC DISEASES	113	17	9	6	5	3	7	5	13	9	11	4	4	4	5	2	3	1	—	4	—	1	—	—	—	—
	2. DIARRHŒAL DISEASES	113	75	15	4	1	1	—	—	1	—	—	—	—	—	3	1	3	1	1	3	3	1	—	—	—	—
	3. MALARIAL DISEASES	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	4. ZOOGENOUS DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. VENEREAL DISEASES	4	—	—	—	—	—	—	—	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
	6. SEPTIC DISEASES	7	1	—	—	—	—	1	1	—	—	—	—	—	1	1	1	—	—	—	—	1	—	—	—	—	—
II.	PARASITIC DISEASES	5	1	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
III.	DIETIC DISEASES	26	5	—	—	—	—	—	—	—	2	—	—	2	2	4	4	4	2	—	—	—	—	—	—	—	1
IV.	CONSTITUTIONAL DISEASES	336	8	4	2	2	4	7	7	12	31	23	29	30	25	22	26	20	21	30	21	8	2	2	—	—	—
V.	DEVELOPMENTAL DISEASES	208	57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	10	26	33	42	21	10	5	—
VI.	1. DISEASES OF NERVOUS SYSTEM	225	55	7	4	3	—	6	8	9	8	5	1	6	13	7	9	10	12	21	18	10	11	2	—	—	—
	2. DISEASES OF ORGANS OF SPECIAL SENSE	4	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	3. DISEASES OF CIRCULATORY SYSTEM	258	15	1	—	—	—	3	2	4	4	3	7	12	12	13	19	24	30	32	33	24	15	4	1	—	—
	4. DISEASES OF RESPIRATORY SYSTEM	248	65	16	6	1	2	7	3	9	10	3	7	9	9	9	7	16	12	23	12	8	9	5	—	—	—
	5. DISEASES OF DIGESTIVE SYSTEM	214	100	15	1	1	1	7	7	5	—	5	1	3	8	12	10	9	9	8	1	8	2	—	1	—	—
	6. DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS	7	1	—	1	—	—	—	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—
	7. DISEASES OF URINARY SYSTEM	107	3	1	—	—	1	—	—	2	3	1	2	5	8	6	9	9	9	11	20	12	5	—	—	—	—
	8. DISEASES OF REPRODUCTIVE SYSTEM—																										
	(a) DISEASES OF ORGANS OF GENERATION	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	(b) DISEASES OF PARTURITION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	9. DISEASES OF ORGANS OF LOCOMOTION	12	—	—	—	1	—	1	1	—	1	1	2	—	1	—	—	—	1	—	3	—	—	—	—	—	—
	10. DISEASES OF INTEGUMENTARY SYSTEM	5	2	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
VII.	1. ACCIDENT OR NEGLIGENCE	145	10	4	3	2	1	9	7	13	15	9	17	11	10	7	2	5	9	5	2	1	1	1	—	—	1
	2. HOMICIDE	5	1	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—
	3. SUICIDE	39	—	—	—	—	—	—	—	1	1	1	1	5	4	5	4	6	5	2	1	1	2	—	—	—	—
	4. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	123	105	4	—	—	—	2	—	—	—	—	—	1	1	—	1	4	1	2	1	—	—	—	—	—	1
I.	*Miasmatic Diseases.*																										
	Smallpox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Chicken-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Measles	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epidemic Rose Rash	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scarlet Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Influenza	19	3	—	1	—	—	—	—	—	1	1	1	1	1	2	1	2	1	—	3	—	1	—	—	—	—
	Whooping Cough	24	11	9	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Mumps	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diphtheria	13	2	—	3	3	—	3	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Cerebro-spinal Fever	12	1	—	—	1	1	1	—	4	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Simple and Ill-defined Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Enteric Fever	42	—	—	—	—	1	2	4	8	6	9	3	2	3	2	1	1	—	—	—	—	—	—	—	—	—
	Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diarrhœal Diseases.																										
	Simple Cholera	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diarrhœa, Dysentery	110	72	15	4	1	1	—	—	1	—	—	—	—	—	3	1	3	1	1	3	3	1	—	—	—	—
	Malarial Diseases.																										
	Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ague, Intermittent Fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Other Malarial Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No.

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1901—*continued.*

Class.	Cause of Death.	FEMALES. Ages at Death. All Ages.	Under 1 Year.	1—2	2—3	3—4	4—5	5—10	10—15	15—20	20—25	25—30	30—35	35—40	40—45	45—50	50—55	55—60	60—65	65—70	70—75	75—80	80—85	85—90	90—95	95 and Over.	Not Stated
	ALL CAUSES	1,768	387	74	22	15	13	38	29	61	69	78	66	76	68	57	67	64	98	112	121	113	83	37	16	4	—
I.	SPECIFIC FEBRILE OR ZYMOTIC DISEASES	208	77	25	6	4	2	11	9	10	9	12	4	6	5	1	4	2	5	8	3	3	1	—	1	—	—
II.	PARASITIC DISEASES	3	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—
III.	DIETIC DISEASES	7	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	2	2	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES	350	9	6	—	2	3	8	7	28	29	33	29	29	24	17	25	18	21	25	17	14	4	1	1	—	—
V.	DEVELOPMENTAL DISEASES	195	46	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	1	10	26	31	41	22	12	3	—
VI.	LOCAL DISEASES	868	170	37	15	6	6	16	8	20	29	29	32	38	37	36	34	40	65	65	72	60	36	14	2	1	—
VII.	VIOLENCE	51	12	4	1	2	2	3	2	3	2	3	—	2	1	2	1	—	3	1	2	4	1	—	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	86	72	2	—	1	—	—	—	—	—	1	—	—	—	1	3	3	1	1	1	—	—	—	—	—	—
I.	1. MIASMATIC DISEASES	93	17	11	3	3	1	10	9	9	5	7	—	2	2	1	3	1	1	4	2	1	1	—	—	—	—
	2. DIARRHŒAL DISEASES	88	56	14	3	1	1	—	—	—	—	1	—	—	—	—	—	1	3	4	1	2	—	—	1	—	—
	3. MALARIAL DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. ZOOGENOUS DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	5. VENEREAL DISEASES	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	6. SEPTIC DISEASES	23	1	—	—	—	—	1	—	1	4	4	4	4	3	—	—	—	1	—	—	—	—	—	—	—	—
II.	PARASITIC DISEASES	3	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—
III.	DIETIC DISEASES	7	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	2	2	—	—	—	—	—	—	—
IV.	CONSTITUTIONAL DISEASES	350	9	6	—	2	3	8	7	28	29	33	29	29	24	17	25	18	21	25	17	14	4	1	1	—	—
V.	DEVELOPMENTAL DISEASES	195	46	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	1	10	26	31	41	22	12	3	—
VI.	1. DISEASES OF NERVOUS SYSTEM	189	42	9	4	2	1	6	1	4	6	4	6	4	5	6	8	12	18	9	17	13	9	2	—	1	—
	2. DISEASES OF ORGANS OF SPECIAL SENSE	2	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. DISEASES OF CIRCULATORY SYSTEM	216	7	3	—	—	—	3	3	4	5	5	7	4	15	8	11	13	24	27	33	27	12	5	—	—	—
	4. DISEASES OF RESPIRATORY SYSTEM	174	50	12	5	2	2	5	2	3	5	2	3	5	6	10	5	2	8	12	11	9	9	5	1	—	—
	5. DISEASES OF DIGESTIVE SYSTEM	174	69	9	5	2	2	1	2	4	3	4	6	7	2	6	4	11	6	11	7	8	4	—	1	—	—
	6. DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS	5	—	—	—	—	—	—	—	1	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	7. DISEASES OF URINARY SYSTEM	51	1	3	—	—	—	—	—	2	4	4	1	4	4	3	5	1	8	5	3	1	1	1	—	—	—
	8. DISEASES OF REPRODUCTIVE SYSTEM—																										
	(a) DISEASES OF ORGANS OF GENERATION	9	—	—	—	—	—	—	—	—	—	—	2	2	2	1	—	—	—	—	—	1	1	—	—	—	—
	(b) DISEASES OF PARTURITION	32	—	—	—	—	—	—	—	2	4	8	5	9	3	1	—	—	—	—	—	—	—	—	—	—	—
	9. DISEASES OF ORGANS OF LOCOMOTION	10	1	1	—	—	1	1	—	—	—	1	—	1	—	—	—	1	—	1	1	1	—	—	—	—	—
	10. DISEASES OF INTEGUMENTARY SYSTEM	6	—	—	—	—	—	—	—	—	1	1	—	1	—	—	1	—	1	—	—	—	—	1	—	—	—
VII.	1. ACCIDENT OR NEGLIGENCE	49	12	4	1	2	2	3	2	3	1	3	—	1	1	2	1	—	3	1	2	4	1	—	—	—	—
	2. HOMICIDE	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	3. SUICIDE	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. EXECUTION	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	86	72	2	—	1	—	—	—	—	—	1	—	—	—	1	3	3	1	1	1	—	—	—	—	—	—
1.	*Miasmatic Diseases.*																										
	Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Chicken-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Measles	3	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epidemic Rose Rash	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scarlet Fever	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Influenza	17	1	1	1	—	—	1	—	—	1	—	—	2	—	—	1	—	1	4	2	1	1	—	—	—	—
	Whooping Cough	27	15	9	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Mumps	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diphtheria	6	—	—	—	1	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cerebro-spinal Fever	9	—	—	—	—	1	2	3	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
	Simple and Ill-defined Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Enteric Fever	30	—	—	—	1	—	2	4	8	4	7	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—
	Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diarrhœal Diseases.																										
	Simple Cholera	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diarrhœa, Dysentery	86	55	13	3	1	1	—	—	—	—	1	—	—	—	—	—	1	3	4	1	2	—	—	1	—	—
	Malarial Diseases.																										
	Remittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ague, Intermittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Malarial Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1901—*continued.*

Class.	Cause of Death.	MALES. Ages at Death. All Ages.	Under 1 Year.	1—2	2—3	3—4	4—5	5—10	10—15	15—20	20—25	25—30	30—35	35—40	40—45	45—50	50—55	55—60	60—65	65—70	70—75	75—80	80—85	85—90	90—95	95 and Over.	Not Stated
	Zoogenous Diseases.																										
	Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Splenic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cowpox and other Effects of Vaccination	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Venereal Diseases.																										
	Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gonorrhœa, Stricture of Urethra	4	—	—	—	—	—	—	—	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
	Septic Diseases.																										
	Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Erysipelas	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Pyæmia, Septicæmia	5	1	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	1	—	—	—	—
	Puerperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	*Parasitic Diseases.*																										
	Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases from Vegetable Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hydatid Disease	5	1	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	Other Diseases from Animal Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III.	*Dietic Diseases.*																										
	Starvation, Want of Breast Milk	15	5	—	—	—	—	—	—	—	2	—	—	—	2	2	1	1	1	—	—	—	—	—	—	—	1
	Scurvy	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Intemperance { Chronic Alcoholism	8	—	—	—	—	—	—	—	—	—	—	—	1	—	2	2	2	1	—	—	—	—	—	—	—	—
	Intemperance { Delirium Tremens	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
IV.	*Constitutional Diseases.*																										
	Rheumatic Fever, Rheumatism of Heart	5	—	—	—	1	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Gout	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Rickets	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cancer, Malignant Disease	105	—	—	1	1	1	1	—	1	1	—	4	2	10	6	13	9	12	22	13	4	2	2	—	—	—
	Tabes Mesenterica	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tubercular Meningitis (Acute Hydrocephalus)	16	3	1	1	—	1	5	3	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phthisis	155	—	1	—	—	—	—	2	7	24	19	21	26	11	14	9	6	4	6	3	2	—	—	—	—	—
	Other forms of Tuberculosis, Scrofula	21	1	1	—	—	—	1	—	3	5	1	2	1	1	—	1	2	1	—	1	—	—	—	—	—	—
	Purpura, Hæmorrhagic Diathesis	4	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Anæmia, Chlorosis, Leucocythæmia	9	—	1	—	—	—	—	—	—	—	1	—	—	2	—	2	—	2	1	—	—	—	—	—	—	—
	Diabetes Mellitus	13	—	—	—	—	—	—	1	1	1	—	2	—	1	—	—	1	2	—	3	1	—	—	—	—	—
	Other Constitutional Diseases	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—
V.	*Developmental Diseases.*																										
	Premature Birth	46	46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Atelectasis	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cyanosis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Spina Bifida	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Imperforate Anus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cleft Palate, Harelip	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Congenital Defects	6	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Old Age	151	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	10	26	33	42	21	10	5	—
VI.	*Diseases of Nervous System.*																										
	Inflammation of Brain or its Membranes	35	13	1	2	3	—	4	4	3	1	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—
	Apoplexy	66	—	—	—	—	—	1	—	—	—	—	—	2	4	2	4	7	10	10	11	6	8	1	—	—	—
	Softening of Brain	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—
	Hemiplegia, Brain Paralysis	9	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4	2	—	1	—	—	—	—
	Paralysis Undefined	11	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	1	2	2	1	1	—	—	—
	Paralysis Agitans	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Insanity, General Paralysis of Insane	19	—	—	—	—	—	—	1	1	—	2	1	2	4	1	2	—	—	3	2	—	—	—	—	—	—
	Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epilepsy	8	—	—	—	—	—	—	1	2	—	3	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	Convulsions	45	36	5	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Laryngismus Stridulus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Idiopathic Tetanus	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Paraplegia, Disease of Spinal Cord	5	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—

No.

No. 19.—RETURN showing the Causes of Deaths at different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1901—*continued.*

Class.	Cause of Death.	FEMALES. Ages at Death. All Ages.	Under 1 Year.	1—2	2—3	3—4	4—5	5—10	10—15	15—20	20—25	25—30	30—35	35—40	40—45	45—50	50—55	55—60	60—65	65—70	70—75	75—80	80—85	85—90	90—95	95 and Over.	Not Stated
	Zoogenous Diseases.																										
	Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Splenic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cowpox and other Effects of Vaccination	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Venereal Diseases.																										
	Syphilis	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Gonorrhœa, Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Septic Diseases.																										
	Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Erysipelas	3	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pyæmia, Septicæmia	9	1	—	—	—	—	1	—	1	—	1	1	—	3	—	—	—	1	—	—	—	—	—	—	—	—
	Puerperal Fever	11	—	—	—	—	—	—	—	—	4	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	*Parasitic Diseases.*																										
	Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases from Vegetable Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hydatid Disease	3	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—
	Other Diseases from Animal Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III.	*Dietic Diseases.*																										
	Starvation, Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intemperance { Chronic Alcoholism	6	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	2	2	—	—	—	—	—	—	—
	Intemperance { Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
IV.	*Constitutional Diseases.*																										
	Rheumatic Fever, Rheumatism of Heart	7	—	—	—	—	—	1	—	2	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	Rheumatism	6	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	2	—	—	—	—	—	—
	Gout	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	Rickets	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cancer, Malignant Disease	111	1	—	—	—	1	—	—	1	2	2	2	4	4	9	16	10	15	17	12	12	2	—	1	—	—
	Tabes Mesenterica	3	1	—	—	—	*	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tubercular Meningitis (Acute Hydrocephalus)	18	3	5	—	1	1	3	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phthisis	147	2	—	—	—	—	1	3	18	20	28	20	19	16	5	5	4	1	5	—	—	—	—	—	—	—
	Other forms of Tuberculosis, Scrofula	20	1	—	—	1	1	1	—	3	2	—	4	2	1	1	2	—	—	—	1	—	—	—	—	—	—
	Purpura, Hæmorrhagic Diathesis	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Anæmia, Chlorosis, Leucocythæmia	14	—	—	—	—	—	1	—	1	2	—	1	4	1	1	—	1	1	1	—	—	—	—	—	—	—	—
	Diabetes Mellitus	15	—	—	—	—	—	—	—	1	1	—	2	—	1	—	2	—	1	1	1	2	2	1	—	—	—	—
	Other Constitutional Diseases	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—
V.	*Developmental Diseases.*																										
	Premature Birth	34	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Atelectasis	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cyanosis	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Spina Bifida	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Imperforate Anus	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cleft Palate, Harelip	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Congenital Defects	6	4	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Old Age	146	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	10	26	31	41	22	12	3	—
VI	*Diseases of Nervous System.*																										
	Inflammation of Brain or its Membranes	24	9	2	1	2	1	3	—	1	1	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	Apoplexy	57	—	—	—	—	—	—	—	—	—	—	—	2	—	5	4	5	12	5	10	7	5	2	—	—	—
	Softening of Brain	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—
	Hemiplegia, Brain Paralysis	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	2	—	—	—	—
	Paralysis Undefined	9	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	1	2	2	1	—	—	—	—
	Paralysis Agitans	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Insanity, General Paralysis of Insane	16	—	—	—	—	—	—	—	1	—	1	2	—	1	1	1	2	1	1	3	2	—	—	—	—	—
	Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epilepsy	10	1	—	—	—	—	1	—	2	4	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Convulsions	41	30	7	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Laryngismus Stridulus	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Idiopathic Tetanus	3	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Paraplegia, Disease of Spinal Cord	9	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	2	1	2	—	—	—	—	1	—

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1901—*continued.*

Class.	Cause of Death.	MALES. Ages at Death. All Ages.	Under 1 Year.	1—2	2—3	3—4	4—5	5—10	10 - 15	15—20	20—25	25—30	30—35	35—40	40—45	45—50	50—55	55—60	60—65	65—70	70—75	75—80	80—85	85—90	90—95	95 and over.	Not Stated
	Diseases of Nervous System—cont.																									
	Other Diseases of Nervous System	22	3	1	—	—	—	—	2	3	1	—	—	1	4	3	1	2	—	—	—	1	—	—	—	—	—
	Diseases of Organs of Special Sense.																									
	Otitis, Otorrhœa and Disease of Ear	3	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epistaxis and Disease of Nose	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Ophthalmia and Disease of Eye	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Circulatory System.																									
	Endocarditis, Valvular Disease	22	—	—	—	—	—	—	2	1	—	1	1	4	1	1	2	2	1	1	3	1	—	1	—	—	—
	Pericarditis	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hypertrophy of Heart	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
	Angina Pectoris	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	2	—	—	—	—	—
	Syncope	10	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	1	—	—	—
	Aneurism	10	—	—	—	—	—	—	—	—	—	—	—	2	1	1	1	3	2	—	—	—	—	—	—	—	—
	Senile Gangrene	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Embolism, Thrombosis	8	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	2	3	—	—	—	—
	Phlebitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Varicose Veins	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Circulatory System	198	9	—	—	—	—	3	—	3	3	1	6	6	9	11	15	18	25	27	29	19	11	2	1	—	—
	Diseases of Respiratory System.																									
	Laryngitis	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Croup	3	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Larynx and Trachea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Emphysema, Asthma	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	3	2	—	1	—	—	—	—
	Bronchitis	73	37	2	2	—	—	1	1	1	—	—	—	—	—	—	—	—	6	8	3	6	3	3	—	—	—
	Pneumonia	125	25	12	2	1	2	4	2	5	8	2	5	8	7	7	4	10	3	8	6	1	2	1	—	—	—
	Pleurisy	17	—	1	—	—	—	1	—	1	2	1	1	—	1	2	1	2	—	2	—	—	2	—	—	—	—
	Other Diseases of Respiratory System	19	1	—	—	—	—	—	—	2	—	—	1	1	1	—	1	3	3	2	1	1	1	1	—	—	—
	Diseases of Digestive System.																										
	Stomatitis	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dentition	18	15	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sore Throat, Quinsy	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dyspepsia	3	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
	Hæmatemesis	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
	Melæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disease of Stomach	11	3	—	—	—	—	1	—	1	—	1	—	—	2	2	—	—	—	1	—	—	—	—	—	—	—
	Enteritis	107	72	11	1	—	1	3	2	1	—	1	—	1	1	1	2	1	4	3	—	2	—	—	—	—	—
	Ulceration of Intestine	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ileus, Obstruction of Intestine	16	1	—	—	1	—	—	1	—	—	—	1	2	1	2	2	1	1	1	—	1	1	—	—	—	—
	Stricture, or Strangulation of Intestine	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intussusception of Intestine	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hernia	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	2	—	—	—	—	—
	Fistula	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
	Peritonitis	9	—	—	—	—	—	1	3	1	—	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gallstones	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	1	—	—	—	—	—	—
	Cirrhosis of Liver	10	—	—	—	—	—	—	—	—	—	—	—	—	1	3	2	2	1	1	—	—	—	—	—	—	—
	Other Diseases of Liver	14	5	—	—	—	—	—	—	—	—	—	—	—	—	1	2	3	1	—	—	2	—	—	—	—	—
	Other Diseases of Digestive System	7	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—
	Diseases of Lymphatic System and Ductless Glands.																										
	Diseases of Lymphatic System	5	—	—	1	—	—	—	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
	Diseases of Spleen	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchocele	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Urinary System.																										
	Acute Nephritis	14	2	1	—	—	1	—	—	—	2	—	—	2	1	1	—	1	1	—	—	2	—	—	—	—	—
	Bright's Disease	42	1	—	—	—	—	—	—	1	1	1	2	1	2	1	4	5	6	4	9	4	—	—	—	—	—
	Uræmia	7	—	—	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	1	—	1	—	—	—	—
	Suppression of Urine	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Calculus	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Hæmaturia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—
	Diseases of Bladder and of Prostate	31	—	—	—	—	—	—	—	—	—	—	—	1	1	1	2	2	—	7	8	6	3	—	—	—	—
	Other Diseases of Urinary System	7	—	—	—	—	—	—	—	1	—	—	—	—	2	—	1	—	1	—	2	—	—	—	—	—	—

No.

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1901—*continued.*

Class.	Cause of Death.	Females. Ages at Death. All Ages.	Under 1 Year.	1—2	2—3	3—4	4—5	5—10	10—15	15—20	20—25	25—30	30—35	35—40	40—45	45—50	50—55	55—60	60—65	65—70	70—75	75—80	80—85	85—90	90—95	95 and Over.	Not Stated
	Diseases of Nervous System—cont.																										
	Other Diseases of Nervous System	11	1	—	—	—	—	1	—	—	1	—	—	1	1	—	3	—	1	1	—	1	—	—	—	—	—
	Diseases of Organs of Special Sense.																										
	Otitis, Otorrhœa and Disease of Ear	2	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epistaxis and Disease of Nose	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ophthalmia and Disease of Eye	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Circulatory System.																										
	Endocarditis, Valvular Disease	15	—	—	—	—	—	—	—	1	1	1	1	—	—	1	2	1	—	1	2	3	1	—	—	—	—
	Pericarditis	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hypertrophy of Heart	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Angina Pectoris	2	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Syncope	10	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	2	1	—	1	—	—	—
	Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Senile Gangrene	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Embolism, Thrombosis	11	—	—	—	—	—	—	—	1	—	—	1	—	3	—	—	—	—	2	2	—	—	1	—	—	—
	Phlebitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Varicose Veins	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Circulatory System	174	3	2	—	—	—	3	2	2	3	4	5	4	10	6	9	12	23	24	26	22	11	3	—	—	—
	Diseases of Respiratory System.																										
	Laryngitis	5	2	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Larynx and Trachea	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Emphysema, Asthma	3	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchitis	59	19	3	1	—	—	—	—	1	—	—	—	1	2	2	—	1	2	6	8	3	5	4	1	—	—
	Pneumonia	93	24	9	4	1	1	4	2	2	3	2	3	4	2	6	5	1	6	5	1	4	3	1	—	—	—
	Pleurisy	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
	Other Diseases of Respiratory System	11	3	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	1	1	2	1	—	—	—	—
	Diseases of Digestive System.																										
	Stomatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dentition	18	17	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sore Throat, Quinsy	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dyspepsia	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmatemesis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Melæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disease of Stomach	11	2	—	—	—	1	—	—	1	1	1	—	—	—	—	—	1	1	1	1	1	—	—	—	—	—
	Enteritis	77	46	8	3	1	1	—	2	1	—	2	1	—	—	1	—	2	1	3	2	2	1	—	—	—	—
	Ulceration of Intestine	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Ileus, Obstruction of Intestine	8	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	2	1	2	—	—	—	—
	Stricture, or Strangulation of Intestine	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intussusception of Intestine	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hernia	5	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	1	—	—	1	—	—	—	—
	Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Peritonitis	16	—	—	1	—	—	1	—	1	2	—	3	4	—	1	1	2	—	—	—	—	—	—	—	—	—
	Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Gallstones	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	2	1	—	1	—	—	—	—	—
	Cirrhosis of Liver	10	—	—	—	—	—	—	—	—	—	—	1	—	1	1	2	1	1	2	—	—	—	—	—	—	—
	Other Diseases of Liver	6	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	2	—	1	—	—	—	—	—
	Other Diseases of Digestive System	10	—	—	—	—	—	—	1	—	—	1	2	—	—	1	—	1	2	—	1	—	—	1	—	—	—
	Diseases of Lymphatic System and Ductless Glands.																										
	Diseases of Lymphatic System	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Spleen	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchocele	4	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Urinary System.																										
	Acute Nephritis	9	1	3	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—
	Bright's Disease	30	—	—	—	—	—	—	—	1	2	1	—	2	3	1	4	1	7	3	3	1	—	1	—	—	—
	Uræmia	3	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Suppression of Urine	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Calculus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Hæmaturia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Bladder and of Prostate	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Other Diseases of Urinary System	7	—	—	—	—	—	—	1	—	2	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—	—

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1901—*continued.*

Class.	Cause of Death.	MALES. Ages at Death. All Ages.	Under 1 Year.	1—2	2—3	3—4	4—5	5—10	10—15	15—20	20—25	25—30	30—35	35—40	40—45	45—50	50—55	55—60	60—65	65—70	70—75	75—80	80—85	85—90	90—95	95 and Over.	Not Stated
	Diseases of Organs of Generation.																										
	Ovarian Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Uterus and Vagina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pelvic Abscess	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Perineal Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Testes, Penis, Scrotum, &c.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Parturition.																										
	Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Mania	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Placenta Prævia, Flooding	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmasia Dolens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Accidents of Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Organs of Locomotion.																										
	Caries, Necrosis	7	—	—	—	1	—	1	—	—	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Arthritis, Ostitis, Periostitis	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Other Diseases of Organs of Locomotion	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—
	Diseases of Integumentary System.																										
	Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	Phlegmon, Cellulitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lupus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ulcer, Bedsore	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Eczema	2	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Pemphigus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Integumentary System	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VII.	*Accident or Negligence.*																										
	Fracture and Contusion	71	—	—	1	2	—	5	2	8	9	5	6	8	5	3	1	3	7	2	1	1	1	1	—	—	—
	Gunshot Wounds	7	—	—	—	—	—	1	—	2	1	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Burn, Scald	9	—	1	2	—	—	—	—	—	1	—	1	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—
	Sunstroke, Heat-apoplexy, Heat	6	2	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	Lightning	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison	12	1	—	—	—	—	1	—	—	2	3	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	Bite of Snake or Insect	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Drowning	28	—	1	—	—	1	2	5	3	2	1	4	2	1	1	—	1	1	1	1	—	—	—	—	—	—	1
	Suffocation	4	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Otherwise	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Homicide.																										
	Murder, Manslaughter	5	1	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—
	Justifiable Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suicide.																										
	Gunshot Wounds	9	—	—	—	—	—	—	—	—	1	—	1	2	1	1	—	—	1	1	—	—	1	—	—	—	—	—
	Cut, Stab	8	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	1	2	—	1	—	—	—	—	—	—	—
	Poison	6	—	—	—	—	—	—	—	1	—	1	—	1	1	—	1	1	—	—	—	—	—	—	—	—	—	—
	Drowning	6	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	1	1	—	—	1	—	—	—	—	—	—
	Hanging	8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3	1	1	—	—	1	—	—	—	—	—
	Otherwise	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
	Execution.																										
	Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	*Ill-defined and not Specified Causes.*																										
	Dropsy	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	—
	Debility, Atrophy, Inanition	112	105	4	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
	Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tumor	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Sudden (cause unascertained)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Ill-defined and not Specified Causes	5	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1

No.

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1901—*continued.*

Class.	Cause of Death.	FEMALES. Ages at Death.																										
		All Ages.	Under 1 Year.	1—2	2—3	3—4	4—5	5—10	10—15	15—20	20—25	25—30	30—35	35—40	40—45	45—50	50—55	55—60	60—65	65—70	70—75	75—80	80—85	85—90	90—95	95 and Over.	Not Stated
	Diseases of Organs of Generation.																										
	Ovarian Disease	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
	Diseases of Uterus and Vagina	5	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	1	—	—	—	—	—
	Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pelvic Abscess	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	Perineal Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Testes, Penis, Scrotum, &c.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Parturition.																										
	Abortion, Miscarriage	5	—	—	—	—	—	—	—	—	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Mania	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Puerperal Convulsions	8	—	—	—	—	—	—	—	2	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Placenta Prævia, Flooding	7	—	—	—	—	—	—	—	—	—	1	1	4	1	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmasia Dolens	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Accidents of Childbirth	10	—	—	—	—	—	—	—	—	1	1	1	5	1	1	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Organs of Locomotion.																										
	Caries, Necrosis	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Arthritis, Ostitis, Periostitis	5	1	1	—	—	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Other Diseases of Organs of Locomotion	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—
	Diseases of Integumentary System.																										
	Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phlegmon, Cellulitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lupus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ulcer, Bedsore	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Eczema	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pemphigus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Integumentary System	3	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
VII.	*Accident or Negligence.*																										
	Fracture and Contusion	10	2	—	—	—	—	1	—	1	—	—	—	—	—	1	1	—	1	—	1	2	—	—	—	—	—
	Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Burn, Scald	15	—	2	1	1	2	2	1	1	—	—	—	—	1	—	—	—	1	—	1	2	—	—	—	—	—
	Sunstroke, Heat-apoplexy, Heat	4	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lightning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Bite of Snake or Insect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	10	—	2	—	1	—	—	—	1	—	3	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—
	Suffocation	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Otherwise	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Homicide.																										
	Murder, Manslaughter	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Justifiable Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suicide.																										
	Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cut, Stab	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hanging	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Execution.																										
	Hanging	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII.	*Ill-defined and not Specified Causes.*																										
	Dropsy	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	Debility, Atrophy, Inanition	80	72	2	—	1	—	—	—	—	—	1	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—
	Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tumor	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
	Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Sudden (cause unascertained)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Ill-defined and not Specified Causes	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—

No. 20.—RETURN showing the Births and Deaths Registered in South Australia

Months.	Births.			Deaths.																			
				Class.	Causes of Death.	Ages at Death.																	
						Total.			Under 1 Year.		1—		2—		3—		4—		5—		10—		
	M.	F.	Total			M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
January ...	366	348	714		Total	178	159	337	61	41	5	5	1	1	—	—	1	—	8	3	2	2	
				I.	Zymotic diseases	16	23	39	7	12	2	2	1	—	—	—	1	—	1	1	—	—	
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases	4	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases	26	26	52	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
				V.	Developmental diseases	19	19	38	9	5	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases	75	78	153	24	16	1	1	—	1	—	—	—	—	5	2	1	2	
				VII.	Violence	19	5	24	2	1	1	2	—	—	—	—	—	—	2	—	1	—	
				VIII.	Ill-defined or not specified causes	19	8	27	16	7	1	—	—	—	—	—	—	—	—	—	—	—	
February...	354	344	698		Total	167	148	315	47	34	5	5	3	—	1	4	1	3	3	2	1	2	
				I.	Zymotic diseases	19	16	35	9	5	—	2	2	—	1	1	—	—	—	—	—	—	
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases	5	—	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases	25	26	51	—	—	1	—	—	—	—	1	—	2	2	—	—	—	
				V.	Developmental diseases	17	13	30	5	4	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases	79	81	160	21	17	3	3	—	—	—	2	1	—	—	1	—	2	
				VII.	Violence	12	5	17	1	2	—	—	1	—	—	—	—	1	1	1	1	—	
				VIII.	Ill-defined or not specified causes	10	7	17	9	6	1	—	—	—	—	—	—	—	—	—	—	—	
March	435	381	816		Total	212	164	376	58	50	7	12	3	4	4	1	1	2	1	5	4	3	
				I.	Zymotic diseases	33	20	53	14	11	5	5	2	—	1	—	—	—	—	1	—	1	
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases	4	1	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases	36	24	60	—	1	—	—	—	—	1	—	1	1	—	—	—	1	
				V.	Developmental diseases	21	13	34	6	5	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases	84	83	167	22	21	2	5	—	3	1	—	—	1	1	3	3	—	
				VII.	Violence	17	10	27	—	—	—	2	1	1	1	—	—	—	—	1	1	1	
				VIII.	Ill-defined or not specified causes	17	13	30	16	12	—	—	—	—	—	1	—	—	—	—	—	—	
April.....	363	361	724		Total	186	131	317	45	19	12	8	2	—	1	2	4	2	4	3	4	1	
				I.	Zymotic diseases	18	15	33	7	4	4	3	1	—	1	1	—	1	—	—	—	—	
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases	23	33	56	—	2	1	—	1	—	—	—	2	—	—	2	—	—	
				V.	Developmental diseases	24	10	34	11	1	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases	91	65	156	16	8	6	4	—	—	—	—	1	1	2	1	2	1	
				VII.	Violence	16	2	18	2	—	—	—	—	—	—	1	1	—	1	—	2	—	
				VIII.	Ill-defined or not specified causes	12	5	17	9	4	1	1	—	—	—	—	—	—	1	—	—	—	
May	412	391	803		Total	157	137	294	30	23	6	9	2	1	1	1	—	2	4	1	4	2	
				I.	Zymotic diseases	15	12	27	3	5	2	1	1	—	—	—	—	—	1	—	—	1	
				II.	Parasitic diseases	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases	28	35	63	—	1	—	—	—	—	—	—	—	—	1	1	2	—	
				V.	Developmental diseases	9	17	26	2	3	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases	78	53	131	17	5	4	7	1	1	1	—	—	2	—	—	2	1	
				VII.	Violence	15	6	21	1	—	—	—	—	—	—	1	—	—	1	—	—	—	
				VIII.	Ill-defined or not specified causes	8	13	21	7	9	—	1	—	—	—	—	—	—	1	—	—	—	
June.....	400	400	800		Total	166	135	301	32	22	5	6	3	2	2	1	1	—	3	3	3	1	
				I.	Zymotic diseases	21	12	33	6	2	2	2	—	—	1	—	1	—	1	1	2	—	
				II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases	30	30	60	—	—	—	1	—	—	1	—	—	—	1	1	—	1	
				V.	Developmental diseases	8	20	28	1	4	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases	85	71	156	16	14	2	3	3	2	—	1	—	—	1	1	1	—	
				VII.	Violence	10	1	11	1	1	1	—	—	—	—	—	—	—	—	—	—	—	
				VIII.	Ill-defined or not specified causes	11	1	12	8	1	—	—	—	—	—	—	—	—	—	—	—	—	

COMMONWEALTH STATISTICIAN 2 JAN 1907

(exclusive of the Northern Territory) in each Month of the Year 1901.

Deaths.

Ages at Death.

15—		20—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95 and Over.		Not Stated.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
7	8	8	6	3	12	3	5	7	4	9	3	8	3	4	6	9	5	11	11	8	7	8	14	6	13	3	4	3	3	—	—	1	3	2	—
2	1	—	3	—	—	—	—	—	—	—	1	1	—	—	1	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
1	2	4	—	—	4	1	3	2	4	3	1	1	1	2	3	3	1	2	1	3	1	1	3	1	2	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	3	1	4	3	3	3	1	—	—	1	3	—	—
2	5	2	3	2	7	2	2	3	—	3	1	5	2	2	2	4	4	6	8	3	5	6	8	4	6	—	1	—	2	—	—	—	—	—	—
2	—	1	—	1	—	—	—	2	—	3	—	—	—	—	—	1	—	2	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
4	7	5	6	8	5	7	3	—	7	5	8	6	2	10	6	10	6	9	9	10	13	8	9	7	7	12	4	3	5	2	1	—	—	—	—
—	3	1	1	2	1	—	—	—	—	—	1	1	—	1	—	—	—	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	3	1	3	2	1	3	1	—	1	1	2	2	—	3	1	3	2	1	2	2	4	2	3	2	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	7	2	2	5	1	1	—	—	—	—
3	1	2	1	2	3	3	2	—	6	4	5	3	2	5	5	6	4	6	6	8	7	4	6	2	6	4	2	1	—	1	—	—	—	—	—
1	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	4	9	5	7	4	5	7	8	3	16	6	8	5	18	3	10	5	6	9	11	9	10	9	10	6	5	10	3	2	—	—	—	—	—	—
1	—	1	—	2	—	1	—	—	—	1	—	—	—	2	—	2	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	1	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	5	1	3	4	3	3	4	1	6	2	4	1	4	1	1	2	—	4	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	2	4	1	4	4	3	1	—	—	—	—	—	—
5	2	2	4	2	—	1	4	2	1	6	3	3	3	7	2	5	2	4	5	6	8	5	5	6	5	1	5	—	1	—	—	—	—	—	—
1	1	1	—	—	—	—	—	2	—	3	1	—	1	2	—	1	—	2	—	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	6	3	2	5	9	3	4	7	7	7	2	12	5	9	10	10	6	6	7	11	12	12	12	15	6	9	5	2	3	—	—	—	—	—	—
—	1	—	1	—	2	1	—	2	1	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	3	1	1	1	3	1	2	2	3	—	—	2	2	2	3	1	2	4	2	2	3	2	3	—	2	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3	3	2	5	—	3	3	1	1	—	—	—	—	—	—
—	2	1	—	3	4	1	2	1	3	5	2	8	3	6	7	7	3	1	5	7	6	7	6	10	3	6	2	1	2	—	—	—	—	—	—
2	—	1	—	1	—	—	—	2	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	7	6	4	3	11	10	4	10	6	9	6	4	8	11	4	6	8	6	6	9	8	13	8	4	6	9	6	4	3	—	3	—	—	—	—
1	1	1	—	1	3	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	4	—	4	1	5	2	1	6	4	2	2	1	3	3	1	2	3	2	1	1	1	2	3	—	—	—	—	1	—	—	1	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	1	4	3	4	1	2	—	2	—	—	—	—	—
3	1	4	—	—	3	—	3	3	1	4	4	2	4	7	1	2	4	2	3	8	6	7	3	3	1	6	2	2	1	—	—	—	—	—	—
—	1	1	—	—	—	5	—	1	1	1	—	1	1	1	—	1	—	1	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	4	6	8	6	6	8	7	11	7	6	4	13	3	8	3	10	6	10	4	11	13	9	13	8	10	5	8	2	2	—	2	—	—	—	—
1	1	—	—	1	3	—	—	1	—	—	—	3	—	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	3	3	3	3	1	5	2	3	2	—	2	4	1	2	2	1	2	1	2	3	4	1	1	1	—	—	2	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	3	3	3	1	5	1	1	—	2	—	—	—	—
2	—	2	5	2	2	3	5	3	5	5	2	5	2	4	1	7	4	8	2	8	5	6	8	3	7	3	1	1	1	—	—	—	—	—	—
—	—	1	—	—	—	—	—	3	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 20.—RETURN showing the Births and Deaths Registered in South Australia

Months.	Births.			Class.	Causes of Death.	Deaths.															
						Ages at Death.															
						Totals.			Under 1 Year.		1—		2—		3—		4—		5—		10—	
	M.	F.	Total			M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
July	422	391	813		Total	193	148	341	39	34	6	5	2	—	1	—	1	—	2	5	6	2
				I.	Zymotic diseases	11	13	24	—	—	—	2	—	—	—	—	—	—	—	1	1	1
				II.	Parasitic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	3	3	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	24	32	56	2	—	—	—	—	—	—	—	1	—	—	2	—	—
				V.	Developmental diseases	22	25	47	4	9	—	—	—	—	—	—	—	—	—	—	—	1
				VI.	Local diseases	110	60	170	24	15	6	3	2	—	1	—	—	—	2	2	3	—
				VII.	Violence	14	4	18	—	1	—	—	—	—	—	—	—	—	—	—	2	—
				VIII.	Ill-defined or not specified causes	9	10	19	9	8	—	—	—	—	—	—	—	—	—	—	—	—
August	415	382	797		Total	210	161	371	37	29	8	4	3	3	2	1	—	1	7	5	6	2
				I.	Zymotic diseases	9	11	20	3	2	—	—	1	—	1	—	—	—	2	3	—	1
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	34	33	67	—	3	—	1	—	—	—	—	—	—	2	—	1	1
				V.	Developmental diseases	26	18	44	8	4	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	110	93	203	19	15	7	3	2	3	1	1	—	1	2	1	5	—
				VII.	Violence	23	4	27	1	3	1	—	—	—	—	—	—	—	1	1	—	—
				VIII.	Ill-defined or not specified causes	6	2	8	5	2	—	—	—	—	—	—	—	—	—	—	—	—
September	407	353	760		Total	183	142	325	27	20	4	3	1	2	2	3	2	1	7	5	5	4
				I.	Zymotic diseases	18	17	35	7	2	—	—	—	1	1	—	1	1	1	3	—	2
				II.	Parasitic diseases	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	34	29	63	1	—	2	2	—	—	—	1	—	—	1	1	3	1
				V.	Developmental diseases	20	18	38	2	3	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	95	74	169	14	12	1	1	1	1	1	2	1	—	4	1	2	1
				VII.	Violence	10	—	10	—	—	—	—	—	—	—	—	—	—	1	—	—	—
				VIII.	Ill-defined or not specified causes	5	3	8	3	3	1	—	—	—	—	—	—	—	—	—	—	—
October	385	397	782		Total	153	120	273	17	23	1	3	1	1	—	—	1	—	5	2	2	2
				I.	Zymotic diseases	13	8	21	4	2	1	—	—	1	—	—	—	—	1	—	—	1
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	22	26	48	1	—	—	1	—	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	15	15	30	2	3	—	—	—	—	—	—	—	—	—	—	—	1
				VI.	Local diseases	82	56	138	6	9	—	2	1	—	—	—	1	—	3	2	2	—
				VII.	Violence	14	6	20	—	3	—	—	—	—	—	—	—	—	1	—	—	—
				VIII.	Ill-defined or not specified causes	6	9	15	4	6	—	—	—	—	—	—	—	—	—	—	—	—
November	372	336	708		Total	170	147	317	41	30	7	7	3	2	2	1	1	1	3	3	4	5
				I.	Zymotic diseases	21	19	40	8	5	2	5	1	1	—	1	1	—	1	—	1	1
				II.	Parasitic diseases	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	24	27	51	1	—	—	—	—	—	—	—	—	—	—	1	1	1
				V.	Developmental diseases	7	13	20	—	3	—	—	—	—	—	—	—	—	—	—	—	1
				VI.	Local diseases	90	75	165	23	16	5	2	1	1	1	—	—	—	2	2	2	1
				VII.	Violence	19	6	25	2	1	—	—	1	—	1	—	—	1	—	—	—	1
				VIII.	Ill-defined or not specified causes	7	5	12	6	5	—	—	—	—	—	—	—	—	—	—	—	—
December	334	330	664		Total	231	176	407	88	62	10	7	3	6	—	1	1	1	3	1	2	3
				I.	Zymotic diseases	44	42	86	25	27	6	3	1	3	—	1	—	—	—	1	2	1
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases	30	29	59	1	2	—	1	1	—	—	—	—	—	—	—	—	2
				V.	Developmental diseases	20	14	34	7	2	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	102	79	181	40	22	3	3	1	3	—	—	1	1	2	—	—	—
				VII.	Violence	20	2	22	1	—	1	—	—	—	—	—	—	—	1	—	—	—
				VIII.	Ill-defined or not specified causes	13	10	23	13	9	—	—	—	—	—	—	—	—	—	—	—	—

(exclusive of the Northern Territory) in each Month of the Year 1901—*continued.*

Deaths.

Ages at Death.

15—		20—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95 and Over		Not Stated.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
2	7	10	3	7	7	5	11	3	7	11	5	11	5	8	8	9	3	13	5	12	12	23	5	8	13	8	8	3	2	2	1	1	—	—	—
—	2	3	—	1	2	—	2	—	1	2	1	—	—	1	—	—	—	—	1	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
1	5	3	1	3	1	2	7	1	2	2	2	1	2	2	4	—	—	—	1	1	3	3	—	1	2	1	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	5	3	2	3	4	5	3	2	2	1	1	—	—	—
1	—	4	2	3	3	1	2	1	4	6	2	5	3	4	3	7	2	11	3	8	5	15	2	4	6	2	3	—	—	—	—	—	—	—	—
—	—	—	—	—	1	2	—	1	—	1	—	3	—	1	—	1	—	1	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	3	8	7	7	3	8	8	9	6	11	9	8	8	2	6	13	7	13	18	18	10	16	11	10	10	9	6	5	2	3	2	2	—	—	—
—	—	—	2	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	2	4	4	4	2	3	4	4	2	2	4	1	—	1	1	4	2	2	3	3	2	2	—	1	2	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	2	1	4	2	2	5	1	4	2	3	2	2	—	—	—
3	1	1	1	1	1	2	4	5	3	6	4	4	8	1	4	9	5	9	14	13	6	10	7	6	6	4	5	—	—	—	—	—	—	—	—
2	—	3	—	2	—	3	—	—	—	2	—	3	—	—	—	—	—	1	—	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11	5	3	6	4	3	8	4	11	7	4	10	5	9	5	7	13	5	13	7	22	6	14	11	8	9	9	11	3	2	1	2	1	—	—	—
3	—	1	1	2	—	—	—	—	1	1	1	—	1	—	1	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	2	2	1	2	4	1	2	3	1	5	1	6	2	—	3	1	1	—	5	2	1	1	1	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	4	3	4	4	4	5	2	1	—	2	1	—	—	—
3	4	—	3	—	1	3	2	8	3	2	4	3	2	3	6	7	3	10	6	14	3	9	7	3	5	4	6	1	1	1	—	—	—	—	—
3	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	4	5	8	7	4	4	4	11	5	12	3	5	3	10	9	10	2	9	7	10	4	16	11	15	5	3	10	2	8	2	2	—	—	1	—
1	1	1	1	2	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	2	3	1	2	2	3	3	2	1	2	—	—	3	6	1	—	2	1	2	1	3	1	—	1	—	1	1	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	2	5	2	1	3	—	2	2	1	—	—	—	—
3	2	—	4	2	—	1	1	5	2	9	1	4	2	6	3	7	2	4	5	8	2	7	7	10	2	2	4	1	5	—	1	—	—	—	—
—	—	2	—	2	2	1	—	1	—	1	—	—	—	1	—	1	—	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
8	4	11	8	2	10	7	3	6	10	4	6	5	1	7	3	7	4	8	11	14	9	10	5	9	14	8	7	3	2	—	1	—	—	—	—
2	—	—	—	1	1	—	2	—	—	—	—	2	—	—	1	1	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	2	3	2	—	4	2	1	1	3	2	1	1	—	1	2	1	2	2	2	4	3	3	—	1	3	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	2	3	2	4	1	2	—	—	—	—	—	—
5	2	4	5	—	5	1	—	3	6	2	4	1	1	6	—	3	2	4	7	8	5	6	5	6	7	5	3	2	—	—	1	—	—	—	—
—	—	4	1	1	—	4	—	1	1	—	—	1	—	—	—	1	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	2	10	6	6	4	4	6	8	7	8	6	12	5	5	2	7	7	14	4	10	9	8	13	9	14	11	4	2	3	2	2	—	1	—	—
3	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	1	1	—	1	3	1	—	1	—	—	—	—	—	1	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	3	5	4	4	1	1	2	2	5	1	4	1	1	1	—	1	4	2	2	1	—	2	—	2	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	2	3	5	5	2	—	2	2	1	—	—	—	—
—	—	4	1	1	—	2	5	3	4	1	5	5	4	4	—	5	5	8	1	5	7	5	8	5	6	5	2	2	1	—	—	—	1	—	—
3	1	2	—	1	—	1	—	2	—	2	—	2	—	—	1	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 21.—RETURN showing the Births and Deaths (inclusive of all those in

Months.	Births.			Deaths.																				
				Class.	Causes of Death.	Ages at Death.																		
						Total.			Under 1 Year.		1—		2—		3—		4—		5—		10—			
	M.	F.	Total			M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
January ...	34	44	78		Total	42	25	67	14	5	—	—	—	—	—	—	—	—	3	—	—	—		
				I.	Zymotic diseases	3	1	4	2	—	—	—	—	1	—	—	—	—	1	—	—	—		
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases	4	3	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				V.	Developmental diseases	2	4	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases	23	15	38	7	2	—	—	—	—	—	—	—	—	2	—	—	—		
				VII.	Violence	5	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes	4	2	6	4	2	—	—	—	—	—	—	—	—	—	—	—	—		
February...	34	31	65		Total	38	36	74	6	5	1	—	1	—	—	2	—	—	1	1	—	2		
				I.	Zymotic diseases	3	3	6	1	1	—	—	—	—	—	1	—	—	—	—	—	—		
				I.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases	8	6	14	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
				V.	Developmental diseases	6	5	11	1	2	—	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases	15	21	36	3	1	—	—	—	—	—	1	—	—	—	1	—	2		
				VII.	Violence	4	—	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes	2	1	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—		
March	42	50	92		Total	61	37	98	7	13	1	2	1	1	1	—	1	—	—	1	1	2		
				I.	Zymotic diseases	6	4	10	3	2	1	1	—	—	—	—	—	—	—	—	—	1		
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases	19	5	24	—	—	—	—	—	—	1	—	1	—	—	—	—	1		
				V.	Developmental diseases	1	3	4	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases	25	17	42	—	4	—	1	—	—	—	—	—	—	—	1	1	—		
				VII.	Violence	6	2	8	—	—	—	—	1	1	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes	3	6	9	3	6	—	—	—	—	—	—	—	—	—	—	—	—		
April	34	53	87		Total	44	28	72	4	3	1	2	1	—	—	—	—	—	—	—	1	1		
				I.	Zymotic diseases	4	2	6	—	1	1	—	1	—	—	—	—	—	—	—	—	—		
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases	5	7	12	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
				V.	Developmental diseases	7	2	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases	23	14	37	2	1	—	1	—	—	—	—	—	—	—	—	—	1		
				VII.	Violence	4	1	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—		
				VIII.	Ill-defined or not specified causes	1	1	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
May	44	43	87		Total	31	32	63	2	4	—	1	—	—	—	—	—	1	—	1	2	1		
				I.	Zymotic diseases	1	7	8	—	2	—	—	—	—	—	—	—	—	—	—	—	1		
				II.	Parasitic diseases	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases	11	6	17	—	—	—	—	—	—	—	—	—	—	—	1	2	—		
				V.	Developmental diseases	2	3	5	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases	15	12	27	2	—	—	1	—	—	—	—	—	1	—	—	—	—		
				VII.	Violence	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes	—	3	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
June	37	37	74		Total	31	16	47	3	1	1	—	—	—	—	1	—	—	2	2	1	—		
				I.	Zymotic diseases	4	2	6	—	—	1	—	—	—	—	—	—	—	1	1	1	—		
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				IV.	Constitutional diseases	6	3	9	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
				V.	Developmental diseases	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VI.	Local diseases	16	10	26	1	1	—	—	—	—	—	1	—	—	—	1	—	—		
				VII.	Violence	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
				VIII.	Ill-defined or not specified causes	3	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—		

Public Institutions) Registered in the City of Adelaide in each Month of the Year 1901.

Deaths.

Ages at Death.

15—		20—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70—		75—		80		85—		90—		95 and Over.		Not Stated.	
M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
2	1	—	1	2	4	3	1	2	1	2	—	1	—	1	1	1	—	4	4	2	2	1	1	3	2	1	—	—	1	—	—	—	1	—	—
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	1	1	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—
1	1	—	—	2	3	2	—	—	—	1	—	1	—	—	1	1	—	3	4	1	2	—	—	2	1	—	—	—	1	—	—	—	—
1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	2	—	—	1	1	2	—	—	3	2	1	2	1	2	1	3	2	2	4	2	5	4	3	3	1	6	1	—	1	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	—	—	—	—	—	—	—	1	—	—	1	—	1	—	2	1	—	1	1	2	1	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	4	1	—	1	—	—	—	—
—	1	—	—	—	1	2	—	—	2	2	1	1	1	—	1	1	1	1	3	1	2	2	3	1	—	1	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	7	1	3	2	4	1	4	1	5	3	5	—	7	—	3	1	1	2	6	1	1	3	1	1	—	—	—	1	—	—	—	—
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	4	—	2	2	3	1	2	—	2	—	2	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
2	1	2	1	1	—	—	—	2	1	2	2	3	—	4	—	2	—	1	2	4	1	—	3	1	—	—	—	—	—	—	—	—	—
—	—	1	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	3	1	1	—	2	3	1	—	6	1	2	5	2	4	2	3	4	3	5	1	5	1	2	—	1	—	—	—	—	—
—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	—	—	1	—	—	2	—	—	2	—	—	2	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	2	—	1	—	1	—	—	—	—	—
—	—	—	—	2	1	—	—	—	—	1	—	3	1	2	3	2	2	1	3	3	1	3	—	3	—	1	—	—	—	—	—	—	—
—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	2	1	1	1	5	2	2	2	1	3	1	—	—	5	2	2	2	—	1	3	4	4	—	1	1	3	—	—	1	—	1	—	—	—
—	1	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	—	1	—	1	1	—	1	—	1	—	—	—	2	—	1	1	—	—	1	—	2	—	—	—	—	—	—	—	1	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	1	—	—	—	—
—	—	1	—	—	2	—	2	1	1	1	1	—	—	3	1	1	—	—	—	2	3	1	—	1	—	2	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	2	—	1	1	—	1	2	1	3	—	3	—	—	1	2	2	3	1	2	3	4	1	1	—	1	—	—	—	—	—	—	—
—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	2	—	1	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	1	3	—	3	—	—	1	—	2	1	1	2	1	4	1	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 19.

No.

No. 21.—RETURN showing the Births and Deaths (inclusive of all those in

Months.	Births.			Class.	Causes of Death.	Deaths.															
						Ages at Death.															
						Total.			Under 1 Year.		1—		2—		3—		4—		5—		10—	
	M.	F.	Total			M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
July	43	42	85		Total	43	37	80	8	7	—	2	1	—	—	—	1	—	—	1	1	—
				I.	Zymotic diseases.....	5	5	10	—	—	—	1	—	—	—	—	—	—	—	1	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	1	2	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases...	8	12	20	2	—	—	—	—	—	—	—	1	—	—	—	—	—
				V.	Developmental diseases	5	5	10	1	3	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	18	11	29	4	1	—	1	1	—	—	—	—	—	—	—	—	—
				VII.	Violence	5	—	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—
				VIII.	Ill-defined or not specified causes	1	2	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—
August.....	37	33	70		Total	41	35	76	5	3	1	1	1	—	—	1	—	—	1	—	2	—
				I.	Zymotic diseases.....	2	1	3	1	—	—	—	1	—	—	—	—	—	—	—	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	9	8	17	—	—	—	1	—	—	—	—	—	—	1	—	—	—
				V.	Developmental diseases	3	5	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	24	20	44	3	2	1	—	—	—	—	1	—	—	—	—	2	—
				VII.	Violence.....	2	1	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
September.	46	40	86		Total	45	30	75	6	2	2	—	—	—	—	2	—	—	2	2	1	2
				I.	Zymotic diseases..	4	5	9	1	1	—	—	—	—	—	—	—	—	—	1	—	1
				II.	Parasitic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	8	7	15	—	—	1	—	—	—	—	1	—	—	1	1	—	1
				V.	Developmental diseases	2	3	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases.....	26	14	40	3	1	—	—	—	—	—	1	—	—	1	—	1	—
				VII.	Violence	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	3	—	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—
October ...	31	40	71		Total	37	25	62	1	2	—	1	—	—	—	—	—	—	2	—	—	—
				I.	Zymotic diseases.....	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	7	8	15	—	—	—	1	—	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	4	3	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases.....	22	13	35	1	1	—	—	—	—	—	—	—	—	1	—	—	—
				VII.	Violence	3	—	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—
				VIII.	Ill-defined or not specified causes.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
November	35	35	70		Total	39	39	78	3	7	2	—	1	—	1	1	1	1	1	1	1	1
				I.	Zymotic diseases.....	8	4	12	1	1	—	—	1	—	—	1	1	—	1	—	—	—
				II.	Parasitic diseases	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	8	10	18	—	—	—	—	—	—	—	—	—	—	—	1	1	—
				V.	Developmental diseases	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases.....	17	19	36	1	5	2	—	—	—	—	—	—	—	—	—	—	—
				VII.	Violence	2	3	5	—	—	—	—	—	—	1	—	—	1	—	—	—	1
				VIII.	Ill-defined or not specified causes	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
December..	34	39	73		Total	58	31	89	19	7	—	1	1	1	—	—	—	1	—	—	—	1
				I.	Zymotic diseases.....	8	2	10	4	1	—	—	—	—	—	—	—	—	—	—	—	1
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	10	5	15	—	—	—	—	1	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	9	2	11	4	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases.....	23	20	43	9	4	—	1	—	1	—	—	—	1	—	—	—	—
				VII.	Violence	6	—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes	1	2	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—

Public Institutions) Registered in the City of Adelaide in each Month of the Year 1901—*continued.*

Deaths.

Ages at Death.

15—		20—		25—		30—		35—		40—		45—		50—		55—		60—		65—		70—		75—		80—		85—		90—		95 and over		Not Stated.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
—	3	3	3	2	3	1	3	2	1	3	1	5	2	2	3	2	2	—	2	4	1	4	1	1	2	1	—	1	—	1	—	—	—	—	—
—	—	2	—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	3	—	1	1	1	—	2	1	1	2	—	—	1	—	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	1	—	1	—	—	—	—	—
—	—	1	2	—	1	—	1	—	—	1	—	3	1	1	1	2	2	—	—	3	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	2	1	—	1	4	1	4	1	1	2	3	1	—	1	3	3	3	4	3	5	2	5	1	1	1	3	—	—	1	—	1	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	2	1	—	—	2	1	3	—	—	2	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3	—	1	1	—	—	—	1	—	1	—	—	—
2	—	—	—	—	1	2	—	1	1	—	—	2	1	—	—	2	1	3	4	3	4	2	2	1	—	—	3	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	2	—	—	1	—	2	1	4	3	1	3	—	2	2	1	3	2	4	3	5	1	4	—	1	3	2	—	1	1	1	—	—	—	—	—
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	1	—	1	2	—	1	—	1	—	—	1	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—
—	2	—	—	—	—	1	—	3	1	1	2	—	1	2	—	2	2	3	3	2	—	4	—	1	1	1	—	—	—	1	—	—	—	—	—
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	2	—	—	—	—	1	4	2	3	2	1	2	5	5	4	1	2	1	2	—	3	3	7	1	—	2	—	1	—	1	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	—	—	—	1	2	2	—	1	—	—	1	3	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	3	1	—	1	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	1	—	3	1	1	2	4	2	2	1	—	1	2	—	2	2	4	—	—	1	—	1	—	1	—	—	—	—
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	6	2	1	4	1	1	2	3	3	2	2	—	1	2	3	2	—	3	1	3	2	2	4	2	1	1	—	—	—	—	—	—	—	—
1	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	2	1	—	1	1	—	—	1	2	—	—	—	2	—	1	2	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
1	1	3	1	—	3	—	—	1	2	1	1	1	—	1	—	1	—	—	1	1	1	2	2	1	1	1	1	—	—	—	—	—	—	—	—
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	—	4	3	2	—	1	2	1	2	1	1	5	1	—	1	3	2	8	1	3	2	1	3	1	2	2	—	1	—	1	—	—	—	—	—
2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	1	2	1	—	—	—	—	1	—	—	1	—	—	1	—	—	4	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	2	2	—	—	—	1	—	—	—	—	—
—	—	1	1	1	—	1	2	1	1	—	1	2	1	—	—	2	2	3	1	1	2	1	2	—	—	—	—	1	—	—	—	—	—	—	—
1	—	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

No. 22.—RETURN of Births and Deaths (inclusive of all those in Public Institutions) Registered in the City of Adelaide in the Years 1896-1901.

Years	1896.	1897.	1898.	1899.	1900.	1901.
Population, Mean	38,575	38,715	38,855	38,995	39,135	39,275
Births	1,066	1,092	986	1,093	1,022	Total, 938—Males, 451; females, 487.
Rate per 1,000 of population	27·63	28·21	25·38	28·03	26·12	23·88

Deaths—						All Ages.			Under 1 Year.	1 and under 5	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.
						Total.	M.	F.								
All causes	880	863	1,040	944	795	881	510	371	137	43	71	165	191	229	45	—
Rate per 1,000 of population	22·81	22·29	26·77	24·21	20·31	22·43	—	—	—	—	—	—	—	—	—	—
Diseases—																
I. Specific Febrile or Zymotic	114	73	150	148	74	86	49	37	23	11	16	18	11	6	1	—
II. Parasitic	4	7	5	4	7	5	3	2	1	—	—	3	1	—	—	—
III. Dietic	10	7	10	4	4	9	5	4	4	—	—	—	3	2	—	—
IV. Constitutional	191	178	177	195	167	183	103	80	3	8	20	69	51	30	2	—
V. Developmental	83	111	122	98	72	81	44	37	16	—	—	—	—	41	24	—
VI. Local	365	386	423	411	373	433	247	186	59	16	27	65	111	139	16	—
VII. Violence	50	51	63	35	56	47	40	7	1	5	8	9	11	11	2	—
VIII. Ill-defined and not specified causes	63	50	90	49	42	37	19	18	30	3	—	1	3	—	—	—

Causes of Deaths Registered in the Year ended December 31st, 1901.

	Under One Year.	One Year and Above.
I.		
Measles	—	1
Scarlet fever	—	—
Relapsing fever	—	—
Influenza	1	11
Whooping-cough	4	4
Diphtheria	1	8
Simple and ill-defined fever	—	—
Enteric fever	—	21
Simple cholera	—	—
Diarrhœa, dysentery	16	8
Remittent fever	—	—
Venereal affections	1	1
Erysipelas	—	—
Pyæmia, septicæmia	—	4
Puerperal fever	—	—
Other zymotic diseases	—	5
II.		
Thrush	—	—
Worms and other parasitical diseases	1	4
III.		
Privation, want of breast milk	4	—
Alcoholism	—	5
IV.		
Rheumatic fever and rheumatism of heart	—	2
Rheumatism	—	1
Gout	—	2
Cancer, malignant disease	—	49
Tabes mesenterica	—	2
Tubercular meningitis	2	12
Phthisis	—	82
Scrofula, tuberculosis	—	14
Other constitutional diseases	1	16
V.		
Premature birth	12	—
Cyanosis	—	—
Congenital defects	4	—
Old age	—	65
VI.		
Apoplexy	—	23
Epilepsy	—	3
Convulsions	12	3
Other diseases of brain and nervous system	7	41
Diseases of organs of special sense	—	2
Diseases of circulatory system	2	104
Croup	—	—
Bronchitis	8	6
Pneumonia	2	29
Pleurisy	—	5
Other diseases of respiratory system	2	13
Dentition	—	—
Quinsy, sore throat	—	—
Enteritis	21	13
Peritonitis	—	9
Diseases of liver	1	17
Other diseases of digestive system	—	25
Diseases of lymphatic system and of ductless glands	1	4
Diseases of urinary system	1	54
Diseases of generative system	—	3
Accidents of childbirth	—	7
Diseases of locomotive system	1	8
Diseases of integumentary system	1	5
VII. (Accident.)		
Fracture and contusion	—	19
Gunshot wound	—	1
Cut, stab	—	1
Burn and scald	—	6
Poison	—	2
Drowning	—	8
Suffocation	—	—
Otherwise	1	1
(Homicide.)		
Murder and manslaughter	—	—
(Suicide.)		
Gunshot wound	—	3
Cut, stab	—	1
Poison	—	1
Drowning	—	2
Hanging	—	1
Otherwise	—	—
VIII.		
Dropsy	—	—
Debility, atrophy, inanition	30	6
Mortification	—	—
Tumor	—	—
Abscess	—	—
Hæmorrhage	—	—
Sudden, cause unascertained	—	—
Other ill-defined and not specified causes	—	1

No. 23.—RETURN of Births and Deaths Registered in each Ward of the City of Adelaide (exclusive of Deaths in Public Institutions* of persons not usually resident in the city) in the Year ended December 31st, 1901.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,778	608	627	567	727	612	637
Estimated mean population	39,275	6,142	6,303	8,349	9,837	3,717	4,927
Persons to an acre	10·4	10·1	10·1	14·8	13·5	6·1	7·7
Births	938	142	137	197	301	74	87
Male	451	71	69	90	146	33	42
Female	487	71	68	107	155	41	45
Deaths	654	149	98	115	132	64	96
Male	360	96	57	65	68	30	44
Female	294	53	41	50	64	34	52
CLASSES.							
I. Specific febrile or zymotic diseases	61	10	11	7	15	5	13
II. Parasitic diseases	3	1	—	—	1	1	—
III. Dietic diseases	8	2	1	—	4	1	—
IV. Constitutional diseases	126	30	16	20	26	15	19
V. Developmental diseases	72	29	8	13	12	2	8
VI. Local diseases	319	66	53	62	60	32	46
VII. Violence	31	4	4	3	3	7	10
VIII. Ill-defined and not specified causes	34	7	5	10	11	1	—
Rate per 1,000 of mean population of each ward	16·65	24·26	15·55	13·77	13·42	17·03	19·48

* The Destitute Asylum (including the Lying-in Department), the Adelaide Hospital, and the Adelaide Lunatic Asylum.

Causes of Deaths Registered in the Year ended December 31st, 1901.

	Under One Year.	One Year and Above.
I.		
Measles	—	1
Scarlet fever	—	—
Relapsing fever	—	—
Influenza	1	9
Whooping-cough	4	4
Diphtheria	1	4
Simple and ill-defined fever	—	—
Enteric fever	—	9
Simple cholera	—	—
Diarrhœa, dysentery	16	6
Remittent fever	—	—
Venereal affections	1	—
Erysipelas	—	—
Pyæmia and septicæmia	—	2
Puerperal fever	—	—
Other zymotic diseases	—	3
II.		
Thrush	—	—
Worms and other parasitical diseases	1	2
III.		
Privation – want of breast milk	4	—
Alcoholism	—	4
IV.		
Rheumatic fever and rheumatism of heart	—	2
Rheumatism	—	1
Gout	—	2
Cancer, Malignant Disease	—	29
Tabes Mesenterica	—	—
Tubercular Meningitis	2	12
Phthisis	—	59
Scrofula, Tuberculosis	—	7
Other constitutional diseases.	1	11
V.		
Premature birth	12	—
Cyanosis	—	—
Congenital defects	4	—
Old age	—	56
VI.		
Apoplexy	—	15
Epilepsy	—	2
Convulsions	12	3
Other diseases of brain and nervous system	7	25
Diseases of organs of special sense	—	1
Diseases of circulatory system	2	82
Croup	—	—
Bronchitis	8	6
Pneumonia	2	21
Pleurisy	—	3
Other diseases of respiratory system	2	7
Dentition	—	—
Quinsy, sore throat	—	—
Enteritis	21	9
Peritonitis	—	4
Diseases of liver	1	13
Other diseases of digestive system	—	15
Diseases of lymphatic system and of ductless glands	1	3
Diseases of urinary system	1	32
Diseases of generative system	—	3
Accidents of childbirth	—	4
Diseases of locomotive system	1	7
Diseases of integumentary system	1	5
VII.		
(Accident.)		
Fracture and contusion	—	7
Gunshot wound	—	1
Cut, stab	—	—
Burn and scald	—	5
Poison	—	2
Drowning	—	8
Suffocation	—	—
Otherwise	1	1
(Homicide.)		
Murder and manslaughter	—	—
(Execution.)		
Hanging	—	—
(Suicide.)		
Gunshot wound	—	2
Cut, Stab	—	—
Poison	—	1
Drowning	—	2
Hanging	—	1
Otherwise	—	—
VIII.		
Dropsy	—	—
Debility, atrophy, inanition.	29	4
Mortification	—	—
Tumor	—	—
Abscess	—	—
Hæmorrhage	—	—
Sudden, cause unascertained.	—	—
Other ill-defined and not specified causes	—	1

No. 24.—RETURN of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in the Years 1896-1901.

Years	1896.	1897.	1898.	1899.	1900.	1901.
*Population, Mean	344,810	344,313	346,854	351,658	354,268	357,556
Births	10,012	9,535	8,945	9,397	9,143	Total, 9,079—Males, 4,665; females, 4,414
Rate per 1,000 of population	29·04	27 69	25·79	26·72	25·81	25·39

Deaths—						All Ages.			Under 1 Year	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards	Not stated.
						Total.	M.	F.								
All causes	4,038	3,973	4,675	4,406	3,774	3,9 4	2,206	1,768	909	257	291	601	666	964	283	3
Rate per 1,000 of population	11·71	11·54	13·48	12·53	10·65	11·11	—	—	—	—	—	—	—	—	—	—
DISEASES.																
I. Specific Febrile or Zymotic	554	463	772	777	423	446	238	208	170	81	58	60	39	34	4	—
II. Parasitic	14	17	7	12	14	8	5	3	1	—	—	4	1	2	—	—
III. Dietic	26	33	42	23	18	33	26	7	6	—	—	5	15	6	—	1
IV. Constitutional	698	665	663	683	662	686	336	350	17	23	69	233	177	157	10	—
V. Developmental	441	454	541	482	413	403	208	195	103	—	3	—	—	141	156	—
VI. Local	1,772	1,836	2,006	1,898	1,796	1,949	1,081	868	412	127	121	229	372	580	108	—
VII. Violence	260	253	318	288	240	240	189	51	23	19	38	68	49	37	5	1
VIII. Ill-defined and not specified causes	273	252	326	243	208	209	123	86	177	7	2	2	13	7	—	1

* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese) and also of the number of the aborigines.

No. 25.—RETURN showing the Births and Deaths Registered in the Corporate Towns specified in the Year 1901.

Corporate Towns.	Estimated Mean Population.	Registered during Year.			The Deaths Registered in the Year include Deaths from—									Birth and Death Rates per 1,000 living.	
		Births.	Deaths.		Measles	Scarlet Fever.	Diphtheria.	Whooping Cough.	Enteric Fever.	Diarrhœa and Dysentery.	Diseases of Respiratory System.	Phthisis.	Diseases of Circulatory System.	Births.	Deaths.
			Total	Under One Year.											
Adelaide	39,275	938	881	137	1	—	9	8	21	24	65	82	106	23·88	22·43
Hindmarsh	10,060	273	107	38	—	—	—	3	3	6	9	13	10	27·14	10·64
Thebarton	5,341	138	70	27	—	—	—	2	—	11	5	5	11	25·84	13·11
Port Adelaide	20,163	554	235	76	—	1	2	10	2	18	27	16	30	27·48	11·66
Glenelg	3,957	69	38	6	—	—	—	1	—	5	1	6	5	17·44	9·60
Brighton	1,085	17	13	4	—	—	—	—	—	—	—	1	3	15·67	11·98
Unley	18,320	445	175	41	—	—	—	1	—	7	20	18	26	24·29	9·55
St. Peters	7,658	155	58	12	—	—	—	—	—	2	9	7	9	20·24	7·57
Kensington and Norwood	12,589	324	155	34	—	—	—	1	2	9	13	12	22	25·74	12·31
Gawler	1,993	50	25	1	—	—	—	1	5	1	1	5	3	25·09	12·54
Kapunda	1,802	43	20	5	—	—	—	1	—	—	—	1	4	23·86	11·10
Burra	1,990	83	59	16	—	—	—	1	—	4	7	—	5	41·71	29·65
Clare	784	25	14	4	1	—	—	—	—	1	2	—	1	31·89	17·85
Jamestown	975	44	24	3	—	—	—	—	6	—	5	2	2	45·13	24·62
Port Augusta	994	35	6	6	—	—	—	—	—	—	3	—	—	35·21	6·04
Port Pirie	8,802	307	174	70	—	—	—	—	8	26	23	6	14	37·99	21·53
Kadina	1,735	82	27	11	—	—	—	1	2	—	5	1	1	47·26	15·56
Moonta	1,610	52	12	1	—	—	—	—	—	1	—	2	1	32·30	7·45
Wallaroo	2,951	118	57	17	—	—	—	—	4	8	4	3	6	39·99	13·32
Goolwa	585	15	9	1	—	—	—	—	—	1	1	—	1	25·64	15·38
Strathalbyn	869	25	20	4	—	—	—	—	—	2	—	2	3	28·77	23·01
Mount Gambier	3,174	103	43	7	—	—	—	—	—	3	3	6	3	32·45	13·55
Petersburg	2,184	73	25	10	—	—	1	1	—	3	7	—	2	33·42	11·45

No. 26.—COMPARATIVE RETURN showing Number of Deaths Registered in South Australia (exclusive of the Northern Territory) from each Cause in 1901, arranged in Order of Fatality, and each corresponding Number in 1900.

Order of Fatality.	Causes of Death.	1901. Total.	1901. Under 5 years.	1901. 5 years and above.	1900.
1	Diseases of circulatory system not separately classed	372	14	358	335
2	Phthisis	302	3	299	299
3	Old age	297	—	297	271
4	Pneumonia	218	81	137	191
5	Cancer, malignant disease	216	5	211	210
6	Diarrhœa, dysentery	196	166	30	205
7	Debility, atrophy, inanition	192	184	8	173
8	Enteritis	184	144	40	151
9	Bronchitis	132	64	68	157
10	Apoplexy	123	—	123	110
11	Convulsions (except puerperal)	86	82	4	60
12	Fracture and contusion (accidental)	81	5	76	81
13	Premature birth	80	80	—	112
14	Enteric fever	72	2	70	57
	Bright's disease	72	1	71	66
15	Inflammation of the brain or its membranes	59	34	25	63
16	Whooping cough	51	49	2	29
17	Forms of tuberculosis not separately classed	41	5	36	49
18	Drowning (accidental)	38	5	33	34
19	Endocarditis, valvular disease of heart	37	—	37	35
20	Influenza	36	7	29	46
	Dentition	36	36	—	30
21	Insanity, general paralysis of insane	35	—	35	46
22	Tubercular meningitis (acute hydrocephalus)	34	16	18	28
23	Diseases of the nervous system not separately classed	33	5	28	28
24	Diseases of bladder and prostate	32	—	32	19
25	Diseases of respiratory system not separately classed	30	4	26	17
26	Diabetes mellitus	28	—	28	16
27	Peritonitis	25	1	24	29
28	Burn, scald (accidental)	24	9	15	26
	Ileus, obstruction of intestine	24	3	21	18
29	Acute nephritis	23	8	15	22
	Anæmia, chlorosis, leucocythæmia	23	1	22	20
30	Disease of stomach	22	6	16	25
31	Cerebro-spinal fever	21	4	17	—
32	Diseases of liver (except cirrhosis and gallstones)	20	6	14	30
	Cirrhosis of liver	20	—	20	21
	Paralysis, undefined or not separately classed	20	—	20	20
	Syncope	20	10	10	16
33	Diphtheria	19	9	10	32
	Embolism, thrombosis	19	—	19	16
	Pleurisy	19	1	18	16
34	Epilepsy	18	—	18	19
35	Diseases of digestive system not separately classed	17	2	15	9
36	Starvation, want of breast milk	16	6	10	10
37	Diseases of urinary system not separately classed	14	—	14	19
	Paraplegia, disease of spinal cord	14	—	14	15
	Poisoning (accidental)	14	1	13	10
	Hemiplegia, brain paralysis	14	1	13	10
	Pyæmia, septicæmia	14	2	12	9
	Chronic alcoholism	14	—	14	7
38	Rheumatic fever, rheumatism of heart	12	2	10	21
	Congenital defects not separately classed	12	10	2	7
39	Aneurism	11	—	11	11
	Emphysema, asthma	11	1	10	10
	Puerperal fever	11	—	11	10
	Gallstones	11	—	11	9
40	Sunstroke, heat-apoplexy, heat	10	7	3	28
	Accidents of childbirth not separately classed	10	—	10	15
	Uræmia	10	—	10	10
	Accidents not separately classed	10	10	—	9
41	Hernia	9	—	9	13
	Gunshot wounds (suicidal)	9	—	9	7
	Hanging (suicidal)	9	—	9	5
42	Hydatid disease	8	1	7	10
	Cut, stab (suicidal)	8	—	8	7
	Caries, necrosis	8	1	7	6
	Laryngitis	8	7	1	4
	Puerperal convulsions	8	—	8	1

Order of Fatality.	Causes of Death.	1901. Total.	1901. Under 5 years.	1901. 5 years and above.	1900.
43	Suffocation (accidental)	7	4	3	13
	Placenta præevia, flooding	7	—	7	12
	Angina pectoris	7	1	6	10
	Diseases of organs of locomotion not separately classed	7	—	7	7
	Drowning (suicidal)	7	—	7	5
	Rheumatism (except of heart and rheumatic fever)	7	1	6	5
	Arthritis, ostitis, periostitis	7	3	4	4
	Gunshot wounds (accidental)	7	—	7	3
	Constitutional diseases not separately classed	7	—	7	3
44	Ill-defined and unspecified causes not separately classed	6	—	6	22
	Softening of brain	6	—	6	9
	Poisoning (suicidal)	6	—	6	8
	Dropsy undefined or ill-defined	6	—	6	5
	Diseases of lymphatic system	6	1	5	4
	Purpura, hæmorrhagic diathesis	6	3	3	2
45	Atelectasis	5	5	—	13
	Simple cholera	5	5	—	7
	Erysipelas	5	—	5	7
	Abortion, miscarriage	5	—	5	6
	Diseases of uterus and vagina	5	—	5	5
	Idiopathic tetanus	5	4	1	3
	Measles	5	3	2	2
	Bronchocele	5	—	5	1
	Urinary calculus	5	—	5	1
	Murder, manslaughter	5	1	4	1
	Otitis, otorrhœa, and disease of ear	5	3	2	—
46	Tabes mesenterica	4	2	2	7
	Syphilis	4	3	1	7
	Dyspepsia	4	2	2	3
	Gonorrhœa, stricture of urethra	4	—	4	3
	Spina bifida	4	4	—	2
	Hypertrophy of heart	4	1	3	1
	Diseases of integumentary system not separately classed	4	1	3	1
47	Intussusception of intestine	3	3	—	7
	Croup	3	2	1	6
	Hæmatemesis	3	—	3	4
	Pelvic abscess	3	—	3	2
	Sore throat, quinsy	3	1	2	2
	Gout	3	—	3	2
	Tumor undefined or ill-defined	3	—	3	1
	Rickets	3	2	1	—
	Carbuncle	3	—	3	—
48	Ovarian disease	2	—	2	4
	Senile gangrene	2	—	2	4
	Pericarditis	2	—	2	4
	Cleft palate, harelip	2	2	—	3
	Hæmorrhage undefined or ill-defined	2	—	2	3
	Eczema	2	1	1	3
	Cyanosis	2	1	1	2
	Suicides not separately classed	2	—	2	1
	Fistula	2	—	2	1
	Delirium tremens	2	—	2	1
	Stricture, or strangulation of intestine	2	—	2	—
49	Scarlet fever	1	1	—	5
	Stomatitis	1	1	—	3
	Imperforate anus	1	1	—	3
	Ascites	1	—	1	2
	Suppression of urine	1	—	1	2
	Ulceration of intestine	1	—	1	1
	Cut, stab (accidental)	1	—	1	1
	Epistaxis and disease of nose	1	—	1	1
	Puerperal mania	1	—	1	1
	Ulcer, bedsore	1	—	1	1
	Bite of snake or insect	1	—	1	—
	Lightning	1	—	1	—
	Pemphigus	1	—	1	—
	Phlegmasia dolens	1	—	1	—
	Hæmaturia	1	—	1	—
	Diseases of spleen	1	1	—	—
	Diseases of larynx and trachea (except croup and laryngitis)	1	1	—	—
	Laryngismus stridulus	1	1	—	—
	Scurvy	1	—	1	—
	Ague, intermittent fever	1	—	1	—
	Smallpox	1	—	1	—

No. 27.—Decennial Return showing the Total Deaths in each Class and Order Registered in South Australia (exclusive of the Northern Territory).

	1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.		1901.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	2,039	1,672	2,467	2,053	2,184	1,817	2,165	1,756	2,121	1,917	2,192	1,781	2,584	2,091	2,362	2,044	1,994	1,780	2,206	1,768
I.—Specific Febrile or Zymotic Diseases	277	236	448	478	307	298	262	268	261	293	236	227	389	383	379	398	210	213	238	208
II.—Parasitic Diseases	13	4	9	11	7	6	7	9	9	5	11	6	4	3	6	6	6	8	5	3
III.—Dietic Diseases	12	13	24	15	19	13	18	11	15	11	25	8	25	17	20	3	12	6	26	7
IV.—Constitutional Diseases	326	301	370	320	374	326	354	348	353	345	367	298	348	315	348	335	334	328	336	350
V.—Developmental Diseases	206	185	249	230	231	197	248	198	228	213	269	185	295	246	249	233	212	201	208	195
VI.—Local Diseases	887	738	1,014	806	954	811	946	762	921	851	965	871	1,119	887	1,023	875	938	858	1,081	868
VII.—Violence	154	43	185	51	164	62	189	41	190	70	179	74	220	98	200	88	177	63	189	51
VIII.—Ill-defined and not Specified Causes	164	152	168	142	128	104	141	119	144	129	140	112	184	142	137	106	105	103	123	86
I.																				
1. Miasmatic Diseases	145	106	295	314	196	161	138	143	100	95	89	85	204	203	259	264	82	92	113	93
2. Diarrhœal Diseases	118	103	132	130	99	108	105	93	134	120	131	112	163	139	99	95	112	100	113	88
3. Malarial Diseases	2	—	1	—	1	—	—	1	1	—	—	1	2	—	1	—	1	—	1	—
4. Zoogenous Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Venereal Diseases	3	3	7	4	4	3	5	—	3	2	3	3	4	2	3	3	7	3	4	4
6. Septic Diseases	9	24	13	30	7	26	14	31	23	76	13	26	16	39	17	36	8	18	7	23
II.																				
Parasitic Diseases	13	4	9	11	7	6	7	9	9	5	11	6	4	3	6	6	6	8	5	3
III.																				
Dietic Diseases	12	13	24	15	19	13	18	11	15	11	25	8	25	17	20	3	12	6	26	7
IV.																				
Constitutional Diseases	326	301	370	320	374	326	354	348	353	345	367	298	348	315	348	335	334	328	336	350
V.																				
Developmental Diseases	206	185	249	230	231	197	248	198	228	213	269	185	295	246	249	233	212	201	208	195
VI.																				
1. Diseases of Nervous System	218	193	262	186	251	175	244	184	223	206	216	203	234	182	233	203	205	181	225	189
2. Organs of Special Sense	2	2	3	—	5	4	2	3	5	8	2	7	3	—	1	1	1	—	4	2
3. Circulatory System	169	124	185	146	182	159	165	174	166	160	217	189	235	192	216	187	221	212	258	216
4. Respiratory System	229	175	289	224	250	213	242	137	233	182	225	167	269	189	262	207	224	177	248	174
5. Digestive System	182	155	178	144	168	164	174	167	191	195	200	196	238	191	199	162	177	182	214	174
6. Lymphatic System and Ductless Glands	3	—	5	2	1	7	2	8	5	3	2	4	6	10	4	7	4	3	7	5
7. Urinary System	72	30	74	39	81	36	97	35	84	47	79	51	109	59	91	57	96	43	107	51
8. Reproductive System—																				
(a) Diseases of Organs of Generation	2	15	—	15	1	12	2	17	2	11	1	16	1	16	—	15	1	11	1	9
(b) Diseases of Parturition	—	32	—	37	—	28	—	27	—	30	—	28	—	29	—	22	—	35	—	32
9. Organs of Locomotion	6	8	13	7	9	7	7	8	8	7	16	7	16	11	6	10	4	13	12	10
10. Integumentary System	4	4	5	6	6	6	11	2	4	2	7	3	8	8	11	4	5	1	5	6
VII.																				
1. Accident or Negligence	128	39	148	36	135	53	164	36	160	61	136	62	182	88	175	72	150	55	145	49
2. Homicide	2	1	5	6	2	1	4	3	6	2	2	2	2	5	3	4	—	1	5	—
3. Suicide	24	3	32	9	26	8	21	2	24	7	40	10	36	5	22	12	26	7	39	2
4. Execution	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
VIII.																				
Ill-defined and not specified causes	164	152	168	142	128	104	141	119	144	129	140	112	184	142	137	106	105	103	123	86

No. 27.—Decennial Return showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—*continued.*

Class.	Cause of Death.	1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.		1901.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
I.	*Miasmatic Diseases.*																				
	Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
	Chicken-pox	1	1	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Measles	—	—	130	131	15	13	1	1	—	—	—	—	25	29	8	19	1	1	2	3
	Epidemic Rose Rash	—	—	3	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	Scarlet Fever	1	1	4	1	19	16	5	5	2	2	3	4	11	4	6	10	1	4	—	1
	Influenza	27	13	22	27	32	21	58	57	31	28	19	18	12	21	114	104	22	24	19	17
	Whooping Cough	5	7	58	63	35	25	20	24	3	14	—	—	57	55	52	54	11	18	24	27
	Mumps	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
	Diphtheria	54	52	43	57	47	50	15	22	11	10	8	14	15	23	20	20	12	20	13	6
	Cerebro-spinal Fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	9
	Simple and ill-defined Fever	5	—	1	4	2	2	1	—	1	—	—	2	5	2	1	2	—	—	—	—
	Enteric Fever	52	31	33	29	46	34	37	34	52	41	59	47	77	68	57	54	32	25	42	30
	Other Miasmatic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—
	Diarrhœal Diseases.																				
	Simple Cholera	7	5	8	5	2	4	4	2	5	5	5	5	2	6	2	—	3	4	3	2
	Diarrhœa, Dysentery	111	98	124	125	97	104	101	91	129	115	126	107	161	133	97	95	109	96	110	86
	Malarial Diseases.																				
	Remittent Fever	2	—	1	—	1	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—
	Ague, Intermittent Fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
	Other Malarial Diseases	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—
	Zoogenous Diseases.																				
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Venereal Diseases.																				
	Syphilis	2	3	4	4	3	3	3	—	2	2	1	3	4	2	1	3	4	3	—	4
	Gonorrhœa, Stricture of Urethra	1	—	3	—	1	—	2	—	1	—	2	—	—	—	2	—	3	—	4	—
	Septic Diseases.																				
	Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Erysipelas	5	5	7	6	4	6	8	5	15	14	9	7	9	4	4	5	2	5	2	3
	Pyæmia, Septicæmia	4	5	6	5	3	6	6	5	8	14	4	8	7	4	13	12	6	3	5	9
	Puerperal Fever	—	14	—	19	—	14	—	21	—	48	—	11	—	31	—	18	—	10	—	11
II.	*Parasitic Diseases.*																				
	Thrush	2	3	5	4	2	—	1	—	3	1	2	3	—	—	—	3	—	3	—	—
	Other Diseases from Vegetable Parasites	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—
	Hydatid Disease	11	1	4	7	5	6	6	9	6	4	8	3	4	3	5	3	6	4	5	3
	Other Diseases from Animal Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III.	*Dietic Diseases.*																				
	Starvation, Want of Breast Milk	5	9	15	13	14	10	11	9	8	7	15	7	19	13	13	2	7	3	15	1
	Scurvy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	Intemperance { Chronic Alcoholism	6	4	7	2	3	3	7	2	6	4	5	1	4	4	7	1	4	3	8	6
	Intemperance { Delirium Tremens	1	—	2	—	2	—	—	—	1	—	5	—	2	—	—	—	1	—	2	—
IV.	*Constitutional Diseases.*																				
	Rheumatic Fever, Rheumatism of Heart	6	8	8	8	8	7	8	7	5	13	8	7	8	12	6	10	8	13	5	7
	Rheumatism	1	6	1	3	7	4	5	4	3	3	6	4	5	4	1	3	3	2	1	6
	Gout	6	2	5	1	6	1	5	4	7	—	6	—	3	—	1	—	2	—	1	2
	Cancer, Malignant Disease	87	61	88	83	83	79	86	80	98	88	107	78	95	89	104	99	103	107	105	111
	Tabes Mesenterica	12	14	8	5	10	6	9	2	3	6	9	5	4	7	9	8	5	2	1	3
	Tubercular Meningitis (Acute Hydrocephalus)	17	22	35	15	28	15	20	25	18	21	28	21	20	14	16	17	18	10	16	18
	Phthisis	157	150	178	162	188	168	166	169	153	155	165	143	179	138	169	143	147	152	55	147
	Other forms of Tuberculosis, Scrofula	25	16	29	28	23	23	31	29	38	27	21	18	15	24	22	28	26	23	121	20
	Anæmia, Chlorosis, Leucocythæmia	2	13	5	5	5	11	8	7	9	11	5	5	4	10	3	11	14	6	9	14
	Diabetes Mellitus	11	6	10	4	11	8	14	12	18	15	8	13	13	13	14	10	5	11	13	15
	Other Constitutional Diseases	2	3	3	6	5	4	2	9	1	6	4	4	2	4	3	6	3	2	9	7
V.	*Developmental Diseases.*																				
	Premature Birth	48	36	69	58	71	37	57	41	53	44	57	39	63	43	64	49	58	54	46	34
	Atelectasis	1	2	3	3	8	4	4	4	5	2	5	5	7	4	7	1	4	9	4	1
	Cyanosis	3	—	2	1	3	2	2	3	—	—	1	—	2	2	3	1	2	—	—	2
	Spina Bifida	3	1	2	2	—	3	2	1	2	5	2	—	3	2	1	3	2	—	1	3
	Imperforate Anus	1	—	2	—	—	1	1	1	2	1	2	—	3	1	2	—	3	—	—	1
	Cleft Palate, Harelip	1	—	1	1	—	—	1	1	1	—	—	2	—	2	3	1	2	1	—	2
	Other Congenital Defects	6	5	10	7	11	6	11	14	5	4	5	1	5	3	11	5	3	4	6	6
	Old Age	143	141	160	158	138	144	170	133	160	157	197	138	212	189	158	173	138	133	151	146
VI.	*Diseases of Nervous System.*																				
	Inflammation of Brain or its Membranes	36	25	41	27	41	27	36	29	32	30	38	35	40	31	38	37	29	34	35	24
	Apoplexy	38	47	41	38	48	52	45	40	50	56	41	54	45	42	45	47	50	60	66	57
	Softening of Brain	4	6	4	5	3	3	7	1	5	4	3	6	2	2	4	6	8	1	3	3

No. 27.—Decennial Return showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—*continued.*

Class.	Cause of Death.	1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.		1901.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Diseases of Nervous System—contd.																				
	Hemiplegia, Brain Paralysis	4	3	5	7	6	8	5	8	7	4	9	7	6	6	11	8	4	6	9	5
	Insanity, General Paralysis of Insane	30	15	29	13	29	15	37	14	31	12	16	21	24	15	20	21	28	18	19	16
	Chorea	—	3	—	3	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	Epilepsy	10	13	15	9	13	10	11	7	3	6	8	5	9	8	10	6	12	7	8	10
	Convulsions	54	59	78	55	63	32	59	45	51	51	59	46	56	50	61	39	30	30	45	41
	Laryngismus Stridulus	2	—	1	—	2	1	—	—	1	1	1	—	2	—	1	1	—	—	—	1
	Idiopathic Tetanus	1	—	2	2	3	2	4	6	1	3	3	—	9	2	5	—	2	1	2	3
	Paraplegia, Disease of Spinal Cord	12	3	3	1	10	4	15	3	4	8	6	6	14	3	12	6	9	6	5	9
	Other Diseases of Nervous System..	27	19	43	26	33	20	25	31	38	29	32	23	27	23	26	32	33	18	33	20
	Diseases of Organs of Special Sense.																				
	Otitis, Otorrhœa, and Disease of Ear	2	2	2	—	4	4	2	3	4	8	1	5	2	—	1	—	—	—	3	2
	Ophthalmia and Disease of Eye....	—	—	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—
	Epistaxis and Disease of Nose ...	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	1	1	—	1	—
	Diseases of Circulatory System.																				
	Endocarditis, Valvular Disease	19	11	22	21	25	25	24	17	11	11	22	20	15	25	27	19	12	23	22	15
	Pericarditis	1	2	2	1	2	—	—	1	1	1	4	4	—	—	1	1	2	2	1	1
	Hypertrophy of Heart	—	1	3	—	—	1	—	—	—	—	—	—	1	1	—	—	—	1	3	1
	Angina Pectoris	—	—	3	3	2	1	1	1	2	—	11	2	4	2	3	2	4	6	5	2
	Syncope	9	7	9	5	11	7	8	7	8	12	6	17	13	10	7	10	7	9	10	10
	Aneurism	10	2	7	1	7	2	6	2	9	1	7	—	8	—	7	1	10	1	10	1
	Senile Gangrene	1	—	3	1	2	3	2	1	1	2	—	—	2	—	2	2	1	3	1	1
	Embolism, Thrombosis	2	5	6	4	8	4	8	6	4	10	4	10	3	6	12	7	8	8	8	11
	Phlebitis	1	—	—	2	—	—	—	—	—	—	—	3	—	—	—	1	1	—	—	—
	Varicose Veins	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Circulatory System	126	96	130	108	125	116	116	138	130	123	163	133	189	148	157	144	176	159	198	174
	Diseases of Respiratory System.																				
	Laryngitis	3	2	11	7	1	3	9	1	4	3	2	2	6	1	5	6	4	—	3	5
	Croup	22	11	23	7	10	6	13	3	2	2	7	5	10	4	7	2	5	1	3	—
	Other diseases of Larynx and Trachea	2	—	1	—	1	—	3	1	—	—	1	—	—	—	2	1	—	—	—	1
	Emphysema, Asthma	10	3	6	—	15	7	8	6	12	2	8	7	10	6	16	15	7	3	8	3
	Bronchitis	68	65	100	75	85	80	78	44	74	70	65	53	78	65	86	77	85	72	73	59
	Pneumonia	107	80	115	115	118	98	104	74	117	88	117	79	144	93	120	90	102	89	125	93
	Pleurisy	4	10	14	7	8	7	16	2	13	8	15	8	10	11	12	5	11	5	17	2
	Other Diseases of Respiratory System	13	4	19	13	12	12	11	6	11	9	10	13	11	9	14	11	10	7	19	11
	Diseases of Digestive System.																				
	Stomatitis	—	2	4	—	2	—	1	1	1	1	1	—	1	3	2	1	1	2	1	—
	Dentition	33	25	38	35	23	19	25	22	23	29	24	24	37	13	19	15	15	15	18	18
	Sore Throat, Quinsy	3	2	2	1	5	3	4	1	2	4	1	1	4	2	3	3	1	1	2	1
	Dyspepsia	3	2	2	3	2	5	1	1	5	7	3	3	7	3	2	1	2	1	3	1
	Hæmatemesis	1	1	1	—	2	—	—	—	2	3	1	—	—	1	—	—	3	1	3	—
	Melæna	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—
	Disease of Stomach	13	13	6	11	13	10	13	16	10	16	17	8	6	12	10	5	11	14	11	11
	Enteritis	50	39	56	36	45	53	60	63	77	54	83	80	108	87	80	75	75	76	107	77
	Ulceration of Intestine	—	—	1	2	1	1	—	1	2	—	2	4	3	—	1	2	—	1	—	1
	Ileus, Obstruction of Intestine	12	7	7	8	8	12	5	11	13	12	13	15	13	13	11	6	7	11	16	8
	Stricture or Strangulation of Intestine	2	—	—	—	—	2	3	1	2	—	—	—	1	—	—	—	—	—	2	—
	Intussusception of Intestine	3	2	3	5	3	1	1	2	2	—	—	2	—	—	2	—	5	2	1	2
	Hernia	2	5	7	6	7	3	6	7	5	4	4	5	6	3	7	7	7	6	4	5
	Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—
	Peritonitis	16	14	10	12	13	18	20	16	7	31	14	15	17	21	17	16	8	21	9	16
	Ascites	1	1	—	3	1	—	3	2	1	2	—	1	1	1	2	1	—	2	—	1
	Gallstones	4	1	1	3	2	5	—	1	1	3	3	4	—	5	1	2	3	6	4	7
	Cirrhosis of Liver	8	9	12	1	12	8	5	2	12	4	3	8	13	5	12	10	14	7	10	10
	Other Diseases of Liver	17	19	22	11	20	16	18	12	15	21	23	21	17	16	21	10	19	11	14	6
	Other Diseases of Digestive System	13	13	6	7	8	8	9	8	11	4	8	5	4	6	9	7	5	4	7	10
	Diseases of Lymphatic System and Ductless Glands.																				
	Diseases of Lymphatic System	2	—	3	1	—	4	1	2	4	—	1	2	3	3	3	2	3	1	5	1
	Diseases of Spleen	1	—	—	—	—	1	—	—	—	1	1	—	—	3	1	—	—	—	1	—
	Bronchocele	—	—	1	—	—	1	—	3	—	2	—	1	1	4	—	3	—	1	1	4
	Addison's Disease	—	—	1	1	1	1	1	3	1	—	—	1	2	—	—	2	1	1	—	—
	Diseases of Urinary System.																				
	Acute Nephritis	7	11	6	3	7	5	12	7	9	9	10	18	12	12	13	12	14	8	14	9
	Bright's Disease	29	10	34	28	45	23	51	22	38	24	30	25	48	36	41	33	39	27	42	30
	Uræmia	6	2	1	1	1	4	3	3	5	5	9	2	5	5	3	3	5	5	7	3
	Suppression of Urine	1	—	1	—	2	—	1	—	2	—	—	—	2	—	—	—	2	—	1	—
	Calculus	3	1	7	—	1	1	1	—	4	1	—	1	4	1	6	1	1	—	4	1
	Hæmaturia	1	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—
	Diseases of Bladder and of Prostate	20	1	19	2	22	1	22	—	19	2	20	1	25	2	16	—	19	—	31	1
	Other Diseases of Urinary System..	5	5	6	5	2	2	6	3	7	6	10	4	12	3	12	8	16	3	7	7

No. 27.—Decennial Return showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—*continued.*

Class.	Cause of Death.	1892.		1893.		1894.		1895.		1896.		1897.		1898.		1899.		1900.		1901.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	Diseases of Organs of Generation.																				
	Ovarian Disease	—	7	—	6	—	4	—	6	—	3	—	5	—	5	—	4	—	4	—	2
	Diseases of Uterus and Vagina	—	7	—	9	—	7	—	11	—	4	—	10	—	11	—	9	—	5	—	5
	Disorders of Menstruation	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—
	Pelvic Abscess	—	1	—	—	—	—	1	—	—	3	1	—	—	—	—	2	—	2	1	2
	Perineal Abscess	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	Diseases of testes, scrotum, &c.	2	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—
	Diseases of Parturition.																				
	Abortion, Miscarriage	—	3	—	4	—	2	—	2	—	4	—	1	—	2	—	2	—	6	—	5
	Puerperal Mania	—	5	—	—	—	1	—	1	—	1	—	—	—	1	—	1	—	1	—	1
	Puerperal Convulsions	—	4	—	3	—	6	—	—	—	2	—	6	—	3	—	3	—	1	—	8
	Placenta Prævia, Flooding	—	3	—	10	—	6	—	4	—	7	—	7	—	11	—	5	—	12	—	7
	Phlegmasia Dolens	—	—	—	1	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	1
	Other Accidents of Childbirth	—	17	—	19	—	12	—	20	—	14	—	14	—	12	—	11	—	15	—	10
	Diseases of Organs of Locomotion.																				
	Caries, Necrosis	5	5	10	5	3	4	4	4	2	5	7	2	6	5	1	5	3	3	7	1
	Arthritis, Ostitis, Periostitis	—	2	2	—	1	1	2	—	2	2	3	—	3	1	2	2	—	4	2	5
	Other Diseases of Organs of Locomotion	1	1	1	2	5	2	1	4	4	—	6	5	7	5	3	3	1	6	3	4
	Diseases of Integumentary System.																				
	Carbuncle	—	1	1	1	2	1	1	—	1	—	1	1	1	1	2	—	—	—	2	1
	Phlegmon, Cellulitis	1	—	1	1	1	1	4	1	1	—	4	2	3	2	5	1	1	—	—	—
	Lupus	—	—	—	—	—	—	1	—	—	1	—	—	1	—	2	—	—	—	—	—
	Ulcer, Bedsore	—	—	—	1	1	—	1	—	1	—	—	—	—	1	—	—	1	—	—	1
	Eczema	2	1	3	3	2	1	4	1	1	1	2	—	2	3	—	—	2	1	2	—
	Pemphigus	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Other Diseases of Integumentary System	1	2	—	—	—	2	—	—	—	—	—	—	1	1	2	3	1	—	1	3
VII.	*Accident or Negligence.*																				
	Fracture and Contusion	58	17	70	14	45	13	71	9	72	16	58	13	68	13	65	12	75	6	71	10
	Gunshot Wounds	8	—	6	1	2	—	3	1	4	—	5	—	3	—	2	—	1	2	7	—
	Cut, Stab	1	—	—	—	3	1	1	—	1	—	—	—	—	1	1	1	—	1	1	—
	Burn, Scald	6	5	7	5	12	17	10	10	11	19	11	17	12	27	8	23	8	18	9	15
	Poison	12	1	8	2	5	1	5	—	4	2	3	2	3	—	6	2	8	2	12	2
	Drowning	26	6	29	7	52	11	39	3	33	7	28	7	43	3	56	8	26	8	28	10
	Suffocation	7	5	13	3	6	3	8	5	7	3	2	3	4	—	2	4	11	2	4	3
	Otherwise	10	5	15	4	10	7	27	8	28	14	29	20	49	44	35	22	21	16	13	9
	Homicide.																				
	Murder, Manslaughter	2	1	4	6	2	1	4	3	6	2	2	2	2	5	3	4	—	1	5	—
	Justifiable Homicide	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suicide.																				
	Gunshot Wounds	6	—	11	—	8	2	5	1	8	—	9	1	10	—	4	—	7	—	9	—
	Cut, Stab	4	—	5	1	4	2	2	—	3	1	10	—	8	1	7	—	5	2	8	—
	Poison	8	—	7	2	3	1	1	1	2	2	6	5	4	—	3	4	6	2	6	—
	Drowning	1	—	4	4	2	1	1	—	2	3	4	3	1	1	1	6	3	2	6	1
	Hanging	5	2	3	2	8	1	11	—	8	1	11	—	12	2	7	1	4	1	8	1
	Otherwise	—	1	2	—	1	1	1	—	1	—	—	1	1	1	—	1	1	—	2	—
	Execution.																				
	Hanging	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
VIII.	*Ill-defined and Not Specified Causes.*																				
	Dropsy	1	2	2	4	5	2	5	2	5	2	3	3	2	3	2	—	1	4	4	2
	Debility, Atrophy, Inanition	138	145	145	124	107	93	116	107	121	117	120	97	174	133	123	98	88	85	112	80
	Mortification	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	Tumor	—	—	2	1	1	1	—	3	—	—	—	1	—	1	—	—	1	—	1	2
	Abscess	—	1	3	1	1	1	2	1	—	2	1	—	2	1	—	—	2	2	—	—
	Hæmorrhage	1	2	—	1	1	—	1	—	4	—	3	2	1	—	1	1	2	1	1	1
	Sudden Death (cause unascertained)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Ill-defined and not Specified Causes	22	2	16	11	13	7	17	5	14	8	13	9	5	4	11	7	11	11	5	1

No. 28.—RETURN showing the Total Number of Deaths in South Australia (exclusive of the Northern Territory) from each cause during Ten Years, 1892-1901.

Class.	Causes of Death.	Total.	Males.	Females.
	ALL CAUSES	40,993	22,314	18,679
I.	SPECIFIC FEBRILE OR ZYMOTIC DISEASES	6,009	3,007	3,002
II.	PARASITIC DISEASES	138	77	61
III.	DIETIC DISEASES	300	196	104
IV.	CONSTITUTIONAL DISEASES	6,776	3,510	3,266
V.	DEVELOPMENTAL DISEASES	4,478	2,395	2,083
VI.	LOCAL DISEASES	18,175	9,848	8,327
VII.	VIOLENCE	2,488	1,847	641
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	2,629	1,434	1,195
	I.			
	1. Miasmatic Diseases	3,177	1,621	1,556
	2. Diarrhœal Diseases	2,294	1,206	1,088
	3. Malarial Diseases	12	10	2
	4. Zoogenous Diseases	—	—	—
	5. Venereal Diseases	70	43	27
	6. Septic Diseases	456	127	329
	II.			
	Parasitic Diseases	138	77	61
	III.			
	Dietic Diseases	300	196	104
	IV.			
	Constitutional Diseases	6,776	3,510	3,266
	V.			
	Developmental Diseases	4,478	2,395	2,083
	VI.			
	1. Diseases of Nervous System	4,213	2,311	1,902
	2. " Organs of Special Sense	55	28	27
	3. " Circulatory System	3,773	2,014	1,759
	4. " Respiratory System	4,316	2,471	1,845
	5. " Digestive System	3,651	1,921	1,730
	6. " Lymphatic System and Ductless Glands	88	39	49
	7. " Urinary System	1,338	890	448
	8. " Reproductive System—			
	(a) Diseases of Organs of Generation	148	11	137
	(b) Diseases of Parturition	300	—	300
	9. " Organs of Locomotion	185	97	88
	10. " Integumentary System	108	66	42
	VII.			
	1. Accident or Negligence	2,074	1,523	551
	2. Homicide	56	31	25
	3. Suicide	355	290	65
	4. Execution	3	3	—
	VIII.			
	Ill-defined and not Specified Causes	2,629	1,434	1,195
	Miasmatic Diseases.			
I.	Small-pox	2	2	—
	Chicken-pox	5	3	2
	Measles	379	182	197
	Epidemic Rose Rash	6	4	2
	Scarlet Fever	100	52	48
	Influenza	686	356	330
	Whooping Cough	552	265	287
	Mumps	2	1	1
	Diphtheria	512	238	274
	Cerebro-spinal Fever	22	12	10
	Simple and Ill-defined Fever	28	16	12
	Enteric Fever	880	487	393
	Other Miasmatic Diseases	3	3	—
	Diarrhœal Diseases.			
	Simple Cholera	79	41	38
	Diarrhœa, Dysentery	2,215	1,165	1,050
	Malarial Diseases.			
	Remittent Fever	7	5	2
	Ague, Intermittent Fever	2	2	—
	Other Malarial Diseases	3	3	—
	Zoogenous Diseases.			
	Glanders	—	—	—

No. 28.—RETURN of the Total Number of Deaths, &c.—*continued.*

Class	Cause of Death.	Total.	Males.	Females.
	Venereal Diseases.			
	Syphilis	51	24	27
	Gonorrhœa, Stricture of Urethra	19	19	—
	Septic Diseases.			
	Phagedaena	1	—	1
	Erysipelas	125	65	60
	Pyæmia, Septicæmia	133	62	71
	Puerperal Fever	197	—	197
II.	*Parasitic Diseases.*			
	Thrush	32	15	17
	Other Diseases from Vegetable Parasites	3	2	1
	Hydatid Disease	103	60	43
	Other Diseases from Animal Parasites	—	—	—
III.	*Dietic Diseases.*			
	Starvation, Want of Breast Milk	196	122	74
	Scurvy	1	1	—
	Intemperance { Chronic Alcoholism	87	57	30
	Intemperance { Delirium Tremens	16	16	—
IV.	*Constitutional Diseases.*			
	Rheumatic Fever, Rheumatism of Heart	162	70	92
	Rheumatism	72	33	39
	Gout	52	42	10
	Cancer, Malignant Disease	1,831	956	875
	Tabes Mesenterica	128	70	58
	Tubercular Meningitis (Acute Hydrocephalus)	394	216	178
	Phthisis	3,184	1,657	1,527
	Other forms of Tuberculosis, Scrofula	487	251	236
	Anæmia, Chlorosis, Leucocythæmia	157	64	93
	Diabetes Mellitus	224	117	107
	Other Constitutional Diseases	85	34	51
V.	*Developmental Diseases.*			
	Premature Birth	1,021	586	435
	Atelectasis	83	48	35
	Cyanosis	29	18	11
	Spina Bifida	38	18	20
	Imperforate Anus	21	16	5
	Cleft Palate, Harelip	19	9	10
	Other Congenital Defects	128	73	55
	Old Age	3,139	1,627	1,512
VI.	*Diseases of Nervous System.*			
	Inflammation of Brain or its Membranes	665	366	299
	Apoplexy	962	469	493
	Softening of Brain	80	43	37
	Hemiplegia, Brain Paralysis	128	66	62
	Insanity, General Paralysis of Insane	423	263	160
	Chorea	9	—	9
	Epilepsy	180	99	81
	Convulsions	1,004	556	448
	Laryngismus Stridulus	14	10	4
	Idiopathic Tetanus	51	32	19
	Paraplegia, Disease of Spinal Cord	139	90	49
	Other Diseases of Nervous System	558	317	241
	Diseases of Organs of Special Sense.			
	Otitis, Otorrhœa and Disease of Ear	45	21	24
	Ophthalmia and Disease of Eye	4	2	2
	Epistaxis, Disease of Nose	6	5	1
	Diseases of Circulatory System.			
	Endocarditis, Valvular Disease	386	199	187
	Pericarditis	27	14	13
	Hypertrophy of Heart	12	7	5
	Angina Pectoris	54	35	19
	Syncope	182	88	94
	Aneurism	92	81	11
	Senile Gangrene	28	15	13
	Embolism, Thrombosis	134	63	71
	Phlebitis	8	2	6
	Varicose Veins	1	—	1
	Other Diseases of Circulatory System	2,849	1,510	1,339

No. 28.—RETURN of the Total Number of Deaths, &c.—*continued.*

Class.	Cause of Death.	Total.	Males.	Females.
	Diseases of Respiratory System.			
	Laryngitis	78	48	30
	Croup	143	102	41
	Other Diseases of Larynx and Trachea	13	10	3
	Emphysema, Asthma	152	100	52
	Bronchitis	1,452	792	660
	Pneumonia	2,068	1,169	899
	Pleurisy	185	120	65
	Other Diseases of Respiratory System	225	130	95
	Diseases of Digestive System.			
	Stomatitis	24	14	10
	Dentition	470	255	215
	Sore Throat, Quinsy	46	27	19
	Dyspepsia	57	30	27
	Hæmatemesis	19	13	6
	Melæna	3	2	1
	Disease of Stomach	226	110	116
	Enteritis	1,381	741	640
	Ulceration of Intestines	22	10	12
	Ileus, Obstruction of Intestines	208	105	103
	Stricture, or Strangulation of Intestines	13	10	3
	Intussusception of Intestines	36	20	16
	Hernia	106	55	51
	Fistula	4	3	1
	Peritonitis	311	131	180
	Ascites	23	9	14
	Gallstones	56	19	37
	Cirrhosis of Liver	165	101	64
	Other Diseases of Liver	329	186	143
	Other Diseases of Digestive System	152	80	72
	Diseases of Lymphatic System and Ductless Glands.			
	Diseases of Lymphatic System	41	25	16
	Diseases of Spleen	9	4	5
	Bronchocele	22	3	19
	Addison's Disease	16	7	9
	Diseases of Urinary System.			
	Acute Nephritis	198	104	94
	Bright's Disease	655	397	258
	Uræmia	78	45	33
	Suppression of Urine	12	12	—
	Calculus	38	31	7
	Hæmaturia	5	5	—
	Diseases of Bladder and Prostate	223	213	10
	Other Diseases of Urinary System	129	83	46
	Diseases of Organs of Generation.			
	Ovarian Disease	46	—	46
	Diseases of Uterus and Vagina	78	—	78
	Disorders of Menstruation	3	—	3
	Pelvic Abscess	13	3	10
	Perineal Abscess	2	2	—
	Diseases of Testes, Scrotum, &c.	6	6	—
	Diseases of Parturition.			
	Abortion, Miscarriage	31	—	31
	Puerperal Mania	12	—	12
	Puerperal Convulsions	36	—	36
	Placenta Prævia, Flooding	72	—	72
	Phlegmasia Dolens	5	—	5
	Other Accidents of Childbirth	144	—	144
	Diseases of Organs of Locomotion.			
	Caries, Necrosis	87	48	39
	Arthritis, Ostitis, Periostitis	34	17	17
	Other Diseases of Organs of Locomotion	64	32	32
	Diseases of Integumentary System.			
	Carbuncle	17	11	6
	Phlegmon, Cellulitis	29	21	8
	Lupus	5	4	1
	Ulcer, Bedsore	7	4	3
	Eczema	31	20	11
	Pemphigus	2	—	2
	Other Diseases of Integumentary System	17	6	11

No. 28.—RETURN of the Total Number of Deaths, &c.—*continued.*

Class.	Cause of Death.	Total.	Males.	Females.
VII.	*Accident or Negligence.*			
	Fracture and Contusion	776	653	123
	Gunshot Wounds	45	41	4
	Cut, Stab	12	8	4
	Burn, Scald	250	94	156
	Poison	80	66	14
	Drowning	430	360	70
	Suffocation	95	64	31
	Otherwise	386	237	149
	Homicide.			
	Murder, Manslaughter	55	30	25
	Justifiable Homicide	1	1	—
	Suicide.			
	Gunshot Wounds	81	77	4
	Cut, Stab	63	56	7
	Poison	63	46	17
	Drowning	46	25	21
	Hanging	88	77	11
	Otherwise	14	9	5
	Execution.			
	Hanging	3	3	—
VIII.	*Ill-defined and Not Specified Causes.*			
	Dropsy	54	30	24
	Debility, Atrophy, Inanition	2,323	1,244	1,079
	Mortification	3	2	1
	Tumor	14	5	9
	Abscess	20	11	9
	Hæmorrhage	23	15	8
	Sudden Death (cause unascertained)	—	—	—
	Other Ill-defined and not Specified Causes	192	127	65

No. 29.—RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) from each Cause during the Ten Years, 1892-1901, arranged in the Order of Fatality.

Order of Fatality.	Causes of Death.	Total.	Males.	Females.
1	Phthisis	3,184	1,657	1,527
2	Old age	3,139	1,627	1,512
3	Diseases of circulatory system not separately classed	2,849	1,510	1,339
4	Debility, atrophy, inanition	2,323	1,244	1,079
5	Diarrhœa, dysentery	2,215	1,165	1,050
6	Pneumonia	2,068	1,169	899
7	Cancer, malignant disease	1,831	956	875
8	Bronchitis	1,452	792	660
9	Enteritis	1,381	741	640
10	Premature birth	1,021	586	435
11	Convulsions (except puerperal)	1,004	556	448
12	Apoplexy	962	469	493
13	Enteric fever	880	487	393
14	Fracture and contusion (accidental)	776	653	123
15	Influenza	686	356	330
16	Inflammation of brain or its membranes	665	366	299
17	Bright's disease	655	397	258
18	Diseases of nervous system not separately classed	558	317	241
19	Whooping cough	552	265	287
26	Diphtheria	512	238	274
21	Forms of tuberculosis not separately classed	487	251	236
22	Dentition	470	255	215
23	Drowning (accidental)	430	360	70
24	Insanity, general paralysis of insane	423	263	160
25	Tubercular meningitis (acute hydrocephalus)	394	216	178
26	Endocarditis, valvular disease of the heart	386	199	187
	Accidents not separately classed	386	237	149
27	Measles	379	182	197
28	Diseases of liver (except cirrhosis and gallstones)	329	186	143
29	Peritonitis	311	131	180
30	Burn, scald (accidental)	250	94	156
31	Disease of stomach	226	110	116
32	Diseases of respiratory system not separately classed	225	130	95
33	Diabetes mellitus	224	117	107
34	Diseases of bladder and prostate	223	213	10
35	Ileus, obstruction of intestine	208	105	103
36	Acute nephritis	198	104	94
37	Puerperal fever	197	—	197
38	Starvation, want of breast milk	196	122	74
39	Ill-defined and unspecified causes not separately classed	192	127	65
40	Pleurisy	185	120	65
41	Syncope	182	88	94
42	Epilepsy	180	99	81
43	Cirrhosis of liver	165	101	64
44	Rheumatic fever, rheumatism of heart	162	70	92
45	Anæmia, chlorosis, leucocythæmia	157	64	93
46	Diseases of digestive system not separately classed	152	80	72
	Emphysema, asthma	152	100	52
47	Accidents of childbirth not separately classed	144	—	144
48	Croup	143	102	41
49	Paraplegia, disease of spinal cord	139	90	49
50	Embolism, thrombosis	134	63	71
51	Pyæmia, septicæmia	133	62	71
52	Diseases of urinary system not separately classed	129	83	46
53	Tabes mesenterica	128	70	58
	Congenital defects not separately classed	128	73	55
	Hemiplegia, brain paralysis	128	66	62
54	Erysipelas	125	65	60
55	Hernia	106	55	51
56	Hydatid disease	103	60	43
57	Scarlet fever	100	52	48
58	Suffocation (accidental)	95	64	31
59	Aneurism	92	81	11
60	Hanging (suicidal)	88	77	11
61	Chronic alcoholism	87	57	30
	Caries, necrosis	87	48	39
62	Constitutional diseases not separately classed	85	34	51
63	Atelectasis	83	48	35
64	Gunshot wounds (suicidal)	81	77	4
65	Softening of brain	80	43	37
	Poisoning (accidental)	80	66	14
66	Simple cholera	79	41	38
67	Laryngitis	78	48	30
	Uræmia	78	45	33
	Diseases of uterus and vagina	78	—	78
68	Rheumatism (except of heart and rheumatic fever)	72	33	39
	Placenta prævia, flooding	72	—	72
69	Diseases of organs of locomotion not separately classed	64	32	32
70	Cut, stab (suicidal)	63	56	7
	Poisoning (suicidal)	63	46	17
71	Dyspepsia	57	30	27
72	Gallstones	56	19	37
73	Murder, manslaughter	55	30	25
74	Dropsy undefined or ill-defined	54	30	24
	Angina pectoris	54	35	19
75	Gout	52	42	10
76	Syphilis	51	24	27
	Idiopathic tetanus	51	32	19
77	Ovarian disease	46	—	46
	Sore throat, quinsy	46	27	19
	Drowning (suicidal)	46	25	21
78	Gunshot wounds (accidental)	45	41	4
	Otitis, otorrhœa, and disease of ear	45	21	24
79	Diseases of lymphatic system	41	25	16
80	Spina bifida	38	18	20
	Urinary calculus	38	31	7
81	Intussusception of intestine	36	20	16
	Puerperal convulsions	36	—	36
82	Arthritis	34	17	17
83	Thrush	32	15	17
84	Eczema	31	20	11
	Abortion, miscarriage	31	—	31
85	Phlegmon, cellulitis	29	21	8
	Cyanosis	29	18	11
86	Simple and ill-defined fever	28	16	12
	Senile gangrene	28	15	13
87	Pericarditis	27	14	13
88	Stomatitis	24	14	10
89	Hæmorrhage undefined or ill-defined	23	15	8
	Ascites	23	9	14
90	Ulceration of intestine	22	10	12
	Bronchocele	22	3	19
	Cerebro-spinal fever	22	12	10
91	Imperforate anus	21	16	5
92	Abscess undefined or ill-defined	20	11	9
93	Hæmatemesis	19	13	6
	Cleft palate, harelip	19	9	10
	Gonorrhœa, stricture of urethra	19	19	—
94	Carbuncle	17	11	6
	Diseases of integumentary system not separately classed	17	6	11
95	Addison's disease	16	7	9
	Delirium tremens	16	16	—
96	Tumor undefined or ill-defined	14	5	9
	Suicides not separately classed	14	9	5
	Laryngismus stridulus	14	10	4
97	Diseases of larynx and trachea (except croup and laryngitis)	13	10	3
	Stricture or strangulation of intestine	13	10	3
	Pelvic abscess	13	3	10
98	Puerperal mania	12	—	12
	Cut, stab (accidental)	12	8	4
	Suppression of urine	12	12	—
99	Hypertrophy of heart	12	7	5
	Chorea	9	—	9
100	Diseases of spleen	9	4	5
101	Phlebitis	8	2	6
	Remittent fever	7	5	2
	Ulcer, bedsore	7	4	3
102	Epistaxis and disease of nose	6	5	1
	Epidemic rose rash	6	4	2
	Diseases of testes, scrotum, &c.	6	6	—
103	Hæmaturia	5	5	—
	Chicken-pox	5	3	2
	Lupus	5	4	1
	Phlegmasia dolens	5	—	5
104	Ophthalmia and disease of eye	4	2	2
	Fistula	4	3	1
105	Mortification undefined or ill-defined	3	2	1
	Disorders of menstruation	3	—	3
	Diseases of vegetable parasites not separately classed	3	2	1
	Hanging (execution)	3	3	—
	Melæna	3	2	1
	Malarial disease not separately classed	3	3	—
	Miasmatic diseases not separately classed	3	3	—
106	Mumps	2	1	1
	Ague, intermittent fever	2	2	—
	Perineal abscess	2	2	—
	Pemphigus	2	—	2
	Smallpox	2	2	—
107	Phagedæna	1	—	1
	Varicose veins	1	—	1
	Justifiable homicide	1	1	—
	Scurvy	1	1	—

No. 30.—RETURN showing the Number of Persons who committed Suicide in South Australia (exclusive of the Northern Territory) during the Year 1901.

	Cause of Death.												Total.		
	Wounds.				Poisoning.		Drowning.		Hanging.		Otherwise.				
	Gunshot.		Cut, Stab, &c.												
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Total.
Metropolitan { City of Adelaide	3	—	1	—	1	—	3	—	1	—	—	—	9	—	9
Metropolitan { Suburbs "	2	—	3	—	1	—	1	—	3	—	1	—	11	—	11
Extra-Metropolitan	4	—	4	—	4	—	2	1	4	1	1	—	19	2	21
Total	9	—	8	—	6	—	6	1	8	1	2	—	39	2	41

No. 31.—RETURN showing the Ages of Persons who committed Suicide in South Australia (exclusive of the Northern Territory) during the Year 1901.

	Ages.																											
	Under 25 years.		25–		30–		35–		40–		45–		50–		55–		60–		65–		70–		75 and Upwards.		Not Stated.		Totals.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.
Metropolitan { City of Adelaide	—	—	—	—	—	—	1	—	1	—	1	—	1	—	1	—	1	—	1	—	—	—	2	—	—	—	9	—	9
Metropolitan { Suburbs "	—	—	—	—	1	—	—	—	2	—	2	—	1	—	3	—	—	—	1	—	1	—	—	—	—	—	11	—	11
Extra-Metropolitan	2	1	1	—	—	—	4	1	1	—	2	—	2	—	2	—	4	—	—	—	—	—	1	—	—	—	19	2	21
Total	2	1	1	—	1	—	5	1	4	—	5	—	4	—	6	—	5	—	2	—	1	—	3	—	—	—	39	2	41

No. 32.—Decennial Return showing the Number of Persons who committed Suicide in South Australia (exclusive of the Northern Territory).

Year.	Totals.	Males.	Females.
1892	27	24	3
1893	41	32	9
1894	34	26	8
1895	23	21	2
1896	31	24	7
1897	50	40	10
1898	41	36	5
1899	34	22	12
1900	33	26	7
1901	41	39	2

VACCINATIONS.

No. 33.—Return showing the Number of Public Vaccinators, the Number of Children whose Births were Registered during the Year 1901; the total Number of successful Vaccinations of Persons of all Ages, during the same period; and the Amount Paid by Government.

Number of Public Vaccinators.	Number of successful Vaccinations during the year.	Number of Births Registered during the year.	Proportion of Vaccinations to 100 Children Registered during the year.	Amount Paid by Government for the year's Vaccinations.
				£ s. d.
180	4,350	9,079	47·91	762 3 6

No. 34.—Decennial Return showing the Number of successful Vaccinations, and the Proportion to Births registered in South Australia (exclusive of the Northern Territory).

Year.	No. of Births Registered.	No. of successful Vaccinations.	No. of Vaccinations to 100 Births Registered.
1892	10,544	9,509	90·18
1893	10,683	7,177	67·18
1894	10,476	9,029	86·19
1895	10,537	7,636	72·47
1896	10,012	6,430	64·22
1897	9,535	6,331	66·40
1898	8,945	5,605	62·66
1899	9,397	4,854	51·65
1900	9,143	5,588	61·12
1901	9,079	4,350	47·91

No. 35.—Decennial Return showing the Number of Deaths in Public Institutions in South Australia (exclusive of the Northern Territory).

Name of Institution.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.
Hospitals—										
Adelaide Hospital	193	213	209	260	222	225	246	257	243	282
Mount Gambier Hospital	13	18	18	15	17	18	15	14	17	12
Port Adelaide Casualty Hospital	1	4	6	2	1	—	1	2	3	—
Port Augusta Hospital	29	23	29	14	21	26	19	24	20	27
Port Lincoln Hospital	4	5	2	3	3	2	5	5	2	1
Wallaroo Hospital	12	9	11	21	18	14	13	16	7	19
Clare Casualty Hospital	—	1	—	—	—	1	3	1	1	1
†Waukaringa Hospital (formerly at Teetulpa)	—	—	2	—	—	—	—	—	—	—
Port Pirie Hospital	12	12	14	9	7	14	20	21	17	31
Tarcoola Hospital	—	—	—	—	—	—	—	—	—	6
Lunatic Asylums—										
Adelaide	24	17	17	23	21	16	19	14	9	12
Parkside	45	44	41	50	49	49	61	77	85	70
Destitute—										
*Destitute Asylum	56	54	46	53	59	77	84	70	54	79
*Lying-in Department	6	1	5	8	6	6	4	4	1	4
State Children's Department { Industrial Schools	1	3	—	—	2	2	4	—	—	2
State Children's Department { Boarded out	7	10	7	7	4	7	12	8	6	5
Gaols and Penal Establishments—										
Adelaide Gaol	—	—	1‡	1‡	1	1‡	1	—	1‡	—
Gladstone Gaol	—	1	—	—	—	—	2	1	—	—
Mount Gambier Gaol	—	—	—	—	—	—	—	—	—	—
Port Augusta Gaol	—	—	—	—	—	—	—	—	—	—
Port Lincoln Gaol	—	—	—	—	—	—	—	—	—	—
Redruth Gaol	—	—	—	—	—	—	—	—	—	—
Wallaroo Gaol	—	—	—	—	—	—	—	—	—	—
Yatala Labor Prison	2	3	—	—	—	—	—	—	1	—

* Including children. † Closed since September 4th, 1894. ‡ Executed

G. H. AYLIFFE, Registrar-General of Births, &c.